

ZMIA 00610



# Lepidopterorum Catalogus

editus a

Chr. Aurivillius et H. Wagner

---

Pars 5:

E. Strand

Noctuidae: Agaristinae.

---

Einzel-Preis: Mark 7.75

Subscriptions-Preis: Mark 5.15

---

W. Junk

Berlin W. 15, Kurfuerstendamm 201.

18. III. 1912.

**W. JUNK, Berlin W. 15.**  
**Verlag und Antiquariat für Entomologie.**

# Coleopterorum Catalogus

Auspiciis et auxilio

**W. Junk**

editus a

**S. Schenkling.**

Bisher erschien: Published till now: Paru jusqu'aujourd'hui:

**Partes 1—39. 1910—1912. (M. 348,15)**  
**Mark 232,20.**

- Disqué**, Verzeichnis der in der Pfalz vorkommenden Kleinschmetterlinge (Micro-Lepidoptera). 1906. 8. 73 p. Mk. 2.—  
**Federley**, Lepidopterologische Temperatur-Experimente mit besond. Berücksichtigung der Flügelschuppen. 1905. 8. 119 p. m. 3 Tfln. u. 7 Fig. Mk. 5.—  
**Hartmann**, Die Klein-Schmetterlinge (Micro-Lepidoptera) des Europaeischen Faunengebietes. 1880. 8. 182 p. (Mark 4,20) Mk. 2,50  
**Jensen**, Bestemmelses-Tabeller ov. Danske Sommerfugle (Macro-Lepidopt.). 1902. 8. 23 p. m. Fig. Mk. 1.—  
**Junk**, Entomologen-Adressbuch. The Entomologist's Directory. Annuaire des Entomologistes. 1905. 8. 302 p. Origbd. (Statt 5 Mark.) Mk. 3.—  
Circa 9000 Adressen aller Entomologen auf der ganzen civilisierten Erde nebst Angabe der Specialität enthaltend. Von der Fachpresse auf das glänzendste recensiert.  
**Mitterberger**, Verzeichnis der im Kronlande Salzburg bisher beobachteten Microlepidopteren (Kleinschmetterlinge). 1909. 8. 358 p. Mk. 10.—  
**Prochnow**, Die Laut-Apparate der Insekten. Beitr. zur Zoophysik u. Descendenz-Theorie. 1908. 8. 178 p. mit 49 Fig. Mk. 5.—  
**Prochnow**, Reactionen auf Temperatur-Reize. 1908. 8. 63 p. mit Fig. Mk. 2,50  
**Ribbe**, Anleitung zum Sammeln von Schmetterlingen in tropischen Ländern. 1907. 8. 44 p. Mk. 1,50

Octavo 2°  
F.M.L.A. 610

# Lepidopterorum Catalogus

editus a

Chr. Aurivillius et H. Wagner

Pars 5:

Embrik Strand

Noctuidae: Agaristinae.



W. Junk

Berlin W. 15, Kurfuerstendamm 201.  
1912.

**Druck von A. Hopfer in Burg b. M.**

# Fam. Noctuidae.

## Subfam. Agaristinae.

Auct. Embrik Strand.

### Agaristinae.

*Agaristidae* Herr.-Schäff., Aussereur. Schmett. p. 12—13 (1850). — Boisd., Rev. Mag. Zool. 1874, p. 3 sq. — Moore, Lep. Ceylon 2, p. 32 (1882). — Plötz, Mitt. naturw. Ver. Neu-Vorpommern u. Rügen 17, p. 13 u. 45 (1886). — Haase, Corr.-Bl. Iris 1, p. 165—166 (1887) und 323 (1888). — Auriv., Entom. Tidskr. 1892, p. 183—184. — Kirby, Cat. Lep. Het. 1, p. 21—41 u. p. 897—9 (1892). — Hamps., Fauna Brit. India, Moths 1, p. 9—11 (1892) u. 2, p. 140 (1894); id. Ann. S. Afr. Mus. 2, p. 63 (1900); id. Cat. Lep. Phal. 3, p. 515 (1901). — Neum. and Dyar, Journ. New York Ent. Soc. 1, p. 99 (1893). — Karsch, Entom. Nachr. 21, p. 343—350 (1895). — Packard, Mem. Nat. Ac. Sc. 7, p. 81—83 (1895). — Jord., Nov. Zool. 3, p. 24—29 (1896); id. in: Seitz, Grossschmett. I, 3, p. 5, (1909). — Snell., Tijdschr. v. Entom. 43, p. 22 (1900). — Hormuzaki, Anal. Uebers. pal. Lep. p. 51 (1904). — Strand, Deutsche Ent. Zeitschr. 1909, p. 534—536. — Sharp, Cambr. Nat. Hist. Ins. 2, p. 370—371, 410 (1910).

*Castni* Wlk., List Het. Br. Mus. 1, p. 10—11 (1854), p. p.  
*Agaristinae* Strand, Fauna Exotica 1, No 15 (1912).

Synopsis d. Gattungen: Neum. a. Dyar, l. c. 2, p. 18 (p. p.) (1894). — Karsch, l. c. — Hamps., ll. cc. u. (p. p.) Cat. Lep. Phal. 9, p. 1—17 (1910).

### Eusemia Dalm.

*Eusemia* Dalm., Mon. Castniae, p. 26 (1825). — Wlk., List Het. B. M. 1, p. 46 (1854). — Hamps., Cat. Lep. Phal. 3, p. 520 (1901); id. Fauna Brit. India 2, p. 149 (p. p.) (1894).

*Episteme* Hb., Verz. 2, p. 179 (1827). — Jord., Nov. Zool. 3 (1896), p. 28—29; id. in: Seitz, Grossschmett., Fauna Pal. III, p. 5 (1909).

adulatrix Koll., Hügel's Kaschmir 4 (2), p. 464, t. 20, f. 1 (1844). — Boisd., Rev. Mag. Zool. 1874, p. 85. — Kaschmir,  
Butl., Ent. Mo. Mag. 12, p. 117 (1875). — Nordindien,  
Hamps., Moths Ind. 2, p. 152, f. 99 (1894). — Westchina

|   |                                      |
|---|--------------------------------------|
| Hamps., Cat. Lep. Phal. 3, p. 526—27, f. 230 (1901). — Jord. in: Seitz, Grossschmetterlinge I, Bd. 3, p. 6, Fig. 1a (1909).   |                                      |
| <i>bellatrix</i> Westw., Cab. Or. Ent. p. 67, t. 33, f. 2 (1848). — Wlk., List Het. B. M. 1, p. 46 (1854).  | Poona,<br>Mhow,<br>Bombay            |
| ab. <i>afficta</i> Butl., Entom. Mo. Mag. 12, p. 118 (1875). — Hamps., l. c. (1901) und l. c. 1894, p. 152. — Swinh., Proc. Zool. Soc. 1885, p. 292 u. 1886, p. 436.  | Nilgiri Hills,<br>Belgaum            |
| ab. <i>contracta</i> Butl., l. c. p. 117 (1875). — Hamps., Ill. Het. B. M. 8, p. 3. Nr. 55 (1891). — Hamps., Cat. Lep. Phal. 3, p. 526—7 (1901) u. l. c. 1894, p. 152.  | Ost- u. Nord-<br>Indien              |
| ab. <i>sectinotis</i> Butl., l. c. p. 117 (1875); id., Ill. Het. Brit. Mus. 5, p. 18, t. 82, f. 5 (1881). — Hamps., Cat. Lep. Phal. 3, p. 526—7 (1901); id. l. c. 1894, p. 152.   | Canara                               |
| ab. <i>simplex</i> Butl., l. c. p. 118 (1875); Hamps. l. c. (1901).   | Westchina                            |
| <b>beatrix</b> Jord. in: Seitz, Grossschmetterlinge I, Bd. 3, p. 6, Fig. 1a ( <i>Episteme</i> ) (1909).   | Java,<br>Sumatra                     |
| <i>irenea</i> Leech (nec Boisd.), Trans. Ent. Soc. London 1899, p. 211.   | Java,<br>Indien:                     |
| <b>bisma</b> Moore, Lep. E. I. Comp. 2, p. 287 ♂♀ (1859). — Hamps., Cat. Lep. Phal. 3, p. 523, t. 51, f. 13 (1901).   | Malabar,<br>Nilgiris,<br>Travancore  |
| <i>lambertiana</i> Boisd., Rev. Zool. (3) 2, p. 83 (1874).  | Borneo                               |
| <i>maculatrix</i> var. η Wlk., List Het. B. M., p. 48 (1854).   | West-<br>sumatra                     |
| Biologie: Moore, l. c. pl. 13, f. 1 (1859). — Piepers, Tijdschr. v. Ent. 48, p. 196 (1905).   | Indien:                              |
| <b>connexa</b> Wlk., List Het. Br. Mus. 7, p. 1773 (1856). — Hamps., Cat. Lep. Phal. 3, p. 521, t. 51, f. 4 (1901).   | Java                                 |
| <b>conspicua</b> Rothschild, Nov. Zool. 3, p. 29, t. 15, f. 26 (1896), ♂♀ ( <i>Episteme</i> ). — Hamps., Cat. Lep. Phal. 3, p. 522 (1901).  | Malabare,<br>Nilgiris,<br>Travancore |
| var. <i>sumatrana</i> Rothschild, Nov. Zool. VI, p. 70, ♀ (1899). — Hamps., l. c. p. 522.   | Shevaroy<br>Hills                    |
| <b>latimargo</b> Hamps., Ill. Het. B. M. 8, p. 45, t. 139, f. 24, ♂♀ (1891); id. Moths Ind. 2, p. 153 (1894); id. Cat. Lep. Phal. 3, p. 523—24 (1901).  | West- und<br>Ostchina,<br>Formosa    |
| var. <i>shevaroyensis</i> Strand, n. n. — Hamps., l. c. (1901), p. 524 (als: subsp. 1).   |                                      |
| <b>lectrix</b> L., Mus. Ulr., p. 389 (1764) ( <i>Noctua</i> ). — Houttuyn, Hist. Nat. I, 11, p. 598, t. 92, f. 5 (1766) ( <i>Noctua</i> ). — F., Spec. Ins. 2, p. 201 (1781) ( <i>Bombyx</i> ); id. Mant. Ins. 2, p. 130, 185 (1787); id. Ent. Syst. 3, 1, p. 475, 212 (1793) ( <i>Bombyx</i> ). — Cr., Pap. Exot. 2, t. 192, C (1777) ( <i>Noctua</i> ). — Donov., Ins. China, pl. 43, f. 2 ( <i>Bombyx</i> ) (1798). — Duncan, Nat. Libr. 37, Exot. Moths., p. 86, t. 2 (1841). — Wlk., List Het. B. M. 1, p. 47 (1854). — Boisd., Rev. Mag. Zool. 1874, p. 84. — Hamps., Cat. Lep. Phal. 3, p. 525 (1901). — Jord. in: Seitz, Grossschm. I, Bd. 3, p. 5, Fig. 1a ( <i>Episteme</i> ) (1909). — Leech, Trans. Ent. Soc. 1899, p. 210. |                                      |

- **maculatrix** Westw., Nat. Libr. Exot. Moths, 5, p. 88, t. 2, f. 3 (1841). — ?Wlk., List Het. B. M. 1, p. 47 (1854). — Boisd., Rev. et Mag. Zool. (3) 2, p. 86 (1874). — Preiss, Abbild. Nachtschmetterlinge, p. 3, t. 1, f. 2 (1888). — Hamps., Cat. Lep. Phal. 3, p. 524, ♂♂ (1901).
- irenea* Boisd., Rev. Zool. (3) 2, p. 84 (1874). — Hamps., Moths Ind. 2, p. 153 (1894). — Btl., Ent. Mo. Mag. 12, p. 119 (1875).
- ab. *antemedialis* Strand, nom. nov.; „ab. 1“ Hamps., l. c. (1901).
- ab. *distincta* Bull., Ann. Mag. Nat. Hist. (4) 15, p. 140 (1875); id.: Ill. Het. Brit. Mus. 5, p. 17, t. 82; f. 3 (1881). — Hamps., l. c. 1901, p. 524 und 1894, p. 153.
- ab. *cellularis* Strand, nom. nov.; „ab. 3“ Hamps., l. c. (1901).
- ab. *angularis* Strand, nom. nov.; „ab. 4“ Hamps., l. c.
- negrita** Hamps., Moths. Ind. 2, p. 151 (1894), ♂; id. Cat. Lep. Phal. 3, p. 528, t. 51, f. 18, ♂ (1901).
- nigripennis** Butl., Ann. Mag. Nat. Hist. (4) 15, p. 140 (1875). — Moore, Lep. Ceyl. 2, p. 34, t. 94, f. 3 (1882), ♂ (*Episteme*). — Hamps., Moths. Ind. 2, p. 152 (1894); id. Cat. Lep. Phal. 3, p. 527—28, ♂♀ (1901).
- **nipalensis** Butl., Ann. Mag. Nat. Hist. (4) 15, p. 140 (1875), ♂. — Hamps., Cat. Lep. Phal. 3, p. 525 (1901), ♀♂; id. Fauna India 2, p. 153 (1894).
- maculatrix* Westw., Cab. Or. Ent., p. 67, t. 33, f. 1 (1848), nec. Westw., 1841. — Wlk., List. Het. B. M. 1, p. 47 (1854). — Hamps., Moths. Ind. 2, p. 153 (1894).
- ab. *dives* Butl., Ill. Het. Brit. Mus. 5, p. 18, t. 82, f. 4 (1881).
- westwoodi* Kirby, Allen's Nat. Libr. 3, p. 65 (1897).
- solicita** Swinh., Ann. Mag. Nat. Hist. 10, p. 495, ♂ (1902).
- sumbana** Rothschr., Nov. Zool. 4, p. 310, ♂ (1897) (*Episteme*). — Hamps., Cat. Lep. Phal. 3, p. 527, t. 51, f. 1, ♂ (1901).
- **vetula** Geyer, Zutr. Ex. Schmett. 4, p. 17, f. 657—58, ♂ (1832) (*Heraclia*). — Boisd., Rev. Mag. Zool. 1874, p. 82 (*Eusemia*). — Hamps., Moths Ind. 2, p. 154 (1894); id. Cat. Lep. Phal. 3, p. 521, ♂♀ (1901). — Pagenst., Jahrb. nass. Ver. 38 p. 8 (1885). — Swinh., Cat. Het. Mus. Oxon. 1, p. 160—161 (1892).
- maculatrix* var. Wlk., List Het. B. M. 1, p. 47 (1854); 7, p. 1772 (1856).
- var. *fasciatris* Westw., Cab. Or. Ent. p. 67 (1848). — Hamps., Moths Ind. 2, p. 153 (1894); id. Cat. Lep. Phal. 3, p. 522, ♂♀ (1901). — Scmp., Reis. Arch. Philipp. 2, p. 510, ♂♀ (1899).
- bijugata* Wlk., Journ. Linn. Soc. Zool. 6, p. 85 (1862).
- communicans* Wlk., List Het. Brit. Mus. 31, p. 50 (1864), ♀. — Boisd., Rev. Mag. Zool. 1874, p. 82.

Westchina,  
Assam,  
Darjeeling

Assam,  
Silhet

Burma

Ceylon

Indien,  
Nepal

Darjeeling

Borneo  
Sumba

Java

Assam,  
Burma,  
Salangā,  
Penang,  
Cambodia,  
Philippinen,  
Borneo,  
Nias

- darocana* Druce, Ann. Mag. Nat. Hist. (6) 14,  
p. 23 (1894), ♂.  
var. *communis* Butl., Ann. Mag. Nat. Hist. (4) 15,  
p. 140, t. 13, f. 1 (1875). — Hamps., Cat. Lep.  
Phal. 3, p. 522 (1901).  
Biologie: Piepers, Tijds. v. Entom. 48, p. 195,  
t. 7, f. 6 (1905) (Raupe).  
14

### Chelonomorpha Motsch.

Motsch., Ét. Ent. IX, p. 30 (1860). — Jord., Nov. Zool. 3 (1896), p. 32, 40.  
— Hamps., Cat. Lep. Phal. 3, p. 528 (1901); id. Fauna India, p. 154 (1894),  
(p. p.). — Jord., in: Seitz, Grossschmett. I, Bd. 3, p. 6 (1909).

- japonica* Motsch., Ét. Ent. IX, p. 29 (1860). — Hamps.,  
Cat. Lep. Phal. 3, p. 529, ♀ ♂ (1901). — Jord.,  
in: Seitz, Grossschmett. I, Bd. 3, p. 6, Fig. 1 b  
(1909).  
*villicoides* Butl., Ann. Mag. Nat. Hist. (4) 15,  
p. 141, t. 13, f. 2 (1875) (*Eusemia*).  
var. *burmana* Strand, nom. nov.; „subsp. 1“  
Hamps., l. c. ♂ (1901).  
var. *Austeni* Moore, Lep. Atk. p. 11 (1879), ♂. —  
Hamps., Moths Ind. 2, Fig. 100, p. 154 (1894);  
id. Cat. Lep. Phal. 3, p. 529, f. 231 (1901), ♂ ♀.  
— Jord., in: Seitz, Grossschmett. I, Bd. 3, p. 6,  
Fig. 1 b (1909).

1

Jesso,  
Japan,  
West- und  
Zentral-  
china

Burma

Zentralchina,  
Assam,  
Nordindien

1

### Crinocula Jord.

Jord., Nov. Zool. 3, p. 36, 40 (1896). — Hamps., Cat. Lep. Phal. 3, p. 530  
(1901).

- kinabaluensis* Roths., Nov. Zool. 3, p. 36, t. 14, f. 22,  
♂ ♀ (1896). — Hamps., l. c. p. 530, f. 232 (1901)  
(als „*cinabaluensis*“ (sic!)).

1

Nordborneo

### Exsula Jord.

Jord., Nov. Zool. 3, p. 35, 41 (1896). — Hamps., Cat. Lep. Phal. 3, p. 530  
(1901).

- *dentatrix* Westw., Cab. Or. Entom. p. 68, t. 33, f. 5, ♀  
(1898) (*Eusemia*). — Wlk., List Het. B. M. 1,  
p. 46 (1854) (*Eusemia*). — Boisd., Rev. mag.  
Zool. 1874, p. 76 (*Eusemia*). — Hamps., Moths  
Ind. 2, p. 151 (1894) (*Eusemia*); id.: Cat. Lep.  
Phal. 3, p. 531, f. 233, ♀ ♂ (1901).  
— *victrix* Westw., Cab. Or. Entom. t. 33, f. 3 (1848) (*Euse-  
mia*). — Wlk., List Het. B. M. 1, p. 52 (1854).  
— Boisd., Rev. Mag. Zool. 1874, p. 87 (*Euse-  
mia*). — Hamps., Moths Ind. 2, p. 150 (1894)  
(*Eusemia*); id. Cat. Lep. Phal. 3, p. 531—32,  
♀ ♂ (1901). — Preiss, Abbild. Nachtschmetter-  
linge p. 3, t. 1, f. 1 (1888) (*Eusemia*).

Indien

- ab. *silhetensis* Butl. Ann. Mag. Nat. Hist. (4) 15, p. 139, ♀ (1875) (*Eusemia*); id. Ill. Lep. Het. B. M. 5, p. 17, t. 82, f. 1 (1881) (*Eusemia*). — Hamps., Cat. Lep. Phal. 3, p. 531—32 (1901); id. Fauna India 2, p. 151 (*Eusemia*) (1894).
- ab. *tyrianthina* Butl. Ent. Mo. Mag. 12, p. 116 (1875) (*Eusemia*). — Hamps., Cat. Lep. Phal. 3, p. 532 (1901); id. Fauna India 2, p. 151 (*Eusemia*).
- var. *burmaensis* Strand, nom. nov. — Subspec. 1<sup>“</sup>, Hamps., Cat. Lep. Phal. 3, p. 532 (1901).
- var. *orientalis* Butl. Ann. Mag. Nat. Hist. (4) 15, p. 139 (1875), ♀ (*Eusemia*); id. Ill. Lep. Het. B. M. 5, p. 17, t. 82, f. 2 (1881) (*Eusemia*). — Hamps., Moths Ind. 2, p. 151 (1894) (*Eusemia*); id. Cat. Lep. Phal. 3, p. 532, ♀ (1901).

2

Assam

Sikhim oder  
„Nord-  
indien“  
Burma,  
Yunnan  
Nordwest-  
himalaya

### Fleta Jord.

Jord., Nov. Zool. 3, p. 34, 41 (1896). — Hamps., Cat. Lep. Phal. 3, p. 532 (1901).

- Belangeri** Guér., Belanger's Voy. Ind. Or. p. 506, t. 5, f. 3 (1834) (*Agarista*). — Boisd., Rev. Mag. Zool. 1874, p. 88 (*Eusemia*). — Hamps., Cat. Lep. Phal. 3, p. 532—33, f. 234, ♂ ♀ (1901).
- amatrix* var.  $\alpha$  Wlk., List Het. B. M. 1, p. 49 (1854) (*Eusemia*).
- Moorei** Feld., Reise Nov. t. 107, f. 5 (1868—74), ♂ (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 533—534, f. 235, ♂ (1901). — Jord., Nov. Zool. 3 (1896), p. 35.

2

Sumatra,  
Java

Java,  
Molukken  
(?)

### Crinala Jord.

Jord., Nov. Zool. 3, p. 35, 40 (1896). — Hamps., Cat. Lep. Phal. 3, p. 534.

- mimetica** Roths., Nov. Zool. 3, p. 36, t. 14, f. 24 (1896), ♂. — Hamps., Cat. Lep. Phal. 3, p. 534, f. 236 (1901), ♂.

1

Philippinen:  
Nordluzon

### Immetalia Jord.

Jord., Nov. Zool. 3, p. 31, 34, 41 (1896). — Hamps., Cat. Lep. Phal. 3, p. 534—535 (1901).

- Bernsteini** Voll., Tijd. v. Ent. 6, p. 132, t. 9, f. 1 (1863) (*Ophihalmis*). — Roths., Nov. Zool. 3, p. 32 (1896). — Hamps., Cat. Lep. Phal. 3, p. 535 (1901).
- josiooides* Wlk., List Het. B. M. 31, p. 54 (1864) (*Eusemia*), ♂.
- var. *angustiplaga* Roths., Nov. Zool. 3, p. 32 (1896), ♂ ♀.
- ab. *xanthomelas* Boisd., Rev. Zool. (3) 2, p. 101, t. 8, f. 2 (1874) (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 535 (1901), ♂ ♀.

Halmheira,  
Gilolo,  
Morty,  
Batchian

Batchian  
Gilolo

|   |                                    |
|---|------------------------------------|
| <i>celebensis</i> Roths., Nov. Zool. 3, p. 33 (1896), ♀. — Hamps., Cat. Lep. Phal. 3, p. 537 (1901).  | Südcelebes                         |
| <i>Heydeni</i> Pagenst., Ent. Nachr. 22, p. 50, ♂ (1896) ( <i>Episteme</i> ); id. Abhandl. Senck. Ges. 23, t. 19, f. 7 (1897) ( <i>Episteme</i> ).  |                                    |
| <i>cyanæa</i> Roths., Nov. Zool. 3, p. 33 (1896), ♂ ♀. — Hamps.. Cat. Lep. Phal. 3, p. 537, t. 51, f. 2, ♀ (1901).  | Neuguinea                          |
| <i>diversa</i> Rothsch. & Jord., Nov. Zool. 10, t. 12, ff. 24, 25, p. 486, ♂ ♀ (1903).  | Neuguinea                          |
| [ <i>dulla</i> Pag., Jahrb. Nass. Ver. 49, p. 115 (1886) ( <i>Agarista</i> ), (ist eine Arctiide).]   | Keyinsel<br>(b. Aru)               |
| <i>Eichhorni</i> Roths., Jord., Nov. Zool. 8, p. 406 (1901), ♂ ♀. — Rothsch. & Jord., Nov. Zool. 10, t. 12, f. 38 (1903), ♂.  | Salomonen                          |
| <i>longipalpis</i> Kirsch, Mitt. Mus. Dresden 1, p. 130, t. 7, f. 12 (1877) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 535—36, f. 237, ♂ ♀ (1901). — Pag., Jahrb. Nass. Ver. 39 (1886), p. 118 ( <i>Eusemia</i> ). — Jord., Nov. Zool. 3, (1896) p. 27, ♂ ♀. | Dorey,<br>Neuguinea,<br>Neuirland  |
| <i>tyrianthina</i> Butl., Proc. Zool. Soc. 1879, p. 160 ( <i>Agarista</i> ), ♂. — Pag., Zoologica 29, 1900, p. 68 ( <i>Phalenooides</i> ).  |                                    |
| ab. <i>Bruijni</i> Oberth., Ann. Mus. Genova 15, t. 4, f. 6 (1880) ( <i>Agarista</i> ), ♀. — Pag., Jahrb. Nass. Ver. 39 (1886), p. 118 ( <i>Eusemia</i> ).  | Sehar                              |
| ab. <i>doreyana</i> Swinh., Cat. Het. Mus. Oxon. p. 164, t. 5, f. 4 (1892) ( <i>Eusemia</i> ), ♀.   | Dorey                              |
| ab. <i>cynapes</i> Druce, Ann. Mag. Nat. Hist. (6) 14, p. 22 (1895), ♂ ♀ ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 535—36 (1901).  | Neuguinea                          |
| ab. <i>prochyta</i> Druce, l. c. p. 23 (1895) ( <i>Agarista</i> ). — Hamps., l. et p. cit.  | "                                  |
| <i>Meeki</i> Roths., Nov. Zool. 3, p. 32 (1896), ♂. — Hamps., Cat. Lep. Phal. 3, p. 536—37, t. 51, f. 16, ♀ ♂ (1901) (als <i>Imm. meeci</i> [sic!]).  | Louisianen,<br>Fergusson-<br>insel |
| var. <i>hunonis</i> Roths., Nov. Zool. 4, p. 184 (1897). — Hamps., l. c. p. 536—37.   | Deutsch-<br>Neuguinea              |
| var. <i>keiana</i> Rothsch. & Jord., Nov. Zool. 10, p. 486 (1903), ♂.   | Grosskey                           |
| <i>saturata</i> Wlk., List Het. B. M. 31, p. 54 (1864), ♂ ( <i>Eusemia</i> ). — Swinh., Cat. Het. Mus. Oxon. p. 162, t. 5, f. 1 ( <i>Eusemia</i> ) (1892). — Hamps., Cat. Lep. Phal. 3, p. 537 (1901).  | Buru                               |
| var. <i>Doleschalli</i> Feld., Reise Nov. t. 107, f. 2—3 (1868—74) ( <i>Agarista</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 102 (1874) ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 537 (1901).   | Amboina                            |

**Burgena** Wlk.

Wlk., List Het. B. M. 31, p. 55 (1864). — Hamps., Cat. Lep. Phal. 3, p. 538 (1901).

|   |                    |
|---|--------------------|
| <i>amoena</i> Roths., Nov. Zool. 3, p. 39 (1896), ♀. — Pagenst., Zoologica 29, (1900), p. 67, t. 1, f. 6, ♀. — Hamps., l. c. p. 538, t. 51, f. 3, ♀ (1901).     | Neubritan-<br>nien |
| <i>chalybeata</i> Rothseh., Nov. Zool. 3, p. 39 (1896), ♂. — Pagenst., Zoologica 29, (1900), p. 67, t. 1, f. 4 ♂. — Hamps., l. e. p. c. t. 51, f. 15 (1901), ♂. | "                  |

|  |   |
|--|---|
| <b>constricta</b> Rothschr. & Jord., Nov. Zool. 12, p. 472 (1905).   | Neuguinea                                       |
| <b>reducta</b> Rothschr. & Jord., Nov. Zool. 10, p. 487, ♂ (1903).   | Salomonen                                       |
| — Jord., Nov. Zool. 12, p. 511, t. 5, f. 6 (1905).   |   |
| <b>splendida</b> Butl., Ann. Mag. Nat. Hist. (5) 19, p. 214 (1887) ( <i>Eusemia</i> ), ♂. — Hamps., l. c. p. c. t. 51, f. 14, ♂.   | Salomonen: Guadalcana                           |
| var. <i>pectoralis</i> Jord., Nov. Zool. 11, p. 444 (1904), ♂♀.  | Salomonen                                       |
| <b>varia</b> Wlk., List Het. B. M. 1, p. 15 (1854) ( <i>Damias</i> ). — Butl., Ill. Het. B. M. 1, p. 11, t. 4, f. 1 (1877). — Hamps., Cat. Lep. Phal. 3, p. 538—39, f. 238, ♂♀ (1901). — Pag., Zoologica 29, p. 66 (1900). | Neuguinea, Keyinseln, Aru, Trobriand-<br>insel, |
| <b>educta</b> Wlk., l. c. 31, p. 56 (1864), ♀.   | Louisiaden, Queens-                             |
| <b>arruana</b> Boisd., Rev. Zool. (3) 2, p. 100 (1874) ( <i>Eusemia</i> ). — Oberth., Ét. Ent. 19, p. 22, t. 5, f. 27 (1894).  | land, Neu-<br>südwales                          |
| ab. <i>transducta</i> Wlk., l. c. 31, p. 56 (1864), ♂. — Westw., Trans. Linn. Soc. Zool. (2) 1, p. 203, t. 29, f. 21 (1877). — Hamps., Cat. Lep. Phal. 3, p. 539 (1901).   | Gilolo  |
| ab. <i>luteistriga</i> Strand, nom. nov. — „Ab. 1“: Hamps., l. c.  |   |

G

### Scrobigera Jord.

Jord., Nov. Zool. 3, p. 37, 40 (1896). — Hamps., Cat. Lep. Phal. 3, p. 544, (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 6 (1909).

|  |                               |
|--|-------------------------------|
| <b>albomarginata</b> Moore, Proc. Zool. Soc. 1872, p. 509 ( <i>Eusemia</i> ). — Hamps., Moths India 2, p. 150 (1894) ( <i>Eusemia</i> ); id. Cat. Lep. Phal. 3, p. 544 (1901), ♀ ♂.  | Burma,<br>Annam,<br>Andamanen |
| ab. <i>opheltes</i> Druce, Proc. Zool. Soc. 1885, p. 518 ( <i>Eusemia</i> ). — Waterh., Aid 2, p. 172, f. 5 (1896) ( <i>Eusemia</i> ). — Poujade, N. Arch. Mus. Paris (3) 3, t. 11, f. 4—4 a (1892) ( <i>Eusemia</i> ). — Hamps., Moths India 2, p. 150 (1894).  |                               |
| <b>candidemarginata</b> Pouj., Le Natur. 13, p. 143, Fig. (1891) ( <i>Eusemia</i> ); id. Bull. Soc. ent. France 60, p. 53 (1891) ( <i>Eusemia</i> ).   |                               |
| var. <i>flaviciliata</i> Boisd., Rev. Zool. (3) 2, p. 104 (1874) ( <i>Agarista</i> ).  | Philippinen                   |
| <b>fimbriata</b> Boisd., l. c. t. 8, f. 1 ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 544 (1901).   |                               |
| <b>amatrix</b> Westw., Cab. Or. Ent. p. 68, t. 33, f. 4 (1848) ( <i>Eusemia</i> ). — Wlk., List Het. B. M. 1, p. 49 (1854) ( <i>Eusemia</i> ). — Hamps., Moths India 2, p. 149 (1894) ( <i>Eusemia</i> ); id. Cat. Lep. Phal. 3, p. 540—41, f. 239, ♀ ♂ (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 6, Fig. 1 c (1909), ♂ ♀. | Sikhim,<br>Assam              |
| <b>aruna</b> Moore, Lep. E. Ind. Comp. p. 288 (1859) ( <i>Eusemia</i> ). — Butl., Ill. Het. B. M. 5, p. 18, t. 82, f. 6 (1881) ( <i>Eusemia</i> ).   |                               |
| var. <i>chinensis</i> Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 6 (1909) ♂ ♀. — Hamps., Cat. Lep. Phal. 3, p. 541 („Chinese specimens . . .“ etc.).  | China                         |

|   |                                |
|---|--------------------------------|
| <i>hesperioides</i> Wlk., Journ. Linn. Soc. Zool. 6, p. 86 (1862) ( <i>Eusemia</i> ). — Swinh., Cat. Het. Mus. Ox. p. 162, t. 5, f. 3 (1892) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 542, ♂ ♀ (1901).   | Borneo                         |
| <i>tricolor</i> Butl., Ann. Mag. Nat. Hist. (4) 15, p. 142 (1875), ♀ ( <i>Eusemia</i> ).<br>ab. <i>pulchra</i> Butl., Ann. Mag. Nat. Hist. (4) 15, p. 143, t. 13, f. 4 (1875) ( <i>Eusemia</i> ), ♀. — Hamps., Moths India 2, p. 150 (1894) ( <i>Eusemia</i> ); id. Cat. Lep. Phal. 3, p. 542 (1901). — Jord., Nov. Zool. 3 (1896), p. 37—38.   | Sarawak<br>(nicht von Murrut!) |
| <i>Staudingeri</i> Oberth. Ét. Ent. 19, p. 22, t. 3, f. 15 (1894) ( <i>Episteme</i> ), ♂.   | Borneo                         |
| <i>niveifasciata</i> Roths., Nov. Zool. 3, p. 38 (1896), ♀. — Hamps., Cat. Lep. Phal. 3, p. 543, t. 51, f. 6, ♀ (1901).   | Assam,<br>Malakka,<br>Sumatra  |
| <i>proxima</i> Wlk., List Het. B. M. 1, p. 50 (1854) ( <i>Eusemia</i> ), ♂. — Butl., Ill. Het. B. M. 1, p. 10, t. 4, f. 9 (1877) ( <i>Eusemia</i> ). — Hamps., Moths India 2, p. 149 (1894) ( <i>Eusemia</i> ); id.: Cat. Lep. Phal. 3, p. 541, ♂ ♀ (1901). — Jord., Nov. Zool. 3 (1896), p. 37. — Strand, Iris 1910, p. 200.<br>var. <i>clymene</i> Boisd., Rev. Zool. (3) 2, p. 97 (1874) ( <i>Eusemia</i> ). | Java                           |
| <i>amatrix</i> Boisd., l. c. p. 88 ( <i>Eusemia</i> ) nec Westw. Biologie: Moore, Lep. E. Ind. Comp. p. 289, t. 13, f. 2 (1859) („ <i>Eusemia amatrix</i> “). — Hamps., Cat. Lep. Phal. 3, p. 541 (1901). — Piepers, Tijdschr. v. Ent. 48, p. 197 (1905).   | Penang                         |
| <i>Semperi</i> Feld., Reise Nov. t. 107, f. 4 (1868—74), ♀ ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 543 (1901), ♂ ♀. — Semp., Reis. Arch. Philipp. 2, p. 511.   | Philippinen,<br>Celebes        |
| <i>milionata</i> Swinh., Cat. Het. Mus. Ox. p. 162, t. 5, f. 2 (1892), ♂ ( <i>Eusemia</i> ).  | Celebes                        |
| <i>vacillans</i> Wlk., List Het. B. M. 31, p. 51, ♀ (1864) ( <i>Eusemia</i> ). — Boisd., Rev. Mag. Zool. 1874, p. 89 ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 542 (1901).  | Nordcelebes                    |
| <i>eudamoides</i> Butl., Ent. M. Mag. 12, p. 124 (1875) ( <i>Eusemia</i> ), ♀ (nach Butl. ♂!).<br>var. <i>taeniata</i> Roths. & Jord., Nov. Zool. 10, p. 487 (1903), ♂ ♀.   | Burma                          |
| <i>vulcanica</i> Butl., Ent. M. Mag. 12, p. 123 (1875), ♂ ( <i>Eusemia</i> ). — Hamps., Moths India 2, p. 150 (1894) ( <i>Eusemia</i> ).  | Tonkin                         |
| <i>glossatrix</i> Westw., Oates' Mataleland p. 356 (1881) ( <i>Eusemia</i> ). — Roths. Nov. Zool. 6, p. 71.<br>var. <i>melaina</i> Joann., Bull. Soc. ent. France 1900, p. 280.   |                                |

**Comoerus Jord.**

- Jord., Nov. Zool. 3, p. 40 (1896). — Hamps., Cat. Lep. Phal. 3, p. 544 (1901).  
**Behri** Angas, S. Australia Illustr. t. 37, f. 21—22 (1847) (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 544—45, f. 240 (1901), ♂ ♀.

*casuarinae* Scott, Austral. Lep. 1, p. 24, t. 8 (1865) (*Agarista*). — Mc Coy, Prod. Zool. Vict. Dec. 1, t. 8, f. 5—8 (1878) (*Agarista*).  
 ab. *contorta* Wlk., List Het. B. M. 31, p. 45 (1864) (*Agarista*), ♀. — Boisd., Rev. et Mag. Zool. 1874, p. 73 (*Agarista*). — Hamps., l. c. (1901).  
 ab. *flexuosa* Wlk., List Het. B. M. 31, p. 46 (1864) (*Agarista*), ♀. — Boisd., Rev. et Mag. Zool. 1874, p. 74 (*Agarista*). — Hamps., l. c. p. 545 (1901). Biologie: Hamps., Cat. Lep. Phal. 3, p. 545—46 (1901). — Mc Coy, l. c. (1878).

1

N.-S.-Wales

Queensland

**Cruria** Jord.  
 Jord., Nov. Zool. 3, p. 39, 40 (1896). — Hamps., Cat. Lep. Phal. 3, p. 546 (1901).

**darwiniensis** Butl., A. M. N. H. (5) 14, p. 406 (1884) (*Agarista*), ♀. — Hamps., Cat. Lep. Phal. 3, p. 547 (1901), t. 52, f. 14, ♀.  
 ab. *papua* Strand, nom. nov. — Hamps., l. c. p. 548 (1901), ♀.  
**Donovani** Boisd., Voy. Astrolabe, Lép. p. 176 (1832) (*Agarista*). — Herr.-Schäff., Aussereur. Schmett. f. 28 (1852) (*Agarista*). — Boisd., Rev. Mag. Zool. 1874, p. 73 (*Agarista*). — Wlk., List Het. B. M. 1, p. 43 (1854) (*Agarista*). — Butl., Ill. Het. B. M. 1, p. 9, t. 4, f. 7 (1877) (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 546—47, f. 241 (1901), ♂ ♀.  
**epicharita** Turn., Ann. Queensland Mus. No. 10, p. 59—60, ♂ (1911).  
**neptoides** Butl., A. M. N. H. (4) 15, p. 138 (1875), ♀ (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 547 (1901), ♂ ♀.  
**platyxantha** Meyr., Trans. R. Soc. S. Austr. 14, p. 194 (1891) (*Agarista*). — Hamps., l. c. p. 548.  
*tropica* Lucas, Proc. Linn. Soc. N.-S.-Wales (2) 6, p. 302 (1891) (*Agarista*).  
**synopla** Turn., Trans. R. Soc. South. Austr. 27, p. 1 (1903).  
 6

West- und

Nord-  
australien

Neuguinea

Timor,  
N.-S.-WalesQueensland,  
Cape YorkNord-  
australien,  
Queensland,  
Thursday  
InselNord-  
australien,  
Queensland

Queensland

### Agarista Leach.

Leach, Zool. Misc. 1, p. 37 (1815). — Wlk., List Het. B. M. 1, p. 40 (1854), p. p. — Jord., Nov. Zool. 3 (1896), p. 48. — Hamps., Cat. Lep. Phal. 3, p. 548 (1901).

**agricola** Donov., Ins. New Holl. t. 32, f. 1 (1805) (*Papilio*). — Wlk., List Het. B. M. 1, p. 40 (1854). — Boisd., Rev. Mag. Zool. 1874, p. 68. — Hamps., Cat. Lep. Phal. 3, p. 549, f. 242, ♂ ♀ (1901).  
**picta** Leach, Zool. Misc. I, p. 38, t. 15 (1815). — Godt. Enc. Méth. 9, p. 803 (1819). — Duncan, Nat. Libr., Exot. Moths 5, p. 83, t. 2, f. 1 (1841).

Queensland,  
N.-S.-Wales

|  |                     |
|--|---------------------|
| var. <i>biformis</i> Butl., Ann. Mag. Nat. Hist. (5) 14, p. 404, ♂ ♀ (1884). — Hamps., Cat. Lep. Phal. 3, p. 549, ♂ ♀ (1901).  | Nord-<br>australien |
| var. <i>timorensis</i> Rothschild., Nov. Zool. 3, p. 48 (1896), ♂. — Hamps., l. c. p. 550, ♂ (1901).   | Timor               |
| var. <i>daemonis</i> Butl., Ann. Mag. Nat. Hist. (4) 18, p. 249 (1876), ♀. — Hamps., l. c. p. 550 (1901), ♀. Biologie: Scott, Austral. Lep. 1, p. 25, t. 8 (1865). — Hamps., Cat. Lep. Phal. 3, p. 550 (1901). | Neuguinea           |
| <b>fluitans</b> Lucas, Proc. Linn. Soc. N.-S.-Wales (2) 8, p. 140 (1893) ( <i>Agarista</i> ). [Fraglich ob <i>Agarista</i> s. str.]  | Australien          |
| <b>simplex</b> Lucas, Proc. Linn. Soc. N.-S.-Wales (2) 6, p. 301 (1891) ( <i>Agarista</i> ). [Fraglich ob <i>Agarista</i> s. str.]   | Australien          |
| 3  |                     |

### Argyrolepidia Hamps.

Hamps., Cat. Lep. Phal. 3, p. 550 (1901).

|  |  |
|--|--|
| <b>aurea</b> Jord., Nov. Zool. 10, p. 315, t. 12, f. 21 (1903), ♂ ♀.   | Britisch-<br>Neuguinea                 |
| <b>aequalis</b> Wlk., List Het. B. M. 31, p. 47 (1864) ( <i>Agarista</i> ), ♀. — Boisd., Rev. Mag. Zool. 1874, p. 75 ( <i>Agarista</i> ). — Swinh., Cat. Het. Mus. Oxon. p. 159 (1892) ( <i>Rothia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 552, ♀ ♂ (1901).   | Aru,<br>Neuguinea                      |
| <b>Dohertyi</b> Oberth., Et. Ent. 19, p. 24, t. 5, f. 28 (1894) ( <i>Phalaenoides</i> ), ♂.  |  |
| var. <i>salomonis</i> cf. <i>salomonis</i> p. 13.  |  |
| var. <i>integra</i> Jord., Nov. Zool. 11, p. 446 (1904). — Jord., Nov. Zool. 12, p. 511, t. 5, f. 2 (1905).  | Choiseul<br>(Salomonen)                |
| var. <i>capiens</i> Jord., Nov. Zool. 11, p. 446 (1904), ♂ ♀.  | Salomonen                              |
| <b>caeruleotincta</b> Lucas, P. Linn. Soc. N.-S.-Wales (2) 6, p. 303 (1892), ♂. ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 553, t. 52, f. 12, ♂ (1901).  | Queensland                             |
| <b>fracta</b> Rothschild., Nov. Zool. 6, p. 432 (1899), ♂ ♀ ( <i>Phalaenoides</i> ). — Hamps., Cat. Lep. Phal. 3, p. 552, t. 52, f. 11 (1901).   | Neuguinea,<br>Queensland               |
| <b>lunaris</b> Rothschild. & Jord., Nov. Zool. 12, p. 473 (1905). <b>novae-hiberniae</b> Boisd., Voy. Astrolabe, Lép. p. 178 (1832) ( <i>Agarista</i> ); id. Rev. Mag. Zool. 1874, p. 76 ( <i>Agarista</i> ). — Wlk., List Het. B. M. 1, p. 45 (1854). — Butl., Ill. Het. B. M. 1, p. 8, t. 4, f. 5 (1877) ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 550, t. 52, f. 9 (1901), ♂. — Pag., Zoologica 29, 1900, p. 67 ( <i>Phalaenoides</i> ). | Neuguinea<br>Neuhannover,<br>Neuirland |
| <b>palaea</b> Rothschild. & Jord., Nov. Zool. 12, p. 473 (1905). — Jord., Nov. Zool. 13, p. 761, t. 3, f. 15 (1906).   | Neuguinea                              |
| <b>pamphilia</b> Stoll, Pap. Exot. 4, p. 153, t. 368, G. (1782) ( <i>Geometra</i> ). — Boisd., Rev. Mag. Zool. 1874, p. 77 (1874). — Hamps., Cat. Lep. Phal. 3, p. 551—52, f. 243, ♂ (1901). — Jord., Nov. Zool. 13, p. 161 (1906).  | Amboina,<br>Ceram.                     |
| var. <i>nicacea</i> Wlk., List Het. B. M. 31, p. 48 (1864) ( <i>Agarista</i> ), ♂.   |  |
| var. <i>ceramensis</i> Kby., Cist. Entom. 1, p. 346 (1875) ( <i>Phalaenoides</i> ).  |  |
| var. <i>ombiranus</i> Jord., Nov. Zool. 13, p. 161 (1906), ♀.  | Molukken                               |

- Salomonis** Roths., Nov. Zool. 6, p. 432 (1899), ♀ (*Phalaenoides*). — Hamps., Cat. Lep. Phal. 3, p. 553, t. 52, f. 19 (♀) (1901). — Jord., Nov. Zool. 11, p. 446 (1904) (als subsp. von *aequalis*).  
**unimacula** Lower, Trans. R. Soc. S. Austral. 27, p. 29 (1903).  
10

Salomon-  
inseln

Queensland

**Eutrichopidia** Hamps.

Hamps., Cat. Lep. Phal. 3, p. 554 (1901).

- latina** Donov., Ins. N. Holl. t. 32, f. 4 (1805) (*Papilio*). — Wlk., List Het. B. M. 1, p. 48 (1894) (*Agarista*). — Boisd., Voy. de l'Astrolabe 1, Lép. p. 174, f. 4 (1832); id. Rev. et Mag. de Zool. 1874, p. 70 (*Agarista*). — Angas, S. Australia Illustr. t. 37, f. 23 (1847) (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 554, f. 244 (♂ ♀) (1901). Biologie: Scott, Austral. Lep. 2, p. 17, t. 15 (1890—93). — Hamps., l. c. p. 554 (1901).

N.-S.-Wales,  
Tasmanien

1

**Phalaenoides** Lewin.

Lewin, Lep. Ins. N.-S.-Wales, p. 2 (1805). — Jord., Nov. Zool. 3 (1896), p. 48—49. — Hamps., Cat. Lep. Phal. 3, p. 555 (1901).

*Eutactis* Hb., Zutr. Ex. Schmett. 1, p. 28 (1827).

- ardescens** Butl., Ann. Mag. Nat. Hist. (5) 14, p. 405, ♀ (1884) (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 559, t. 52, f. 13, ♂ ♀ (1901).

Nord-  
australien,  
Queensland

- basiplaga** Roths., Nov. Zool. 7, p. 275, t. 5, f. 5 (1900), ♀. — Hamps., Cat. Lep. Phal. 3, p. 557, ♀ (1901).

Neuguinea

- glycinæ** Lewin, Lep. Ins. N.-S.-Wales, p. 2, t. 1 (1805). — Boisd., Spéc. gén. Lép. 1, t. 14, f. 3 (1836) (*Agarista*). — Wlk., List Het. B. M. 1, p. 42 (1854) (*Agarista*). — Mc Coy, Prodr. Zool. Vict. 1, t. 8, f. 9—13 (1878) (*Agarista*). —

N.-S.-Wales,  
Victoria

Hamps., Cat. Lep. Phal. 3, p. 558, f. 246 (1901). — Croch. ed. Règn. Animal, Atlas Ins. t. 144, f. 4 (*Agarista*). — Boisd., Rev. et Mag. Zool. 1874, p. 70.  
Biologie: Scott, Austral. Lep. 2, p. 15, t. 15 (1890—93). — Hamps., l. c. — Mc Coy, l. c. — Guér., Ic. Règn. Animal t. 83, f. 2 (1842). — Lewin, l. c.

- Goldiei** Druce, Ann. Mag. Nat. Hist. (6) 14, p. 21, (1894), ♂ (*Agarista*). — Roths., Nov. Zool. 3, t. 15, f. 31 (1896). — Hamps., Cat. Lep. Phal. 3, p. 560—61, ♂ (1901).  
**inconspicua** Roths., Nov. Zool. 3, p. 49, t. 15, f. 30 (1896), ♂. — Hamps., Cat. Lep. Phal. 3, p. 561, ♂ (1901).

Neuguinea  
Neuguinea

- Kühnli** Roths., Nov. Zool. 7, p. 275 (1900).

Dammer-  
inseln

- maculosus** Roths., Nov. Zool. 3 (1896), p. 94—95, ♂.

Nord-  
queensland

|   |   |
|---|---|
| <b>megisto</b> Boisd., Voy. Astrolabe, Lép. p. 179, t. 5, f. 5 (1832) ( <i>Agarista</i> ); id. Rev. Mag. Zool. 1874, p. 81 ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 557, t. 52, f. 6, ♀ (1901).   | Dorey,<br>Neuguinea   |
| <b>pyraliformis</b> Wlk., List Lep. Het. B. M. 31, p. 220 (1864) ( <i>Vitessa</i> ), ♀. — Swinh., Cat. Het. Mus. Oxon. p. 159 (1892).   |   |
| <b>mutans</b> Roths., Nov. Zool. 8, p. 220, t. 9, f. 4 (1901), ♂.   | Britisch-<br>Neuguinea  |
| <b>neurogramma</b> Meyr., Tr. Ent. Soc. 1889, p. 468 ( <i>Agarista</i> ), ♂. — Hamps., Cat. Lep. Phal. 3, p. 556, t. 52, f. 8 (1901), ♂.  | Neuguinea   |
| <b>polysticta</b> Butl., Anu. Mag. Nat. Hist. (4) 15, p. 138 (1875), ♀ ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 560.<br>ab. <i>Butleri</i> Swinh., Cat. Het. Mus. Oxon. p. 157, t. 5, f. 6 (1892), ♂.   | N.-S.-Wales,<br>West-<br>australien<br>Swan River             |
| <b>Praslini</b> Boisd., Voy. Astrolabe, Lép. p. 179 (1832) ( <i>Agarista</i> ). — Pag., Zool. 29, p. 67 (1900).   | Neuirland   |
| <b>resplendens</b> Roths. & Jord., Nov. Zool. 10, p. 487, t. 12, f. 37, ♂ (1903).   | Neuguinea   |
| <b>restricta</b> Roths., Nov. Zool. 4, p. 311, t. 7, f. 8 (1897), ♀. — Hamps., Cat. Lep. Phal. 3, p. 557 (1901). — Pag., Zoologica 29, 1900, p. 68, ♂.  | Neu-<br>britannien  |
| <b>tetrapleura</b> Meyr., Trans. R. Soc. S. Austr. 14, p. 195 (1891) ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 555—56, f. 245, ♂ (1901).   | Queensland  |
| <i>albamedia</i> Lucas, Pr. Linn. Soc. N.-S.-Wales (2) 6, p. 301 (1891). — Jord., Nov. Zool. 3, (1896) p. 49, ♂ ♀.  |   |
| <i>Macleayi</i> Swinh., Cat. Het. Mus. Oxon. p. 157, t. 5, f. 11 (1892).  |   |
| <b>tristifica</b> Hb., Zutr. Ex. Schmett. 1, p. 28, ff. 165, 166 (1819) ( <i>Eutaxis</i> ). — Hamps., Cat. Lep. Phal. 3, p. 559—60, ♀ ♂ (1901).   | N.-S.-Wales,<br>Süd-<br>australien,<br>Victoria,<br>Tasmanien |
| <i>Lewini</i> Boisd., Voy. Astrolabe 1, Lép. p. 176 (1832); id. Rev. et Mag. Zool. 1874, p. 71 ( <i>Agarista</i> ). — Wlk., List Het. B. M. 1, p. 43 (1854). — Butl., Ill. Het. B. M. 1, p. 7, t. 4, f. 2 (1877) ( <i>Agarista</i> ). — Mc Coy, Prod. Zool. Vict. 1, t. 8, ff. 1—4 (1878) ( <i>Agarista</i> ).<br>ab. <i>ephyra</i> Angas, S. Australia Ill. t. 37, f. 20 (1847) ( <i>Agarista</i> ). — Wlk., List Het. B. M. 1, p. 42 (1854). — Herrich-Schäffer, Ausscreur. Schmett. f. 27 (1852). — Boisd., Rev. Mag. Zool. 1874, p. 71 ( <i>Agarista</i> ). — Butl., Ill. Het. B. M. 1, p. 8, t. 4, f. 4 (1877) ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 560. | Tasmanien   |
| Biologie: Scott, Austral. Lep. 2, p. 14, t. 15 (1890—93). — Hamps., l. c. — Mc Coy, l. c.   |   |

**Xanthospilopteryx** Wllgr.

|   |                            |
|---|----------------------------|
| Wallengren, Oefv. Vet.-Akad. Förh. 15, p. 83 (1858). — Hampson, Cat. Lep. Phal. 3, p. 561 (1901). — Karsch, Entom. Nachr. 21, p. 345 (1895). — Hamps., Ann. S. Afr. Mus. 2, p. 63 (1900). |                            |
| <b>abacata</b> Karsch, Entom. Nachr. 18, p. 181 (1892). — Bart., Verh. zool.-bot. Ges. Wien 53, p. 123 (1903).  | Deutsch-Süd-<br>westafrika |

- aemulatrix** Westw., Oates' Matabeleland p. 355 (1881) (*Eusemia*), ♂. — Hamps., Cat. Lep. Phal. 3, p. 570 (1901), ♀ ♂. — Kirby, Trans. Ent. Soc. 1891, p. 284. Goldküste, Kongo
- africana** Butl., Ann. Mag. Nat. Hist. (4) 15, p. 142, ♂ ♀ (1875) (*Eusemia*). — Jord., Nov. Zool. 3 (1896), p. 30. — Hamps., Ann. S. Afr. Mus. 2, p. 65 (1900); id. Cat. Lep. Phal. 3, p. 564, t. 52, f. 5 (1901), ♂ ♀. Kirby, Trans. Ent. Soc. 1891, p. 287. Britisch, Ost- u. Central- afrika, Zululand, Natal
- mereatrix** Westw., Oates' Matabeleland p. 355, (1881), ♀ (*Eusemia*). Kilimandjaro
- ab. **fatima** Kirby, Trans. Ent. Soc. 1891, p. 288, t. 15, f. 2, ♂. — Hamps., Cat. Lep. Phal. 3, p. 565 (1901).
- Biologie; Hamps., Proc. Zool. Soc. Lond. 1910, p. 396.
- atriventralis** Hamps., Proc. Zool. Soc. London 1910, p. 396, t. 36, f. 13 ♂. Rhodesia
- basalifasciata** Bart., Verh. zool.-bot. Ges. Wien 53, p. 120 (1903), ♀. Zentral- afrika
- Batesi** Druce, Ann. Mag. Nat. Hist. (8) 5, p. 395, ♀ (1910). Westafrika
- Catori** Jord., Nov. Zool. 11, p. 443 (1904), ♀. — Jord., Nov. Zool. 12, p. 511, t. 5, f. 1 (1905). Sierra Leone
- comaria** Druce, Ann. Mag. Nat. Hist. (8) 5, p. 395, 396, ♂ (1910). Westafrika
- egregia** Wichgraf, Entom. Zeits. 22, p. 106—107, Fig. (1908), ♂ ♀. Kamerun
- elongata** Bart., Verh. zool.-bot. Ges. Wien 53, p. 124 (1903), ♂. Nyassasee
- flavipennis** Bart., Verh. zool.-bot. Ges. Wien 53, p. 121 (1903), ♀. — Strand, Soc. Entom. 24, p. 108 (1909). Kongo, Westafrika
- geryon** F. Spec. Ins. 2, p. 216 (1781) (*Noctua*). — Hamps., Cat. Lep. Phal. 3, p. 565, ♂ ♀ (1901). — Kirby, Trans. Ent. Soc. Lond. 1891, p. 287—288. Liberia, Sierra Leone, Ashanti, Guinea, Südnigeria, am oberen Nil
- ab. **euphemia** Stoll, Pap. Exot. IV, t. 345, A. (1782) (*Noctua*). — Wlk., List Hct. B. M. 1, p. 50 (1854) (*Eusemia*). — Butl., Ent. Mo. Mag. 12, p. 120 (1875). — Mab., Bull. Soc. ent. France (6) 10, p. CXXIV (1890) (*Eusemia*).
- nugatrix** Westw., Oates' Matabeleland, p. 356 (1881) (*Eusemia*), ♂. Kamerun
- grandis** Druce, Ent. Month. Mag. 16, p. 268 (1880) (*Eusemia*). — Waterhouse, Aid 2, t. 155, f. 3, 4 (*Eusemia*) (1890). — Hamps., Cat. Lep. Phal. 3, p. 572 (1901). Kamerun
- ab. **Buchholzi** Plötz, Stett. Ent. Zeit. 41, p. 81 (1880), ♂ (*Eusemia*).
- melanchiton** Mab., Bull. Soc. Ent. France (6) 10, p. CLXXXIV (1891), ♀ (*Eusemia*). Kamcrun, OldCalabar, Kongo, Sierra Leone
- Hornimani** Druce, Ent. Mo. Mag. 16, p. 269 (1880) (*Eusemia*), ♀. — Waterhouse, Aid 2, t. 155, f. 5, ♀ (*Eusemia*) (1890). — Mab. & Vuill., Nov. Lep. p. 122, t. 17, f. 1, ♀ (*Eusemia*) (1893). — Jord., Nov. Zool. 3 (1896), p. 30. — Hamps., Cat. Lep. Phal. 3, p. 572—573, ♀ (1901). — Kirby, Trans. Ent. Soc. 1891, p. 282.
- var. **Minchini** Hamps., Ann. Mag. Nat. Hist. 19, p. 241 (1907), ♀. Uganda

|   |   |
|---|---|
| <b>hypereompoides</b> Butl., Proc. Zool. Soc. 1895, p. 739, t. 43, f. 5, ♀. — Hamps., Cat. Lep. Phal. 3, p. 571, ♀ (1901).  | Ruwenzori   |
| <b>indecsa</b> Butl., Ann. Mag. Nat. Hist. (6) 7, p. 50 (1891) ( <i>Eusemia</i> ), ♂. — Kirby, Trans. Ent. Soc. 1891, p. 287, t. 15, f. 1. — Hamps., Cat. Lep. Phal. 3, p. 564, ♂ (1901).   | Rhodesia,<br>Albert-<br>Nyanza                            |
| <b>Karschi</b> Holl., Ann. Mag. Nat. Hist. (6) 20, p. 292 (1897), ♀. — Bart., Verh. zool.-bot. Ges. 53, p. 124—125 (1903).<br><i>nigridorsa</i> ab. <i>karschi</i> Hamps., Cat. Lep. Phal. 3, p. 572 (1901).  | Zentralafrika   |
| <b>Kirbyi</b> Holl., Ann. Mag. Nat. Hist. 20, p. 292 (1897), ♂. <i>cirbyi</i> [sic!] Hamps., Cat. Lep. Phal. 3, p. 569—570, t. 52, f. 17 (1901), ♂.<br>ab. <i>campala</i> Strd., n. n. — „Ab. I“: Hamps., l. c. p. 570.<br>ab. <i>alice</i> Strd., n. n. — „Ab. 2“: Hamps., l. c. | , Tropisches<br>Afrika“                                   |
| <b>limbomaculata</b> Strand, Soc. Entom. 24, p. 108 (1909), ♂.<br><i>discosticta</i> Hamps., Proc. Zool. Soc. 1910, p. 396, t. 36, f. 23, ♂.  | Kampala in<br>Britisch-<br>Ostafrika                      |
| <b>lomata</b> Karsch, Entom. Nachr. 18, p. 182 (1892). — Bart., Verh. zool.-bot. Ges. Wien 53, p. 123—124 (1903).   | Pt. Alice<br>Deutsch-<br>Ostafrika:<br>Manow,<br>Rhodesia |
| <b>longipennis</b> Wlk., List Het. Br. M. I, p. 51 (1854), ♀ ( <i>Eusemia</i> ). — Butl., Ill. Het. Br. M. I, p. 10, t. 5, f. 5 ( <i>Eusemia</i> ) (1877). — Kirby, Trans. Ent. Soc. 1891, p. 286. — Hamps., Cat. Lep. Phal. 3, p. 569, ♂ ♀ (1901).                               | Deutsch-<br>Südwest-<br>afrika                            |
| <b>maculipes</b> Strand, Mitt. zool. Mus. Berlin 5, p. 301, Fig. ♀ (1911).  | Ashanti,<br>Kongo,<br>Deutsch-<br>Westafrika              |
| <b>melanosoma</b> Druce, Ann. Mag. Nat. Hist. (7) 7, p. 433, (1901), ♂. — Hamps., Cat. Lep. Phal. 3, p. 571, t. 53, f. 11, ♂ (1901).  | Ostafrika   |
| <b>mons-lunensis</b> Hamps., Cat. Lep. Phal. 3, p. 570—571, t. 53, f. 10 (1901), ♂. — Strand, Soc. Ent. 24, p. 108 (1909), ♂.<br>ab. <i>ruwensorica</i> Strand n. n.; Hamps., l. c. (als „Ab. 1“).  | Britisch-<br>Ostafrika                                    |
| <b>mozambiquea</b> Mab., Bull. Soc. Ent. Fr. (6) 10, p. CXXIII (1890) ( <i>Eusemia</i> ), ♀; id. Nov. Lep. p. 51, t. 8, f. 2 ( <i>Eusemia</i> ) (1892). — Kirby, Trans. Ent. Soc. 1891, p. 285. — Hamps., Cat. Lep. Phal. 3, p. 563 (1901), ♂.                                    | Sansibar,<br>Mozam-<br>bique                              |
| <b>Neavi</b> Hamps., Proc. Zool. Soc. London 1910, p. 397, t. 36, f. 14, ♀.   | Rhodesia  |
| <b>Niepelti</b> Oberth., Bull. Soc. ent. France 1911, p. 472, t. 16, f. 2. (Geschlechtsangabe fehlt!)   | Tanganyika  |
| <b>nigridorsa</b> Mab., Bull. Soc. Ent. Fr. (6) X, p. CXXIII ( <i>Eusemia</i> ) (1890); id. Nov. Lep. t. 9, f. 4 (1892) ( <i>Eusemia</i> ). — Kirby, Trans. Ent. Soc. 1891, p. 286. — Hamps. Lep. Phal. 3, p. 572 (1901).   | Kamerun   |
| <b>pallida</b> Wlk., List Het. B. M. I, p. 52 (1854) ( <i>Eusemia</i> ), ♀. — Butl., Ill. Het. B. M. I, p. 10, t. 5, f. 3 (1877) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 565—566 (1901), ♂ ♀. — Kirby, Trans. Ent. Soc. 1891,   | Altcalabar,<br>Kamerun,<br>Kongo                          |

- p. 283. — Mab., Bull. Soc. ent. France (6) 10,  
p. CXXIV (1890) (*Eusemia*).  
— ab. *niveosparsa* Westw., Oates' Matabeleland  
p. 355 (1881), ♀ (*Eusemia*). — Hamps., l. c. —  
Auriv., Ent. Tidsskr. 1892, p. 185. — Kirby,  
Trans. Ent. Soc. 1891, p. 284.  
var. *deficiens* Mab., Bull. Soc. Ent. Fr. 1891, ♀,  
p. 183; id. Nov. Lep. t. 8, f. 4 (♀), (1892) (*Eu-*  
*se mia*). — Hamps., l. c.  
*minerva* Weym., Stett. Ent. Zeit. 53, ♂, p. 103  
(1892).  
ab. *Mabillei* Bart., Verh. zool.-bot. Ges. Wien 53,  
p. 122 (1903).  
*longipennis* Mab., Bull. E. France 1890, p. 123;  
id. Nov. Lep. 7 (1892), p. 52, t. 8, f. 3, ♂ ♀ (nec  
Wlk.) (*Eusemia*) ♂ ♀.  
*pardalina* Wlk., Proc. Nat. Hist. Soc. Glasgow I, p. 329,  
t. 5, f. 1 (1869) (*Eusemia*), ♀. — Butl., Ent. Mo.  
Mag. 12, p. 120 (1875) (*Eusemia*). — Hamps.,  
Cat. Lep. Phal. 3, p. 567, t. 52, f. 18 (1901), ♀. —  
Kirby, Trans. Ent. Soc. 1891, p. 290. — Mab.,  
Bull. Soc. ent. France (6) 10, p. CXXIII (1890)  
(*Eusemia*).  
*ochracea* Butl., Ann. Mag. Nat. Hist. (4) 15, p. 142  
(1875), ♀ (*Eusemia*). — Auriv., Ent. Tidsskr. 1892,  
p. 185 (*Eusemia*).  
*Kirbyi* Carpenter, Proc. Dublin Soc. 8, p. 308  
(1893).  
*perdix* Druce, Proc. Zool. Soc. 1887, p. 668 (*Eusemia*), ♂  
♀. — Hamps., Ann. S. Afr. Mus. 2, p. 65 (1900);  
id. Cat. Lep. Phal. 3, p. 563, t. 52, f. 3 (1901),  
♀ ♂. — Jord., Nov. Zool. 3 (1896), p. 30. — Kirby,  
Trans. Ent. Soc. 1891, p. 285.  
*eoia* Mab., Bull. Soc. Ent. France (6) X, p. CXXIII  
(1890), ♀ (*Eusemia*); id. & Vuill., Nov. Lep. p. 64,  
t. 11, f. 1 (1892) (*Eusemia*), ♀. — Kirby, Trans.  
Ent. Soc. 1891, p. 285.  
ab. *angustella* Strand, n. n.; „ab. 1“ Hamps.,  
l. c. p. 564.  
— *Poggei* Dew., Mitt. Münch. ent. Ver. 3, p. 31, t. 2, f. 3  
(1879), ♂ (*Eusemia*). — Mab., Nov. Lep. t. 17,  
f. 4 (1893) (*Metagarista*), ♂. — Hamps., Cat.  
Lep. Phal. 3, p. 562—63, ♂ ♀ (1901). — Strand,  
Soc. Entom. 24, p. 108 (1909). — Kirby, Trans.  
Ent. Soc. 1891, p. 283.  
*Falkensteinii* Dew., Nov. Act. Ac. 42, p. 66, t. 2,  
f. 10 (1891), ♀ (*Eusemia*).  
*signata* Bart., Verh. zool.-bot. Ges. Wien 53, p. 122  
(1903), ♀.  
— *superba* Butl., Ann. Mag. Nat. Hist. (4) 15, p. 141, t. 13,  
f. 3, ♂ (1875) (*Eusemia*). — Hamps., Ann. S. Afr.  
Mus. 2, p. 65 (1900); id. Cat. Lep. Phal. 3,  
p. 567—68, f. 247, ♀ ♂ (1901). — Jord., Nov.  
Zool. 3 (1896), p. 30. — Kirby, Trans. Ent. Soc.  
1891, p. 289.  
*geryon* Wallgr., Vet. Akad. Handl. (2) 4, p. 7  
(1865); nec Fabr.  
*Smithi* Holl., Donaldson Smith's „Unknown African  
Countries“ p. 408, f. 3 (1897).

|   |                                  |
|---|----------------------------------|
| <i>interniplaga</i> Mab., Bull. Soc. ent. Fr. 60, p. CLXXXIV (1891), ♀.   |                                  |
| ab. <i>incongruens</i> Butl., Proc. Zool. Soc. 1878, ♂♀, p. 38 ( <i>Eusemia</i> ). — Hamps., l. c. p. 568. — Kirby, Trans. Ent. Soc. 1891, p. 289, t. 15, f. 6, ♂, 7, ♀.  | Tanganyika                       |
| ab. <i>rufoides</i> Strand, n. n.; , ab. 1 <sup>o</sup> , Hamps., l. c. p. 568.   | Sierra Leone, Lagos, Old-Calabar |
| <i>tanganyikana</i> Obthr., Bull. Soc. ent. France 1911, p. 471—472, t. 16, f. 1 (Geschlechtsangabe fehlt!).  |                                  |
| <i>terminatis</i> Wlk., List Het. Br. M. 7, p. 1587 (1856) ( <i>Eusemia</i> ), ♂. — Hamps., Cat. Lep. Phal. 3, p. 566 (1901), ♂♀. — Kirby, Trans. Ent. Soc. Lond. 1891, p. 284. — Mab. & Vuill., Nov. Lep. p. 124, t. 17, f. 3 (1893) ( <i>Eusemia</i> ). | Kamerun                          |
| ab. <i>medeba</i> Druce, Ent. Mo. Mag. 16, p. 269 (1880) ( <i>Eusemia</i> ). — Waterhouse, Aid 11, t. 172, f. 4 (1890) ( <i>Eusemia</i> ).  | Kamerun                          |
| <i>triseriata</i> Bart., Verh. zool.-bot. Ges. Wien 53, p. 125 (1903), ♀.   |                                  |
| <i>Zenkeri</i> Karsch, Ent. Nachrichten 21, p. 350, t. 2, f. 1 (1895), ♀.   |                                  |
| <i>zenceri</i> [sic!] Hamps., Cat. Phal. 3, p. 568—69, ♂ (1901).  | Kassongo, Stanley Falls          |
| var. <i>ochracea</i> Auriv., Ent. Tidskr. 22, p. 122, ♀.  | Kongo                            |
| <i>zeodita</i> Niopelt, Ins.börse 23, p. 127 (1906), ♂♀. — Jord., Nov. Zool. 13, p. 761, t. 10, f. 7 (1906).  |                                  |

39

**Polacanthopoda** Hamps.

Hamps., Cat. Lep. Phal. 3, p. 573 (1901).

|  |                             |
|--|-----------------------------|
| <i>Humphreyi</i> Hamps., Ann. Mag. Nat. Hist. (8) 8, p. 413, ♂ (1911).   | Südnigeria                  |
| <i>tigrina</i> Druce, Proc. Zool. Soc. 1882, p. 778, t. 60, f. 4 ( <i>Hespagarista</i> ). — Jord., Nov. Zool. 3 (1896), p. 43. — Hamps., Cat. Lep. Phal. 3, p. 373—374, f. 248, ♂♀ (1901). — Kirby, Trans. Ent. Soc. Lond. 1891, p. 282 ( <i>Xanthospilopteryx</i> ?). | Kongo, Kamerun, Old Calabar |

2

**Rothia** Westw.

Westwood, Trans. Linn. Soc. (2) 1, p. 204 (1877). — Karsch, Entom. Nachr. 24, p. 330 (1898). — Hamps., Cat. Lep. Phal. 3, p. 574 (1901).

|   |                    |
|---|--------------------|
| <i>agrius</i> H.-Sch., Aussereur. Schmett. f. 33 (1853) ( <i>Agarista</i> ). — Boisdl., Rev. Mag. Zool. (3) 2, p. 97 (1874). — Hamps., Cat. Lep. Phal. 3, p. 581, ♂ (1901). | Madagaskar         |
| <i>aisha</i> Kby., Trans. Ent. Soc. 1891, p. 291, t. 15, f. 3 ( <i>Xanthospilopteryx</i> ), ♀. — Hamps., Cat. Lep. Phal. 3, p. 576 (1901).                                  | Britisch-Ostafrika |
| <i>catarkodia</i> Holl., in Donaldson Smith's „Unknown African Countries“ p. 409, f. 7 (1898) ( <i>Xanthospilopteryx</i> ).   |                    |
| <i>Allaudi</i> Mab., Ann. ent. Fr. 1897, p. 219 ( <i>Phalaenoides</i> ), ♀. — Hamps., Cat. Lep. Phal. 3, p. 584 (1901), ♀.  | Madagaskar         |

|   |   |
|---|---|
| <b>Butleri</b> Wlk., Char. Lep. Het. p. 111 (1869) ( <i>Eusemia</i> ). — Hamps., Ann. S. Afr. Mus. 2, p. 65 (1900); id. Cat. Lep. Phal. 3, p. 576, t. 53, f. 13, ♂♀ (1901). — Kirby, Trans. Ent. Soc. 1891, p. 291, t. 15, f. 4. var. <i>adulatrix</i> Westw., Oates's Matabeleland p. 355, t. G, f. 1; t. H. f. 3, 3 a, 3 b (1881) ( <i>Eusemia</i> ), ♂. — Kirby, Trans. Ent. Soc. 1891, p. 290. — Hamps., Cat. Lep. Phal. 3, p. 577 (1901), ♂. | Natal   |
| Biologie: Fawcett, Tr. Zool. Soc. London 15, p. 317, t. 47, ff. 14, 15 (1900).  | Matabele-<br>land,<br>Britisch-<br>Zentral-<br>afrika |
| <b>contigua</b> Wlk., List Het. Br. M. I, p. 50 ( <i>Eusemia</i> ) (1854), ♂. — Butl., Ill. Het. Br. M. I, p. 10, t. 4, f. 8 ( <i>Eusemia</i> ) (1877). — Hamps., Cat. Lep. Phal. 3, p. 578, ♂ (1901). — Kirby, Trans. Ent. Soc. 1891, p. 286—87 ( <i>Xanthospiolopteryx</i> ?). ab. <i>fabricata</i> Karsch, Entom. Nachr. 21, p. 355, t. 11, f. 4 (1895), ♂ ( <i>Mitrophrys</i> ).  | Westafrika<br>(Nieder-<br>guinea)                     |
| <b>Dayremi</b> Obthr., Ét. Lépid. comp. 3, p. 96—97, t. 10, f. 2, ♂ ( <i>Anaphela</i> ) (1909).   | Madagaskar  |
| <b>distigma</b> Mab., Ann. Soc. Ent. Fr. 1897, p. 219 ( <i>Agarista</i> ) ♀. — Hamps., Cat. Lep. Phal. 3, p. 579, t. 53, f. 12, ♀ (1901).   | Madagaskar  |
| <b>Holli</b> Obthr., Ét. Lépid. comp. 3, p. 96, t. 10, f. 1 (1909), ♂ ( <i>Anaphela</i> ).  | Madagaskar  |
| <b>hypopyrrha</b> Butl., Cist. Ent. 2, p. 297, (1878) ( <i>Eusemia</i> ), ♀. — Hamps., Cat. Lep. Phal. 3, p. 578—79, t. 53, f. 8 (1901), ♂♀.  | Madagaskar  |
| <b>Lasti</b> Roths., Nov. Zool. 3, p. 45 (1896), ♂. — Hamps., Cat. Lep. Phal. 3, p. 583, t. 52, f. 15, ♂ (1901).  | Madagaskar  |
| <b>Mariae</b> Swinh., Tr. ent. Soc. London 1904, p. 139, ♀.   | Uganda  |
| <b>micropales</b> Butl., Ann. Mag. Nat. Hist. (5) 4, p. 235 (1879), ♀. — Hamps., Cat. Lep. Phal. 3, p. 582, t. 53, f. 17, ♀ (1901).   | Madagaskar  |
| <b>nigrescens</b> Roths., Nov. Zool. 3, p. 45, t. 15, f. 32, ♂ (1896). — Hamps., Cat. Lep. Phal. 3, p. 583—84, ♂ (1901).  | Madagaskar  |
| <b>pales</b> Guér., Icon. R. Anim., Ins. p. 493, t. 83, f. 1, 1 a (1829—1844) ( <i>Agarista</i> ). — Boisd., Faunc. Ent. Mad. p. 70, t. 10, f. 1—2 (1833) ( <i>Agarista</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 100 (1874) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 582—583, f. 249 (1901), ♂.  | Madagaskar  |
| <b>panganica</b> Karsch, Entom. Nachr. 24, p. 330 (1898), ♂. — Jord., Nov. Zool. 12, p. 512, t. 5, f. 18 (1905).  | Ostafrica,<br>Pangani                                 |
| <b>pedasus</b> H.-Sch., Aussereur. Schmett. f. 32 (1853) ( <i>Agarista</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 98 (1874) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 581 (1901), ♂♀.   | Madagaskar  |
| <b>simplex</b> Roths., Nov. Zool. 3, p. 44, t. 14, f. 18, ♀ (1896).   |   |
| <b>pentelia</b> Druce, Proc. Zool. Soc. 1887, p. 668 ( <i>Eusemia</i> ). — Hamps., Ann. S. Afr. Mus. 2, p. 65 (1900); id. Cat. Lep. Phal. 3, p. 577, t. 53, f. 1, ♂ (1901). — Kirby, Trans. Ent. Soc. 1891, p. 292 ( <i>Xanthospiolopteryx</i> ).   | Delagoa Bay   |
| <b>Powellii</b> Obthr., Ét. Lépid. comp. 3, p. 97—98, t. 10, f. 3, ♀ ( <i>Anaphela</i> ) (1909).  | Madagaskar  |

|   |                                |
|---|--------------------------------|
| <b>rhaeo</b> Druce, Ann. Mag. Nat. Hist. (6) 14, p. 22 (1894) ( <i>Agarista</i> ), ♂. — Hamps., Cat. Lep. Phal. 3, p. 584, t. 54, f. 16 (1901), ♂.  | Madagaskar                     |
| <b>simyra</b> Westw., Trans. Linn. Soc. Zool. (2) 1, p. 204 (1877), ♂. — Hamps., Cat. Lep. Phal. 3, p. 579, t. 53, f. 12 (1901), ♂.   | "                              |
| <b>subterminalis</b> Hamps., Ann. Mag. Nat. Hist. (8) 8, p. 414 (1911), ♀.  | Deutsch-Ostafrika: Mt. Rungwe  |
| <b>Thruppi</b> Butl., Proc. Zool. Soc. 1885, p. 775 (1886) ( <i>Eusemia</i> ), ♀. — Hamps., Cat. Lep. Phal. 3, p. 575, t. 53, f. 9 (1901). — Kirby, Trans. Ent. Soc. 1891, p. 289—290, t. 15, f. 5 ( <i>Xanthospilopteryx</i> ).  | Somaliland, Britisch-Ostafrika |
| <b>tranquilla</b> Butl., Ann. Mag. Nat. Hist. (5) 5, p. 340 (1880) ( <i>Eusemia</i> ), ♂. — Hamps., Cat. Lep. Phal. 3, p. 582, t. 53, f. 19 (1901), ♂.<br>ab. <i>epipales</i> Mab., C. R. Soc. Ent. Belge 28, p. CLXXXIX ( <i>Agarista</i> ) (1884), ♂. — Hamps., l. c. | Madagaskar                     |
| <b>Watersi</b> Butl., Ann. Mag. Nat. Hist. (5) 14, p. 409 (1884), ♂ ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 578, t. 53, f. 6 (1901), ♂ (als „ <i>vatersi</i> “ [sic!]).   | "                              |
| <b>Westwoodi</b> Butl., Ann. Mag. Nat. Hist. (5) 4, p. 235, ♂ (1879). — Hamps., Cat. Lep. Phal. 3, p. 580, t. 53, f. 5 (1901), ♂ (als „ <i>westwoodi</i> “ [sic!]).   | "                              |
| <b>virguncula</b> Mab., Bull. Soc. Philom. (7) 3, p. 136, (1879) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 580, t. 53 f. 7 (1901) ♂.<br><i>metagrius</i> Butl., Ann. Mag. Nat. Hist. (5) 5, p. 339 (1880) ( <i>Eusemia</i> ).                                 | "                              |
| <b>xanthopyga</b> Mab., Bull. Soc. Ent. Fr. (6) 10, p. CXXIV (1890) ( <i>Eusemia</i> ), ♂; id. Nov. Lep. p. 50, t. 8, f. 1 (1892) ( <i>Eusemia</i> ), ♂ ♀. — Hamps., Cat. Lep. Phal. 3, p. 577, ♂ (1901).   | Sansibar                       |
| <b>zea</b> H.-Sch. Aussereur. Schmett. ff. 34, 35 (1853) ( <i>Agarista</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 99 (1874) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 579 (1901), ♂ ♀.  | Madagaskar                     |

**Weymeria** Karsch

Karsch, Entom. Nachricht. 21, p. 347 (1895). — Auriv., Ark. f. zool. 5, No. 5, p. 10 (1909).

*Veymeria* [sic!] Hamps., Cat. Lep. Phal. 3, p. 584.

**athene** Weymer, Stett. ent. Zeit. 53, p. 101 (1892) (*Xanthospilopteryx*), ♂. — Karsch, Entom. Nachrichten 21, t. 1, f. 4 (1895), ♀. — Hamps., Cat. Lep. Phal. 3, p. 584—585, f. 250, ♀ (1901).

**Arrothia** Jord.

Jordan, Nov. Zool. 3, p. 46 (1896). — Hamps., Cat. Lep. Phal. 3, p. 585 (1901).

**bicolor** Roths., Nov. Zool. 3, p. 46, t. 14, f. 20 (1896), ♀. — Hamps., Cat. Lep. Phal. 3, p. 585—86, f. 251 (1901), ♀.

**Arctiopais Jord.**

Jordan, Nov. Zool. 3, p. 46 (1896). — Hamps., Cat. Lep. Phal. 3, p. 586 (1901).

**ambusta** Mab., C. R. Soc. Ent. Belge 25, p. 55 (1881) Madagaskar  
(*Hypsa*), ♀. — Jord., Nov. Zool. 3, (1896) p. 47.  
— Hamps., Cat. Lep. Phal. 3, p. 586—87,  
f. 252, ♂♀ (1901).

1

**Charilina Wlk.**

Walker, List Het. B. M. 2, p. 560 (1854). — Karsch, Ent. Nachr. 21, p. 347 (1895). — Hamps., Cat. Lep. Phal. 3, p. 587 (1901); id. Ann. S. Afr. Mus. 2, p. 64 (1900).

**amabilis** Drury, Ill. Ex. Ent. 2, t. 13, f. 3 (1773) (*Noctua*).  
— Boisd., Spec. gén. Lépid. 1, t. 14, f. 6 (1836) Britisch-  
(*Aegocera*); id. Rev. Mag. Zool. (3), 2, p. 56 Zentral-  
(1874). — Wlk., List Het. B. M. 1, p. 58 (*Aego-* afrika,  
*cera*?), p. 561 (1854). — Hamps., Cat. Lep. Phal. West-, Ost-  
3, p. 587—588, f. 253, ♂♀ (1901). — Kirby, Ann. und Süd-  
Mag. Nat. Hist. (6) 18, p. 378 (1896). afrika  
**alienata** F., Ent. Syst. (3) 2, p. 60 (1794) (*Noctua*).  
ab. *intercisa* Feld., Reise Novara t. 107, f. 17 (1868—1874).  
ab. *abyssinica* Strand n. n.; „ab. 1“ Hamps., Abyssinien  
Cat. Lep. Phal. 3, p. 588 (1901).  
ab. *nyassica* Strand n. n.; „ab. 2“ Hamps. l. c., Nyassa  
p. 588.  
ab. *accra* Strand n. n.; „ab. 3“ Hamps., l. c. p. 558. Akkra

1

**Paida Jord.**

Jordan, Novit. Zool. 3, p. 47 (1896). — Hamps., Cat. Lep. Phal. 3, p. 588 (1901). — Hamps., Ann. S. Afr. Mus. 2, p. 63 (1900).

**pulchra** Trim., Trans. Ent. Soc. (3) 1, p. 524 (1863), ♀ Deutsch-  
(*Pais*). — Hamps., Cat. Lep. Phal. 3, p. 588, Südwest-  
f. 254, ♂♀ (1901); id. Ann. S. Afr. Mus. 2, p. 63 afrika,  
(1900). Transvaal,  
*Gordoni* Butl., Ent. Mo. Mag. 16, p. 10 (1879) Natal  
(*Pais*), ♀.

1

**Godasa Wlk.**

Wlk., List Het. B. M. 31, p. 271 (1864). — Jord., Nov. Zool. 3 (1896), p. 26.  
— Karsch, Entom. Nachr. 21, p. 350 (1895). — Strand, Deutsche Ent. Zeits.  
1909, p. 534.

**sidae** Fabr., Entom. Syst. 3, 2, p. 23 (1794) (*Noctua*). — Guinea  
Auriv. Entom. Tidskr. 1897, p. 159, Nr. 144.  
**maculatrix** Wlk., List Het. B. M. 31, p. 272 (1864). — Westafrika  
**mecynoides** Mab., Ann. Soc. Ent. Fr. (5) 9, p. 295, Kongo  
t. 6, f. 3 (1879) (*Aganais*).  
var. *orientis* Bartel, Verh. zool.-bot. Ges. Wien  
53, p. 129 (1903), ♂♀. — Ostafrika

1

### Pseudospiris Butl.

Butl., Proc. Zool. Soc. 1895, p. 267. — Hamps., Cat. Lep. Phal. 3, p. 589 (1901).

**paidiformis** Butl., Proc. Zool. Soc. 1895, p. 267, t. 15, ff. 8—9. — Hamps., Cat. Lep. Phal. 3, p. 589—590, f. 255 (1901). — Strand, Mitt. Zool. Mus. Berlin 5, p. 301 (1911).

Rhodesia,  
Britisch-  
Zentral-  
afrika,  
Deutsch-  
Ostafrika

**jucunda** Jord., Nov. Zool. 11, p. 444 (1904), ♂. — Swinh., Ann. Mag. Nat. Hist. 19 (1907), p. 201, ♀. — Jord., Nov. Zool. 12, p. 511, t. 5, f. 5 (1905).

Angola

2

### Pais Hb.

Hübner, Verz. p. 279 (1826). — Karsch, Entom. Nachr. 21 (1895), p. 349. — Hamps., Cat. Lep. Phal. 3, p. 590 (1901). — Hamps., Ann. S. Afr. Mus. 2, p. 63 (1900).

**Ansorgei** Jord., Nov. Zool. 11, p. 445 (1904), ♂.

Afrika: Bula,  
Matenga  
Kapland

— **decora** L., Mus. Ulr. p. 382 (1762) (*Noctua*). — Cram., Pap. Exot. 3, t. 219, F. G. (1779) (*Noctua*). — Hamps., Cat. Lep. Phal. 3, p. 590—591, t. 256 (1901), ♂ ♀.  
*julia* Cram., Pap. Exot. 1, t. 7, E. F. (1775) (*Noctua*).

Natal

*dubia* Hb., Sammlg. Ex. Schmett. 1, (1827) (*Brephra*).

Oranjeriestaat  
Kap

**Moldaenkei** Dew., Verh. L. C. Ac. 42, p. 65, t. 2, f. 15 (1881) (*Pais*). — Bart., Verh. zool.-bot. Ges. Wien 53, p. 128 (1903).

**nyassana** Bart., Verh. zool.-bot. Ges. Wien 53, p. 128 (1903), ♂ ♀. — Jord., Nov. Zool. 12, p. 511, t. 5, f. 3 (1905).

Kongo,  
Nyassasce

4

### Pseudopais Bart.

Bart., Verh. zool.-bot. Ges. Wien 53, p. 127 (1903).

**nigrobasalis** Bart., Verh. zool.-bot. Ges. Wien 53, p. 127—128 (1903), ♀.

1

### Metagarista Wlk.

Wlk., List Het. B. M. 1, p. 60 (1854). — Karsch, Ent. Nachr. 21 (1895), p. 347. — Hamps., Lep. Phal. 3, p. 591 (1901). — Auriv., Ark. f. zool. 5, No. 5, p. 10 (1909).

**maenas** H.-Sch., Aussereur. Schmett., ff. 20, 21 (1853) (*Aegocera*). — Hamps., Cat. Lep. Phal. 3, p. 592 (1901), ♂ ♀. — Boisd., Rev. Mag. (3), 2, p. 55 (1874) (*Aegocera*). — Weymer, Stett. entom. Zeitung 53, p. 123—125 (1892).

Westafrika

**triphaenoides** Wlk., List Lep. Het. 1, p. 61 (1854). — Butl., Ill. Het. B. M. 1, p. 12, t. 5, f. 7 (1877). — Auriv., Ent. Tidsskr. 1892, p. 184. — Weymer, Entom. Zeit. Stettin 53, p. 125 (1892). — Karsch, Entom. Nachr. 21, p. 352, t. 2, f. 8, ♂ (1895). — Kirby, Ann. Mag. Nat. Hist. (6) 8, p. 378—79 (1896). — Hamps., Cat. Lep. Phal. 3, p. 592—593, f. 257, ♂ ♀ (1901).

2

Goldküste

**Hecatesia** Boisd.  
Boisd., Mon. Zyg. p. 11 (1829); id. Rev. Mag. Zool. (3) 2, p. 48 (1874). — Wlk., List Het. B. M. 1, p. 54 (1854). — Westw., Trans. Linn. Soc. Zool. (2) I, p. 199 (1877). — Jord., Nov. Zool. 3 (1896), p. 51—52. — Hamps., Cat. Lep. Phal. 3, p. 593 (1901).

**exultans** Wlk., List Het. Br. M. 31, p. 58 (1864), ♂. — Westw., Trans. Linn. Soc. Zool. (2) 1, p. 200, t. 33, ff. 2, 3 (1877). — Boisd., Rev. Mag. Zool. 1874, p. 49. — Hamps., Cat. Lep. Phal. 3, p. 595 (1901).

West-  
australien

**fenestrata** Boisd., Mon. Zyg. p. 11, t. 1, ff. 1, 2 (1829). — Boisd., Spec. Gén. Lép. 1, t. 14, f. 7 (1836); id. Rev. Mag. Zool. (3) 2, p. 49 (1874). — White, Grey's Australia 2, p. 476, t. 8, f. 2 (1841). — Chenu, Enc. d'Hist. Nat. Pap. p. 236, f. 403 (1855). — Wlk., List Het. B. M. 1, p. 54 (1854). — Westw., Trans. Linn. Soc. (2) 1, p. 199, t. 33, f. 1 e, ♂ (1877). — Hamps., Proc. Zool. Soc. Lond. 1892, p. 190, f. 2, ♂. — Jord., Nov. Zool. 3 (1896), p. 51—52. — Hamps., Cat. Lep. Phal. 3, p. 594—595, f. 259 (1901), ♂.

Australien

**thyridion** Feisth., Mag. Zool. (2), 1, p. 2, t. 21, f. 1 (1839); id. Voy. Favorite, V, Suppl. p. 19, t. 5, f. 1 (1839). — Wlk., List Het. B. M. 1, p. 55 (1854). — White, Grey's Australia 2, p. 476, t. 8, f. 1 (1841). — Boisd., Rev. Mag. Zool. 1874, p. 49. — Hamps., Cat. Lep. Phal. 3, p. 593—594, f. 258, ♂ ♀ (1901). — Jord., Nov. Zool. 3 (1896), p. 30, 51, 52.

Westaustra-  
lien

3

**Aegocera** Latr.

Latr., Gen. Crust. et Ins. 4, p. 211 (1809). — Wlk., List Het. B. M. 1, p. 55 (1854). — Hamps., Cat. Lep. Phal. 3, p. 595 (1901); id. Moths India 2, p. 158 (1894). — Hamps., Ann. S. Afr. Mus. 2, p. 63 (1900).

**Aegoceropsis** Karsch, Entom. Nachr. 21, p. 348 (1895) und 24, p. 331 (1898). — Jord., Nov. Zool. 3 (1896), p. 42.

**Mitrophrys** Karsch, l. c. 21, p. 349 (1895) u. 24, p. 331 (1898). — Jord., Nov. Zool. 3 (1896), p. 42.

**abyssinica** Hamps., Cat. Lep. Phal. 3, p. 604, t. 54, f. 14 (1901), ♂ ♀. — Strand, Arch. f. Naturg. 75, I, p. 367 (1909).

Abyssinien

**affinis** Druce, Ent. Mo. Mag. 20, p. 155 (1883). — Hamps., Cat. Lep. Phal. 3, p. 599 (1901), ♂.  
ab. **norma** Karsch, Entom. Nachr. 1895, p. 352, t. 2, f. 6, ♂ (*Aegoceropsis*).

Ostafrika,  
Britisch-  
Zentral-  
afrika

|  |   |
|--|---|
| <b>Ansorgei</b> Roths., Nov. Zool. 4, p. 311, t. 7, f. 9 (1897), ♂.<br>— Hamps., Cat. Lep. Phal. 3, p. 600—601, ♀ ♂ (1901).  | Britisch-Ostafrika  |
| <b>bimacula</b> Wlk., List Het. Br. M. 1, p. 57 (1854), ♀. — Boisd., Rev. Mag. Zool. 1874, p. 54. — Butl., Ill. Het. Lep. B. M. 1, p. 11, t. 5, f. 4 (1877). — Moore, Lep. Ceylon 2, p. 33, t. 94, f. 2 (1882). — Hamps., Moths India 2, p. 158 (1894); id. Cat. Lep. Phal. 3, p. 598 (1901), ♂ ♀. | Indien,<br>Ceylon,<br>Burma                               |
| <b>brevivitta</b> Hamps., Cat. Lep. Phal. 3, p. 600, t. 52, f. 10 (1901), ♂ ♀.   | Britisch-Ostafrika,<br>Angola                             |
| <b>coryndoni</b> Roths., Nov. Zool. 3, p. 96 (1896), ♀. — Hamps., Cat. Lep. Phal. 3, p. 605, t. 53, f. 14 ♀ (1901).  | Deutsch-Ostafrika,<br>Sambesi                             |
| <b>separata</b> Weym., Berl. ent. Zeits. 1896, p. 87, ♂ ( <i>Aegoceropsis</i> ).   |   |
| <b>fervida</b> Wlk., List Het. B. M. 1, p. 57, (1854). — Butl., Ill. Het. B. M. 1, p. 12, t. 5, f. 1 (1877). — Hamps., Cat. Lep. Phal. 3, p. 601, ♂ ♀ (1901); Ann. S. Afr. Mus. 2, p. 64 (1900).   | Kongo,<br>Natal,<br>Kapland                               |
| <b>triphaenoides</b> Wligr., Wien. ent. Mon. 4, p. 38 (1860); id. Vet.-Akad. Handl. (2) 5 (4), p. 7 (1865) ( <i>Agarista</i> ).  | Silhet [??]   |
| <b>imbria</b> Möschl., Stett. ent. Zeit. 33, p. 354, ♂ (1872). — Hamps., Moths India 2, p. 160 (1894).   |   |
| <b>geometrica</b> Hamps., Proc. Zool. Soc. London 1910, p. 398, t. 36, f. 15, ♀.   | Kongo   |
| <b>kibwezensis</b> Strand, Arch. f. Naturg. 75, Bd. 1, p. 367—368 (1909), ♂ ♀ .  | Britisch-Ostafrika:<br>Kibwezi                            |
| ab. <b>aequapartita</b> Strand, Arch. f. Naturg. 75, I, p. 367—368, ♂ (1909).  | Kibwezi   |
| <b>Latreillei</b> H.-Sch., Aussereur. Schmett. t. 5, f. 19 (1853). — Hamps., Cat. Lep. Phal. 3, p. 603 (1901), ♂ ♀. — Strand, Mitt. zoolog. Mus. Berlin 5, p. 301 (1911).  | Senegambien,<br>Britisch-Zentralafrika,<br>Matabeleland   |
| <b>Leighi</b> Jord., Nov. Zool. 13, p. 161 (1906), ♂.  | Durban  |
| <b>mahdi</b> Pag., Jahrb. nass. Ver. 56, p. 9, t. 1, f. 3 (1903).  | Hanadscho   |
| <b>menete</b> Cr., Pap. Exot. 1, pl. 70, D (1775) ( <i>Noctua</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 52 (1874). — Hamps., Cat. Lep. Phal. 3, p. 602—603, f. 263 (1901) ♂.  | Sierra Leone,<br>Niger,<br>Ruwensori,<br>Uganda,<br>Kongo |
| <b>formosa</b> F., Mant. 2, p. 150 (1787) ( <i>Noctua</i> ). — <b>Boisduval</b> Cuv., Règne Anim. (éd. 2) 3, t. 20, f. 3 (1830) ( <i>Aegocère</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 51 (1874).  |   |
| <b>magna</b> Wlk., List Het. B. M. 1, p. 56. — Butl., Ill. Het. B. M. 1, p. 11, t. 5, f. 8 (1877).   |   |
| <b>obliqua</b> Mab., Ann. Soc. Ent. Belge 37, ♂, p. 56 (1893); id. Nov. Lep. p. 156, t. 22, f. 1, ♂ (1895). — Karsch, Ent. Nachr. 21, p. 352, t. 2, f. 3 (1895), ♀.  | Togo, Westafrika  |
| <b>obliquisigna</b> Hamps., Cat. Lep. Phal. 3, p. 603—604, t. 54, f. 13 (1901), ♂. — Strand, Arch. f. Naturg. 75, I, p. 367 (1909).  | Britisch-Ostafrika  |

|   |  |
|---|--|
| <b>obryzos</b> Mab., Bull. Soc. Zool. Fr. 3, p. 89 (1878) ( <i>Eusenia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 605, t. 53, f. 2 (1901).  | Madagaskar   |
| <b>rectilinea</b> Boisd., Spéc. gén. Lépid. 1, t. 14, f. 5 (1836); id. Rev. Mag. Zool. 1874, p. 50. — Guér., Ieon. R. Anim. Ins. p. 498, t. 84 bis, f. 2 (1829—1844). — Wlk., List Het. B. M. 1, p. 56 (1854). — Hamps., Cat. Lep. Phal. 3, p. 596—97 (1901), ♂ ♀.  | Abyssinien,<br>Britisch-Ostafrika,<br>Ashanti,<br>Lagos,<br>Kongo,<br>Angola |
| <b>rubida</b> Feld., Reise Nov. t. 107, f. 14, ♂ (1868—74). — Boisd., Rev. Mag. Zool. (3) 2, p. 53 (1874). — Hamps., Cat. Lep. Phal. 3, p. 604, ♂ (1901).   | Erytraea,<br>Abyssinien,<br>Bogos  |
| <b>tricolora</b> Beth.-Bak., Ann. Mag. Nat. Hist. 3 (1909), p. 434.   | Kongo,<br>Rhodesia   |
| <b>tripartita</b> Kirby, Proc. R. Dublin Soc. (2) 2, p. 340 (1880) — Waterh., Aid 1, t. 39 (1881). — Hamps., Moths Ind. 2, p. 158 (1894); id. Cat. Lep. Phal. 3, p. 596, f. 260 (1901), ♂ ♀.  | Burma  |
| <b>venulia</b> Cr., Pap. Exot. 2, t. 165, D (1777) ( <i>Noctua</i> ). — Latr., Gen. Crust. et Ins. 4, p. 212 (1809). — Boisd., Mon. Zyg. p. 13, t. 1, f. 3 (1829); id. Rev. Mag. Zool. (3) 2, p. 50 (1874). — Chenu, Enc. d'Hist. Nat. Pap. p. 236, f. 404. — Crochard, ed. Règn. Anim. Atlas, Ins. t. 148, f. 1. — Wlk., List Het. B. M. 1, p. 55 (1854). — Moore, Lep. Ceyl. 2, p. 32, t. 94, f. 1 (1882). — Hamps., Moths Ind. 2, f. 103, p. 158 (1894); id. Cat. Lep. Phal. 3, p. 597, f. 261 (1901). Biologie: Hamps., Journ. Bombay Soc. 16, p. 439 (1905) (Raupe). | Indien,<br>Ceylon  |

21

**Apaeocera** Hamps.

Hamps., Ann. Mag. Nat. Hist. (7) 15, p. 449 (1905).

|  |                     |
|--|---------------------|
| <b>argyrogramma</b> Hamps., Ann. Mag. Nat. Hist. (7) 15, p. 449 (1905), ♂. | Ashanti,<br>Obuassi |
| 1  |                     |

**Asteropetes** Hamps.

Hamps., Cat. Lep. Phal. 3, p. 605—06 (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7 (1909).

|   |       |
|---|-------|
| <b>noctuina</b> Butl., Ent. Mo. Mag. 14, p. 206 (1878) ( <i>Seudyra</i> ); id. Ill. Het. B. M. 2, p. 3, t. 22, f. 1 (1878) ( <i>Seudyra</i> ). — Hamps., Cat. Lep. Phal. 3, p. 606, f. 264 (1901), ♂ ♀. — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, f. 1 c (1909). | Japan |
|---|-------|

1

**Paraeocera** Hamps.

Hamps., Cat. Lep. Phal. 3, p. 606 (1901).

|  |                                |
|--|--------------------------------|
| <b>confluens</b> Weym., Stett. ent. Zeit. 53, p. 100 (1892), ♀ ( <i>Aegocera</i> ). — Hamps., Cat. Lep. Phal. 3, p. 607, f. 265, ♂ ♀ (1901), | Sansibar,<br>Deutsch-Ostafrika |
| <b>darocana</b> Druce, Ann. Mag. Nat. Hist. (6) 15, p. 42 (1895), ♂ ( <i>Aegocera</i> ).   |                                |

1

**Mimeusemia** Butl.

Butl., Ann. Mag. Nat. Hist. (4) 15, p. 397 (1875). — Hamps., Cat. Lep. Phal. 3, p. 607 (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 6 (1909).

- |   |            |
|---|------------|
| <b>accurata</b> Swinh., Proc. Zool. Soc. 1889, p. 401, ♀ (1890)     | Burma      |
| ( <i>Eusemia</i> ). — Hamps., Moths Ind. 2, p. 159                  |            |
| (1894) ( <i>Aegocera</i> ); id. Cat. Lep. Phal. 3, p. 614—          |            |
| 615, t. 54, f. 23 (1901).   |            |
| <b>albicilia</b> Hamps., Moths Ind. 2, p. 160 (1894), ♂♀; id.       | ,,         |
| Cat. Lep. Phal. 3, p. 610—11, t. 54, f. 20, ♂♀                      |            |
| (1901).   |            |
| <b>albigutta</b> Karsch, Entom. Nachr. 21, p. 357, t. 2, f. 2       | West-      |
| (1895) ( <i>Pristoceraea</i> ), ♂. — Hamps., Cat. Lep.              | afrikan.   |
| Phal. 3, p. 609—10 (1901).  | Küste      |
| var. <i>Geraldi</i> Kirby, Ann. Mag. Nat. Hist. (6) 18,             | Uganda     |
| p. 377, t. 19, f. 3 (1896) ( <i>Protoceraea</i> ), ♂.               |            |
| <b>basalis</b> Wlk., List Het. B. M. 1, p. 53 (1854) ( <i>Euse-</i> | Indien     |
| <i>mia</i> ), ♀. — Butl., Ill. Het. B. M. 1, p. 9, t. 5,            |            |
| f. 2 (1877) ( <i>Eusemia</i> ). — Hamps., Moths Ind. 2,             |            |
| p. 159 (1894); id. Cat. Lep. Phal. 3, p. 613—14,                    |            |
| ♂♀ (1901).  |            |
| ab. <i>siccima</i> Strand, n. n.; „ab. 1♀“ Hamps.,                  | Sikkim     |
| Cat. Lep. Phal. 3, p. 614 (1901).                                   |            |
| <b>Biologie:</b> Moore, Lep. E. I. Comp. p. 290, t. 13,             |            |
| f. 3 (Larve). — Hamps., Cat. Lep. Phal. 3, p. 614                   |            |
| (1901).   |            |
| <b>centralis</b> Roths., Nov. Zool. 3, p. 326 (1896) ( <i>Pha-</i>  | Queensland |
| <i>laenoides</i> ), ♀. — Hamps., Cat. Lep. Phal. 3,                 |            |
| p. 615, t. 51, f. 11, ♀ (1901).                                     |            |
| <b>ceylonica</b> Hamps., Ill. Het. B. M. 9, p. 89, t. 157, f. 24    | Ceylon     |
| (1893), ♀; id. Moths Ind. 2, p. 160, f. 104, ♀                      |            |
| (1894); id. Cat. Lep. Phal. 3, p. 611, f. 266, ♀                    |            |
| (1901).   |            |
| <b>Davidsoni</b> Swinh., Ann. Mag. Nat. Hist. (7) 3, p. 112         | Canara     |
| (1899), ♀. — Hamps., Cat. Lep. Phal. 3, t. 52,                      |            |
| f. 2 (1901).  |            |
| <b>econia</b> Hamps., in: Andrews, Mon. Christmas Isl. p. 64,       | Christmas  |
| t. 9, f. 7 (1900); id. Cat. Lep. Phal. 3, p. 612—13,                | Island     |
| ♂♀ (1901).  |            |
| var. <i>regina</i> Strand, n. n.; „subsp. 1“ Hamps.,                | Queensland |
| Cat. Lep. Phal. 3, p. 613 (1901).                                   |            |
| <b>hainana</b> Jord., Nov. Zool. 15, p. 254, t. 9, f. 10 (1908), ♂. | Hainan     |
| <b>lombokensis</b> Roths., Nov. Zool. 4, p. 310, t. 7, f. 7         | Ostjava,   |
| (1897), ♀♂. — Hamps., Cat. Lep. Phal. 3, p. 609,                    | Lombok     |
| ♂ (1901).   |            |
| <b>perakana</b> Roths., Nov. Zool. 3, p. 50, t. 14, f. 19, ♀        | Perak,     |
| (1896). — Hamps., Cat. Lep. Phal. 3, p. 612                         | Borneo     |
| (1901). — Snellen, Tijdschr. v. Ent. 48, p. 198                     |            |
| (1905), ♀.  |            |
| <b>persimilis</b> Butl., Ann. Mag. Nat. Hist. (4) 15, p. 397        | Japan,     |
| (1875); id. Ill. Het. Br. M. 2, p. 3, t. 22, f. 2                   | Ussuri,    |
| (1878). — Hamps., Cat. Lep. Phal. 3, p. 610                         | Korea,     |
| (1901). — Stgr., Mém. Rom. 6, p. 275. — Jord.                       | West-      |
| in: Seitz, Grossschmett. I, Bd. 3, p. 6, f. 1 b                     | china,     |
| (1909).   | Amur       |
| <b>peshwa</b> Moore, Lep. E. Ind. Comp. 2, p. 289, t. 7 a, f. 2     | Nordwest-  |
| (1859) ( <i>Eusemia</i> ), ♀. — Hamps., Moths Ind. 2,               | himalaya,  |

|   |                                |
|---|--------------------------------|
| p. 159 (1894); id. Cat. Lep. Phal. 3, p. 613 (1901), ♂♀.  | Sikhim<br>(?) Ceylon           |
| postica Wlk., Journ. Linn. Soc. 6, p. 86 (1862), ♂ ( <i>Aegocera</i> ). — Hamps., Cat. Lep. Phal. 3, p. 612, ♂♀ (1901).   | Singapore,<br>Borneo           |
| <i>tara</i> Swinh., Cat. Het. Mus. Oxon. 1, p. 167, t. 6, f. 11 (1892), ♂♀.   | Keyinseln                      |
| proerosia Druce, Ann. Mag. Nat. Hist. (6) 15, p. 41 (1893) ( <i>Agarista</i> ), ♂. — Hamps., Cat. Lep. Phal. 3, p. 615, t. 54, f. 1 (1901), ♂.  | Buru,<br>Ceram,<br>Obi         |
| var. <i>obiensis</i> Roths., Nov. Zool. 5, p. 418 (1898), ♀. — Hamps., l. c. p. 616.  | Fergusson-<br>insel<br>Celebes |
| var. <i>vitticollis</i> Roths., Nov. Zool. 3, p. 94 (1896), ♂. — Hamps., l. c. p. 616.  |                                |
| puciolia Druce, Ann. Mag. Nat. Hist. (6) 15, p. 42 (1895) ( <i>Agarista</i> ), ♂. — Hamps., Cat. Lep. Phal. 3, p. 608—09, t. 54, f. 3 (1901), ♂. — Roths., Nov. Zool. 4, p. 311 (1897). |                                |
| <i>Fruhstorferi</i> Roths., Nov. Zool. 4, p. 183 (1897), ♂.   |                                |
| Vilemani [recte: <i>Wilemani</i> !] Hamps., Ann. Mag. Nat. Hist. (8) 8, p. 414, ♂ (1911).   | Formosa                        |
| vittata Butl., Ann. Mag. Nat. Hist. (4) 15, p. 143 (1875) ( <i>Eusemia</i> ). — Hamps., Cat. Lep. Phal. 3, p. 609, t. 54, f. 7 (1901), ♀.   | Java                           |

18

### Schausia Karsch

|   |                            |
|---|----------------------------|
| Karsch, Ent. Nachr. 21, p. 346 (1895). — Hamps., Cat. Lep. Phal. 3, p. 616 (1901).  |                            |
| gladiatoria Holl., Psyche 6, p. 373 (1893) ( <i>Aegocera</i> ), ♂♀. — Hamps., Cat. Lep. Phal. 3, p. 616, t. 54, f. 8 (1901).      | Westafrika,<br>Ogove       |
| leona Schaus, Lep. S. Leone p. 20, t. 1, f. 1 (1893) ( <i>Aegocera</i> ). — Hamps., Cat. Lep. Phal. 3, p. 617, f. 267, ♂♀ (1901). | Sierra,<br>Leone,<br>Niger |
| var. <i>congoana</i> Jord., Nov. Zool. 15, p. 253 (1908), ♂.<br>2   | Kongo                      |

### Lophonotidia Hamps.

Hamps., Cat. Lep. Phal. 3, p. 617 (1901).

|  |  |
|--|--|
| nocturna Hamps., Cat. Lep. Phal. 3, p. 617—18, f. 268, ♂ (1901). | Rhodesia,<br>Britisch-<br>Central-<br>afrika |
|--|--|

1

### Copidryas Grote

Grote, Canad. Entom. 8, p. 99 (1876). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 18, 24 (1894). — Hamps., Cat. Lep. Phal. 3, p. 618 (1901).

cosyra Druce, Biol. Centr. Am. Het. 2, p. 328, t. 70, f. 4, ♀ (1896) (*Euthisanotia*).

|                  |  |                   |
|------------------|--|-------------------|
|                  | Biologie: Kunze, Journ. New York. ent. Soc. 14, p. 133 (1906).   |                   |
| <b>Gloveri</b>   | Grote et Rob., Trans. Amer. Ent. Soc. 2, p. 185 (1868) ( <i>Euschirropterus</i> ). — Grote, Canad. Ent. 8, p. 99 (1876). — Riley, Insect. Life 1, p. 104, f. 20 (1888). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 24 (1894). — Hamps., Cat. Lep. Phal. 3, p. 618—19, f. 269, ♀♂ (1901). Biologie: Popenoë, The Industrialist, Oct. 1 (zitiert in: Entom. Amer. vol. 3, p. 178 (1887);) Riley, Insect life I, p. 104. | Texas,<br>Arizona |
| <b>peruviana</b> | Druce, Ann. Mag. Nat. Hist. (8) 6, p. 168—69, ♂ (1910).  | Peru              |

3

### Eupseudomorpha Dyar

Dyar, Canad. Entom. 25, p. 28 (1893). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 18, 23 (1894). — Hamps., Cat. Lep. Phal. 10, p. 9—10 (1910).

† *Edwardsia* Neumoegen, Canad. Ent. 12, p. 67 (1880).  
 †† *Euedwardsia* Kirby, Cat. Lep. Het. 1, p. 36 (1892).

**brillians** Neumoegen, Canad. Ent. 12, p. 67 (1880) (*Edwardsia*). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 23 (1894). — Hamps., Cat. Lep. Phal. 10, p. 10, f. 2, ♀ (1910).

1

Texas

### Euschirropterus Grote

Grote, Proc. Ent. Soc. Philad. 6, p. 176 (Juli 1866). — Hamps., Cat. Lep. Phal. 3, p. 619 (1901).

*Heterandra* H.-Sch., Corresp.-Blatt. zool. min. Ver. Regensburg 20, p. 134 (Septbr. 1866).

*Laquea* Jord., Nov. Zool. 3, p. 41 (1896).

**discifera** Hamps., Cat. Lep. Phal. 3, p. 621—22, t. 51, f. 9, ♀ (1901). Brasilien

**Klagesi** Jord., Nov. Zool. 15, p. 254, t. 9, f. 9 (1908), ♀. Orinoco,

var. *tucumanus* Jord., Nov. Zool. 15, p. 254, ♀ (1908). West-ecuador

ab. *fuscus* Jord., l. c. p. 254, ♀. Tucuman

**Poeyi** Grote, Proc. Ent. Soc. Philad. 6, p. 178 (Juli 1866). — Hamps., Cat. Lep. Phal. 3, p. 620—21, f. 271 (♂), 272 (♀) (1901). Mexico, Guatemala, Cuba,

*disparilis* H.-Sch., Corresp.-blatt. zool. min. Ver. Regensburg 20, p. 134 (Septbr. 1866) (*Heterandra*). Haiti, Jamaica

*argentata* Druce, Ann. Mag. Nat. (6) 13, p. 352 (1894) (*Euthisanotia*); id. Biol. Centr. Amer. Het.

2, p. 329, t. 70, f. 5 (1896) (*Laquea*).

**Walkeri** (sic! recte: *Walkeri*) Hamps., Cat. Lep. Phal. 3, p. 619—20, f. 270, ♂ ♀ (1901). Chile

4

**Hoplarista** Hamps.

Hamps., Proc. Zool. Soc. London 1910, p. 399.

**haemaplaga** Hamps., Proc. Zool. Soc. London 1910,  
p. 399—400, t. 36, f. 24, ♂ ♀.  
1 Nordost-  
rhodesia

**Tuerta** Wlk.

**Tuerta** Wlk., Proc. N. H. Soc. Glasgow 1, p. 346 (1869). — Karsch,  
Entom. Nachr. 21 (1895), p. 349. — Hamps., Cat. Lep. Phal. 3,  
p. 622 (1901).

Subgen. **Misa** Karsch, Entom. Nachr. 21 (1895), p. 349 u. 24 (1898),  
p. 334—335. — Jord., Nov. Zool. 3, p. 31 u. 42 (1896).

**chrysochlora** Wlk., Proc. N. H. Soc. Glasgow 1, p. 347,  
t. 6, f. 7 (1869), ♂. — Hamps., Cat. Lep. Phal. 3,  
p. 623, t. 54, f. 9 (1901), ♂.

**cosmetica** Karsch, Entom. Nachr. 24, p. 334 (1898), ♂.  
**cyanopasta** Hamps., Ann. Mag. Nat. Hist. 19 (1907),  
p. 241, ♀.

**dispar** Roths., Nov. Zool. 3, p. 43, t. 15, ff. 27—28 (1896),  
♂ ♀ (*Aegocera*). — Hamps., Cat. Lep. Phal. 3,  
p. 627 (1901), ♂ ♀. — [Subg. *Misa*.]

**hemicycla** Hamps., Ann. Mag. Nat. Hist. 14 (1904),  
p. 166, ♂.

**insulica** Hamps., Ann. Mag. Nat. Hist. 4 (1909), p. 365, ♂.  
**liturata** Auriv., Ent. Tidskr. 13, p. 187, ♀ (1892) (*Eu-*  
*dryas?*). — Hamps., Cat. Lep. Phal. 3, p. 623—24,  
♂ (1901).

**aziyade** Vuill., Bull. Soc. Ent. Fr. 61, p. CXL  
(1892); id. et Mab. Nov. Lep. p. 126, t. 17, f. 5, ♂  
(1893) (*Metagarista*).

**lycaon** Druce, Ann. Mag. Nat. Hist. (6), 20, p. 300 (1897)  
(*Euthisanotia*) ♂. — Jord., Nov. Zool. 15, p. 254,  
t. 9, f. 1 (1908), ♂.

**memnonia** Karsch, Ent. Nachr. 1895, p. 356, t. 2, f. 9  
(*Misa*), ♀. — Hamps., Cat. Lep. Phal. 3, p. 626—  
627, f. 274 (1901), ♂ ♀. — Jord., Nov. Zool. 3  
(1896), p. 31 u. 42 (*Misa*), ♂ ♀.

**ovifera** Hamps., Proc. Zool. Soc. London 1910, p. 400,  
t. 36, f. 25, ♀.

**platensis** Berg, Ann. Soc. Argent. 13, p. 172 (1882) (*Euthi-*  
*sanotia*). — Hamps., Cat. Lep. Phal. 3, p. 622—  
623, f. 273 (1901).

var. **bolivar** Jord. Nov. Zool. 15, p. 254 (1908),  
♂ ♀.

**rema** Druce, Ann. Mag. Nat. Hist. (8) 6, p. 169, ♂ (1910).

**rufodiscalis** Roths., Nov. Zool. 3, p. 47, t. 14, f. 23  
(1896) (*Godasa*), ♂. — Hamps., Cat. Lep. Phal. 3,  
p. 626 [Subg. *Misa*].

**ruspina** Auriv., Ark. Zool. 5, No. 5, p. 9—10, f. 43 (1909),  
♂ [Subg. *Misa*].

**sabulosa** Feld., Reise Nov. t. 107, f. 11 (1868—74)  
(*Agarista*). — Boisd., Rev. Zool. (3) 2, p. 106  
(1874) (? *Eusemia*). — Druce, Biol. Centr. Am.  
Hed. 2, p. 329 (1896) (*Copidryas*). — Hamps.,

Südkamerun  
Britisch-  
Ostafrika

Kongo,  
Ostafrika

Bahamas

Trinidad  
Goldküste,  
Kamerun,

Sierra  
Leone

Ecuador,  
Oberer  
Amazonas

Senegambien,  
Togo,  
Niger,  
Kamerun

Nordost-  
rhodesia  
Buenos Aires

Orinoco

Deutsch-  
ostafrika  
Madagaskar

Franz. Kongo

Neumexico,  
Arizona,  
Californien,  
Guatemala,

|   |   |
|---|---|
| Cat. Lep. Phal. 3, p. 625—26, ♂ ♀ (1901) [Subg. <i>Misa</i> ].  | Mexico,<br>Puerto<br>Rico                           |
| <i>noctuiformis</i> Möschl., Abh. Schackenb. Ges. 16, p. 112 (1890) ( <i>Agarista</i> ).<br><i>semyron</i> H.-Sch., Aussereur. Schmett. f. 24 (1853) ( <i>Agarista</i> ). — Boisd. Rev. Mag. Zool. 1874, p. 96 ( <i>Eusemia</i> ). — Jord., Nov. Zool. 3, p. 50 (1896). — Hamps., Cat. Lep. Phal. 3, p. 627, ♂ ♀ (1901) [Subg. <i>Misa</i> ].   | Puerto Rico   |
| <i>chrysospila</i> Wlk., List Het. B. H. 35, p. 1860 (1866) ( <i>Eusemia</i> ), ♂.  | Sumatra,<br>Philippinen                             |
| <i>transiens</i> Hamps., Cat. Lep. Phal. 3, p. 624, t. 53, f. 15 ♀ (1901) [Subg. <i>Misa</i> ].   | Old Calabar   |
| <i>Trimeni</i> Feld., Reise Nov. t. 107, f. 15 (1868—74) ( <i>Aegocera</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 54 (1874). — Jord., Nov. Zool. 3 (1896), p. 43. — Hamps., Ann. S. Afr. Mus. 2, p. 64 (1900) ( <i>Aegocera</i> ); id. Cat. Lep. Phal. 3, p. 624—25 (1901). — Strand, Arch. f. Naturg. 75, I, p. 369 (1909) [Subg. <i>Misa</i> ].   | Natal,<br>Kapland                                   |
| <i>agoma</i> Karsch, Entom. Nachr. 21, p. 355 (1895), ♀ ( <i>Mitrophrys</i> ).<br>var. <i>halans</i> Karsch, Entom. Nachr. 21, p. 354, t. 2, f. 7 (1895), ♂ ♀ u. 24, p. 331 ( <i>Mitrophrys</i> ). — Rebel, S.-B. Ak. wiss. Wien 115, Abt. 1 (1906), p. 500.<br>var. (?) <i>tricolor</i> Druce, Ent. Mo. Mag. 20, p. 155 (1883) ( <i>Aegocera</i> ). — Waterh., Aid 2, t. 155, f. 2 (1885). — Strand, Arch. f. Naturg. 75, I, p. 369 (1909). — Hamps., Ann. S. Afr. Mus. 2, p. 64 (1900).<br>ab. <i>elegantula</i> Mab., Ann. Soc. Entom. Belg. 37, p. 56 (1893) ( <i>Aegocera</i> ); id. Nov. Lep. p. 157, t. 22, f. 2 ( <i>Aegocera</i> ) (1895). | Togo<br>,,<br>Ostafrika,<br>Transvaal,<br>Niger [?] |

### Acantuerta Hamps.

Hamps., Ann. Mag. Nat. Hist. 19 (1907) p. 241.

|  |           |
|--|-----------|
| <i>thomensis</i> Jord., Nov. Zool. 11, p. 445 (1904), ♂ ♀. — Jord., Nov. Zool. 12, p. 512, t. 5, f. 16 (1905). | St. Thomé |
| 1  |           |

### Omphaloceps Hamps.

Hamps., Cat. Lep. Phal. 3, p. 628 (1901).

|   |   |
|---|---|
| <i>daria</i> Druce, Ann. Mag. Nat. Hist. (6) 15, p. 42 (1895) ( <i>Agarista</i> ), ♀. — Hamps., Cat. Lep. Phal. 3, p. 628 (1901).   | Ostafrika,<br>Sambesi,<br>Rhodesia,<br>Deutsch-<br>Südwest-<br>afrika |
| ab. <i>triplagiata</i> Rothschild, Nov. Zool. 3, p. 95 (1896) ( <i>Aegocera</i> ), ♂. — Kirby, Ann. Mag. Nat. Hist. (6) 8, p. 376—77, t. 19, f. 1 (1896) ( <i>Aegocera</i> ). | Sambesi,<br>Deutsch-<br>Ostafrika                                     |

- ab. *dispar* Kirby, Ann. Mag. Nat. Hist. (6) 18, p. 377 (1896) (*Aegocera*).  
 ab. *meraca* Karsch, Ent. Nachr. 24, p. 332—33, ♂ (1898) (*Mitrophrys*).  
**triangularis** Mab., Ann. Soc. ent. Belge 37, p. 57 (1893) (*Eusemia*); id. Nov. Lep. p. 158, t. 22, f. 3 (1895) (*Eusemia*). — Hamps., Cat. Lep. Phal. 3, p. 628—629, f. 275, ♂ ♀ (1901).  
**astrapaeus** Holl., Psychr. 6, p. 373 (1893) (*Phasis?*), ♂ ♀.  
 2

### Hespagarista Wlk.

Wlk., List Het. Br. M. I, p. 13 (1854). — Karsch, Ent. Nachr. 21 (1895), p. 348. — Hamps., Cat. Lep. Phal. 3, p. 629 (1901). — Hamps., Ann. S. Afr. Mus. 2, p. 63 (1900).

- caudata** Dew., Mitt. Münch. entom. Ver. 3, p. 30, t. 1, f. 3—3a (1879) (*Agarista*), ♂. — Hamps., Cat. Lep. Phal. 3, p. 630, ♂ (1901).  
 — **echione** Boisd., Voy. Deleg. 2, p. 595 (1847) (*Agarista*); id. Rev. Mag. Zool. 1874, p. 67 (*Amazela*). — Angas, Kaffirs Illustrated t. 30, f. 10 (1849) (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 629—630, f. 276, ♂ ♀ (1901).  
**interlecta** Wlk., List Het. Br. M. I, p. 14 (1854), ♂.  
**interjecta** Westw., Trans. Ent. Soc. (2) 1, p. 203, t. 29, f. 22 (1877).  
**novemmaculata** Mab. Ann. Soc. ent. France (6) 10, p. 54 (1890); id. Nov. Lep. 1, p. 56, t. 9, f. 1 (1892) (*Eusemia*) [angeblich ♂, ist aber wohl ♀]. — Auriv., Entom. Tidskr. 1892, p. 186 (*Eusemia*).  
 ab. *funebris* Rothschild, Nov. Zool. 3, p. 44 (1896), ♀.  
**inclusa** Karsch, Entom. Nachr. 1895, p. 357, t. 2, f. 5 (*Pristoceraea*), ♀. — Hamps., Cat. Lep. Phal. 3, p. 631, t. 53, f. 3, ♀ (1901).  
**Rendalli** Rothschild, Nov. Zool. 3, p. 97, ♂ (1896) (*Metagarista* (?)). — Hamps., Cat. Lep. Phal. 3, p. 631, f. 277, ♂ ♀ (1901).

4

Guinea,  
Kongo,  
Rhodesia  
Usambara,  
Delagoa-  
bay, Natal,  
Zululand  
Ostafrika  
Guinea,  
Angola  
Kongo,  
Deutsch-  
Ostafrika,  
Britisch-  
Zentral-  
afrika

### Syfanoidea Bart.

Bart., Verh. zool.-bot. Ges. Wien 53, p. 125 (1903).

- Schencki** Bart., Verh. zool.-bot. Ges. Wien 53, p. 126 (1903), ♀.  
 1

### Andrhippuris Karsch

Karsch, Entom. Nachr. 21 (1895), p. 348.

- cauda equina** Karsch, Entom. Nachr. 21 (1895), p. 353, t. 1, ff. 1, 2 ♂ ♀. — Jord., Nov. Zool. 13, p. 761, t. 10, f. 12 (1906).  
 Biologie: Hamps. Proc. Zool. Soc. London 1910, p. 398.  
 1

Niederguinea,  
Kongo

**Syfania** Oberth.

- Oberth., Ét. Entom. 18, p. 19 (1893). — Hamps., Cat. Lep. Phal. 3, p. 632 (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 6 (1908).
- Bieti** Oberth., Bull. Soc. ent. Fr. (6) 5, p. 228 (1886) (*Agarista*); id. Ét. Entom. XI, p. 20, t. 2, f. 11 (1887). — Hamps., Cat. Lep. Phal. 3, p. 633—34, f. 278, ♂ ♀ (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 d (1909).
- Dejeani** Oberth., Ét. Entom. 18, p. 19, t. 5, f. 68 (1893). — Hamps., Cat. Lep. Phal. 3, p. 632—33, ♂ (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 d (1909).
- Dubernardi** Oberth., Ét. Ent. 19, p. 21, t. 8, f. 70 (1894), ♀. — Hamps., Cat. Lep. Phal. 3, p. 632, ♀ (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 d (1909).
- Giraudeau** Oberth., Ét. Entom. 18, p. 19, t. 5, f. 74 (1893). — Hamps., Cat. Lep. Phal. 3, p. 633, ♀ (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 d (1909).
- Oberthüri** Alph., Iris 8, p. 184 (1895), ♂ ♀; id. Rom. Mém. 9, p. 126, t. 9, f. 5, ♀ ♂ (1897). — Leech, Trans. Ent. Soc. 1899, p. 215. — Hamps., Cat. Lep. Phal. 3, p. 633 (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 d (1909).

5

Westchina

,,

Nordwest-china,  
WestchinaKham  
(China)

- Crotchii** H. Edw., Proc. Cal. Acad. 5, p. 101 (1874). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 18, 23 (1894). — Hamps., Cat. Lep. Phal. 3, p. 634.
- ab. *atrata* H. Edw., Papilio 4, p. 121 (1884), ♂. — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 23 (1894). — Hamps., Cat. Lep. Phal. 3, p. 634 (1901).
- geronimo** Barnes, Canad. Entom. 32, p. 44 (1900), ♂ ♀. — Arizona

2

Süd-californien

Arizona

**Alypia** Hb.

- Hb., Verz. p. 351 (1826). — Wlk., List Het. B. M. p. 59 (1854). — Hamps., Cat. Lep. Phal. 3, p. 635 (1901). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 18—19 (1894).

*Androloma* Grote, Bull. Buff. Soc. 1, p. 30 (1873).  
Synopsis: Neumoegen a. Dyar, l. c.

- Brannani** Stretch, Zyg. a. Bomb. N. Am. p. 8, t. 1, f. 8 (1872). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 22 (1894). — Hamps., Cat. Lep. Phal. 3, p. 636—37 (1901).

Süd-californien

- dipsaci** Grote a. Rob., Trans. Amer. Ent. Soc. 1, p. 326, t. 6, f. 27 (1868). — Boisd., Ann. Soc. Ent. Belgique 12, p. 68 (1869) (*Agarista*). — Stretch, Zyg. a. Bomb. N. Am. p. 9, t. 1, f. 1 (1872). — Hamps., Cat. Lep. Phal. 3, p. 638, ♂ (1901). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 22 (1894).
- disparata** H. Edw., Papilio 4, p. 13 (1884), ♂. — Druce, Biol. Centr. Am. Hct. 2, p. 327, t. 70, f. 2 (1896), ♂. — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 22 (1894). — Hamps., Cat. Lep. Phal. 3, p. 636, f. 280 (1901), ♀ ♂.
- gracilenta* Graef, Ent. Am. 3, p. 41 (1887), ♀.
- Langtoni** Couper, Canad. Nat. (2) 2, p. 64, 460, Fig. (1865). — Stretch, Zyg. a. Bomb. N. Am. t. 8, f. 3 (1874). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 22 (1894). — Hamps., Cat. Lep. Phal. 3, p. 639, ♂ ♀ (1901).
- sacramenti* Grote a. Rob., Trans. Am. ent. Soc. 1, p. 327, t. 6, f. 38 (1868). — Stretch, Zyg. a. Bomb. N. Am. p. 10, t. 1, f. 2 (1872).
- hudsonia* H. Edw., Papilio 4, p. 43, ♀ (1884). Biologie: Dyar, Canad. Entomol. 27 (1895), p. 278—79.
- Mac-Cullochi** Kirby, Faun. Bor.-Amer. 4, p. 301, t. 4, f. 5 (1837). — Stretch, Zyg. a. Bomb. N. Am. p. 211, t. 8, f. 2 (1872). — Couper, Can. Ent. 12, p. 41, f. 7—8 (1880). — Hamps., Cat. Lep. Phal. 3, p. 635—36, f. 279, ♂ ♀ (1901). Biologie: Dyar, Proc. U. S. Nat. Mus. 25 (1903), p. 386.
- ab. *Lorquinii* Grote a. Rob., Trans. Am. ent. Soc. 1, p. 328, t. 6, f. 39 (1868). — Stretch, l. c. p. 12, t. 1, f. 4 (1872). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 20 (1894). — Hamps., l. c. p. 636 (1901).
- simillis** Stretch, l. c. p. 14, t. 1, f. 5 (1872). — Hamps., l. c. p. 636 (1901). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 20 (1894).
- Edwardsi* Boisd., Rev. Zool. (3) 2, p. 63 (1874). ab. *conuncta* H. Edw., Papilio 3, p. 34 (1883), ♂. — Hamps., l. c. p. 636. — Neumoegen a. Dyar, J. N. York Ent. Soc. 2, p. 20 (1894).
- marlposa** Grote a. Rob., Trans. Am. ent. Soc. 1, p. 329, t. 6, f. 40 (1868). — Boisd., Ann. Soc. ent. Belg. 12, p. 70 (1869) (*Agarista*). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 21 (1894). — Hamps., Cat. Lep. Phal. 3, p. 639—40 (1901), ♀.
- ab. *lunata* Stretch, Zyg. a. Bomb. N. Am. p. 15, t. 1, f. 6 (1872). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 21 (1894).
- Biologie: Lembert, Canad. Ent. 26, p. 348—50. — Dyar, ebenda 27, p. 31—32. — Hamps., l. c. p. 639—40 (1901).
- **oetomaculata** F., Syst. Ent. p. 830 (1775) (*Sesia*); id. Ent. Syst. III, 1, p. 402 (1793) (*Zygaena*). — Smith a. Abb., Lep. Georgia 1, t. 44 (1797)

Texas,  
Mexico,  
Californien

Texas,  
Mexico,  
Vera Cruz

Canada,  
U. S. A.

Canada,  
Rocky Mts.

Californien

U. S. A.  
(Atlantic  
States)

(*Sphinx*). — Latr., Encycl. Méth. 9, p. 803 (1825) (*Agarista*). — Wlk., List Het. B. M. 1, p. 59 (1854). — Stretch, Zyg. a. Bomb. N. Am. p. 6, t. 1, f. 7 (1872). — Hamps., Cat. Lep. Phal. 3, p. 637—38, f. 281, ♀♂ (1901). — Lintn., Rep. Ins. N. York 5, p. 179—83 (1889). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 21 (1894).

*bimaculata* Gmel., Syst. Nat. 1 (5), p. 2398 (1791) (*Zygaena*). — Wlk., List Het. B. M. 1, p. 275 (1854) (*Euchromia*).

*quadriguttalis* Hb., Verz. p. 351 (1826).

ab. *matuia* H. Edw., Papilio 3, p. 33 (1883).

ab. *albomaculata* Stoll, Pap. Exot. 4, t. 345, C (1782) (*Noctua*). — Hamps., l. c. p. 638. — Neumoegen a. Dyar, J. N. York Ent. Soc. 2, p. 21 (1894).

*octomaculatis* Hb., Zutr. Ex. Schmett. 1, p. 22, f. 119—20 (1810).

Biologie: Die Larve behandelt von: Abbot-Smith, Lep. Ins. Georgia p. 87, t. 44 (1797); Harris, Silliman's Journ. Sc. Art. 36, p. 314 (1839); Emmons, Nat. Hist. N. York 5, t. 38 (1854); Harris, Rep. Ins. inj. Vegetat. 1854, p. 10; Fitch, 3d Rep. Ins. N. York 1856, p. 399; Morris, Synop. Lep. N. Amer. (1862), p. 132; Andrews, Amer. Natural. 2, p. 666 (1868); Riley, 1st Missouri Rep. p. 136, t. 1 (1869); Harris, Entom. Corres. p. 285 (1869); Lintner, 26th Rep. N. York State Cab. N. Hist. p. 120 (1872); Stretch, Zygaen. Bombyc. N. America t. 10 (1872); Riley, 6th Missouri Rep. p. 94 (1874); J. G. Wood, Insects Abroad p. 651 (1874); French, Trans. Dept. Agr. Ill. 15, p. 176 (1877); Packard, Inj. Ins. West, Haydens Report p. 785 (1877); Perkins, 5th Rep. Vermont Board Agr. p. 276 (1878); Marten, Trans. Dept. Agr. Ill. 18, Append. p. 110 (1880); Coquillett, Trans. Dept. Agr. Ill. 18, Append. p. 172 (1880); Goldsmith, Kentucky Bureau Agr. p. 255 (1881); Saunders, Ins. Inj. Fruits p. 263 (1883); Fernald, Kingsley's Stand N. Hist. 2, p. 463 (1885); Hamps., Cat. Lep. Phal. 3, p. 638 (1901). — Ueber die Puppe cf.: Packard, Proc. Essex Inst. 4, p. 24 (1865); Riley, 2d Missouri Rep. p. 80, f. 55 (1870); Saunders, Ins. Inj. Fruits p. 263 (1883). — Cf. ferner: Dyar, Canad. Entom. 27, p. 31—32.

**Wittfeldi** H. Edw., Papilio 3, p. 34 (1883), ♂♀. — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 21 (1894). — Hamps. l. c. p. 638.

Colorado,  
Alabama,  
Missouri

**Ridingsi** Grote, Proc. Ent. Soc. Phil. 3, p. 521, t. 5, f. 1 (1864). — Stretch, Zyg. a. Bomb. N. Am. p. 11, t. 1, f. 3 (1872). — Neumoegen a. Dyar, Journ. N. York Ent. Soc. 2, p. 20 (1894). — Hamps., Cat. Lep. Phal. 3, p. 640, ♂♀ (1901).

U. S. A.  
Rocky  
Mts.,  
Californien

**Alypioides** Grote

Grote, Trans. Kansas Acad. Sci. 8, p. 46 (1883). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 18 u. 22 (1894). — Hamps., Cat. Lep. Phal. 3, p. 641 (1901).

*Pseudalybia* Grote, Trans. Kansas Acad. Sci. 1, p. 34 (nec H. Edw.).

|   |                                       |
|---|---------------------------------------|
| <i>bimaculata</i> H.-Sch., Aussereur. Schmett. f. 26 (1850) ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 641, f. 282 (1901), ♂♀. — Cockll., Journ. New York Ent. Soc. 2, p. 105 (1894); id. Entom. News. 6, p. 200—01 (1895).   | Californien,<br>New Mexico,<br>Mexico |
| <i>trimaculata</i> Boisd., Rev. Zool. (3) 2, p. 65 (1874) ( <i>Alypia</i> ).<br>ab. <i>crescens</i> Wlk., List Het. B. M. 7, p. 1774 (1856) ( <i>Eusemia?</i> ), ♂. — Hamps., Cat. Lep. Phal. 3, p. 641 (1901). — Grote, Trans. Kansas Acad. Sci. 1, p. 34 ( <i>Pseudalybia</i> ). — Druce, Biol. Centr.-Amer. Het. 1, p. 34 (1884). — Neu-moegen a. Dyar, Journ. New York Ent. Soc. 2, p. 22—23 (1894). — Cockll., Ent. News. 6, p. 200—01 (1895). |                                       |
| <i>Grotei</i> Boisd., Ann. Soc. ent. Belge 12, p. 70 (1869) ( <i>Agarista</i> ); id. Rev. Mag. Zool. (3) 2, p. 64 (1874) ( <i>Alypia</i> ). — H. Edw., Papilio 4, p. 13 (1884) ( <i>Alypia</i> ).<br><i>lavilunguis</i> Grote, Trans. Kansas Acad. Sci. 8, p. 46 (1883).  |                                       |
| ab. <i>Dugesii</i> Cockll., Ent. News 6, p. 201 (1895). — Hamps., l. c. p. 641 (1901).  |                                       |
| <i>radians</i> Boisd., Rev. Zool. (3) 2, p. 105 (1874) ( <i>Eusemia</i> ). — Feld., Reise Nov. t. 107, f. 9 (1868—74). — Druce, Biol. Centr.-Amer. Het. 2, p. 327 (1896). — Hamps., Cat. Lep. Phal. 3, p. 642, ♂ (1901).  | Mexico                                |
| <i>Walkeri</i> Druce, Ann. Mag. Nat. Hist. (6) 2, p. 239 (1888) ( <i>Pseudolybia</i> ) [sic!]; id. Biol. Centr.-Amor. Het. 2, p. 326, t. 70, f. 1 (1896). — Hamps., Cat. Lep. Phal. 3, p. 642, ♀ (1901) (als <i>A. valkeri</i> !).<br><i>Stuarti</i> Schaus, Ent. Am. 5, p. 87 (1889) ( <i>Pseudalybia</i> ).   | Mexico,<br>Guatemala                  |

3

**Massaga** Wlk.

Wlk., List Het. Br. M. 2, p. 358 (1854). — Karsch, Ent. Nachr. 21, p. 346 (1895). — Hamps., Cat. Lep. Phal. 3, p. 642—43 (1901).

*maritima* Butl., Proc. Zool. Soc. 1868, ♂, p. 224, t. 17, f. 1 (*Messaga*). — Hamps., Cat. Lep. Phal. 3, p. 643, f. 283, ♂♀ (1901).

*monteirona* Butl., Cist. Entom. 1, p. 216 (1874). — Hamps., Cat. Lep. Phal. 3, p. 644, t. 54, f. 6 (1901), ♂.

*metallica* Mab., Bull. Soc. Zool. Fr. 3, p. 88 (1878), ♂ (*Eusemia*).

*vireseens* Butl., Lep. Exot. p. 175, t. 61, f. 15 (1874), ♂. — Hamps., Cat. Lep. Phal. 3, p. 643—44, ♂♀ (1901).

3\*

*hesperia* Wlk., List Het. Br. M. 2, p. 358 (1854),  
nec Cram.

ab. *angustifascia* Roths., Nov. Zool. 3, p. 31, ♀ (1896).

3

Old Calabar

### Massagidia Hamps.

Hamps., Cat. Lep. Phal. 3, p. 644 (1901).

— *hesperia* Cram., Pap. Exot. 1, t. 56, f. C (1775) (*Geometra*).

— Hamps., Cat. Lep. Phal. 3, p. 644—45, f. 284, ♂ ♀ (1901).

*delicia* Butl., Proc. Zool. Soc. 1868, p. 224, t. 17, f. 2, ♂ (*Messaga*). — (?) Auriv. Entom. Tidskr. 1892, p. 186, ♀.

*demensa* Druce, Ann. Mag. Nat. Hist. (6) 14, p. 23 (1894), ♀.

*tenuifascia* Hamps., Proc. Zool. Soc. London 1910, p. 401, t. 36, f. 12, ♀.

2

Kongo,  
Sierra  
Leone, Old  
Calabar,  
Kamerun,  
Goldküste

Kongo

### Ophthalmis Hb.

Hb., Verz. p. 166 (1826). — Hamps., Cat. Lep. Phal. 3, p. 645 (1901). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 8 (1909).

*Pristoceraea* Karsch, Ent. Nachr. 21, p. 349 (1895).

*basalis* Roths., Nov. Zool. 3, p. 50, t. 14, f. 25 (1896), ♀. — Hamps., Cat. Lep. Phal. 3, p. 651, ♀ (1901).

*cineta* Boisd., Rev. Zool. (3) 2, p. 80 (1874) (*Agarista*). — Hamps., Cat. Lep. Phal. 3, p. 647—48, t. 54, f. 22, ♂ (1901).

*Zelleri* Butl., Ann. Mag. Nat. Hist. (5), 19, p. 215 (1887), ♂.

*darna* Druce, Ann. Mag. Nat. Hist. (6) 14, p. 22 (1894) (*Agarista*), ♂. — Hamps., Cat. Lep. Phal. 3, p. 646, t. 54, f. 11 (1901), ♂. — Jord., Nov. Zool. 3 (1896), p. 30.

*eriops* H.-Sch., Aussereur. Schmett. f. 31 (1853) (*Agarista*). — Boisd., Rev. Mag. Zool. (3) 2, p. 96 (1874) (*Eusemia*). — Hamps., Cat. Lep. Phal. 3, p. 646, ♀ (1901).

ab. *carminata* Roths., Nov. Zool. 3, p. 45 (1896), ♂ ♀.

*funebris* Moore, Proc. Zool. Soc. 1872, p. 569 (*Eusemia*). — Waterh., Aid 2, t. 127, f. 4 (*Eusemia*) (1883). — Hamps., Moths India 2, p. 155, Fig. 101 (1894) (*Phalaenoides*; id. Cat. Lep. Phal. 3, p. 649—50, f. 285 (1901), ♂ ♀. — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 8 (1909).

var. *vithoroides* Leech, Entomol. 23, p. 110 (1890) (*Eusemia*). — Oberth., Ét. Entom. 16, p. 8, t. 1, f. 4 (1892) (*Eusemia vithoroides*). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 8, Fig. 1 f. (1909).

*floresiana* Roths., Nov. Zool. 4, p. 312 (1897) (*Crinala*). — Hamps., Cat. Lep. Phal. 3, p. 650 (1901), ♂.

Sullainseln

Ternate,  
Gilolo

Timor

Madagaskar

Sikkim

Zentral- und  
Westchina

Flores

|  |   |
|--|---|
| <i>haemorrhoidalis</i> Guér., Voy. Coquille 2, p. 283, t. 19, f. 1 (1829—1832) ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 647, t. 54, f. 21 (1901), ♀. — Pag., Zoologica 29, 1900, p. 67 ( <i>Phalenoides</i> ).   | Neuirland,<br>Neu-<br>britannien                          |
| <i>lincea</i> Cram., Pap. Exot. 3, t. 228, B (1779) ( <i>Geometra</i> ). — Hamps., Cat. Lep. Phal. 3, p. 648, ♂ ♀ (1901). — Pag., Zoologica 29, 1900, p. 68—69; id. Jahrb. Nass. Ver. 39 (1886), p. 13—14; ebenda 1888, p. 27.   | Amboina,<br>Ceram,<br>Neuguinca,<br>Neuirland             |
| <i>formosa</i> Montr., Ann. Sci. Phys. Nat. Lyon (2) 8, p. 410 (1856) ( <i>Lithosia</i> ).   | Neuguinea   |
| <i>linceoides</i> Boisd., Rev. Zool. (3) 2, p. 80 (1874) ( <i>Agarista</i> ).  | Philippinen   |
| var. <i>leucapex</i> Strand, Mitt. Zool. Mus. Berlin 5, p. 474 (1911), ♂ ♀.  | Salomonen   |
| var. <i>bambucina</i> Esch., Kotzebues Entdeckungsreise 3, p. 219, t. 11, f. 30 (1830). — Hamps., l. c. — Semper, Reisen Philipp. Lep. 2, p. 512 (1899), ♂ ♀.  | Neuguinea<br>(Biakinsel)                                  |
| var. <i>aluensis</i> Butl., Ann. Mag. Nat. Hist. (5) 19, p. 215 (1887), ♂. — Hamps., l. c.   | Sumatra,<br>Java, Bali,<br>Lombok,<br>Sumbawa,<br>Celebes |
| var. <i>biakensis</i> Strand n. n.; „Subspec. 3“ Hamps., l. c. p. 648 (1901).  |   |
| — <i>miletie</i> Cram., Pap. Exot. 1, t. 18, D (1775) ( <i>Noctua</i> ). — Boisd., Rev. Mag. Zool. 1874, p. 94 ( <i>Eusemia</i> ). — Butl., Ill. Het. B. M. 1, p. 9, t. 5, f. 6 (1877). — Hamps., Cat. Lep. Phal. 3, p. 648—49 (1901), ♂ ♀. — Pagenst., Jahrb. nass. Ver. Nat. 51, p. 194—95 (1898). |   |
| <i>melite</i> Wlk., List Het. B. M. 1, p. 53 (1854) ( <i>Eusemia</i> ).  |   |
| <i>mutata</i> Wlk., List Het. B. M. 31, p. 52 (1864) ( <i>Eusemia</i> ), ♀. — Swinh., Cat. Het. Mus. Oxon. p. 159 (1892). — Boisd., Rev. Mag. Zool. 1874, p. 96 ( <i>Agarista</i> ).   |   |
| <i>fenestrata</i> Wlk., List Het. B. M. 31, p. 54 (1864) ( <i>Eusemia</i> ), ♂. — Boisd., Rev. Mag. Zool. 1874, p. 95 ( <i>Agarista</i> ). — Swinh., Cat. Het. Mus. Oxon. p. 159 (1892).   |   |
| ab <i>Rosenbergi</i> Feld., Reise Nov. t. 107, f. 1 (1868—1874) ( <i>Agarista</i> ). — Boisd., Rev. Mag. Zool. (3) 2, p. 94 (1874) ( <i>Eusemia</i> ). — Snellen, Tijdschr. v. Ent. 48, p. 198 (1905).   |   |
| <i>Roeberi</i> Ribbe, Iris 2, p. 184, t. 3, f. 3 (1889) ( <i>Eusemia</i> ).  |   |
| ab <i>conferta</i> Wlk., List Het. B. M. 31, p. 53 (1864) ( <i>Eusemia</i> ), ♂ ♀. — Boisd., Rev. Mag. Zool. 1874, p. 90 ( <i>Agarista</i> ). — Swinh., Cat. Het. Mus. Oxon. p. 159 (1892). — Hamps., Cat. Lep. Phal. 3, p. 649.   | Sumatra...  |
| Biologie: Moore, Cat. Lep. E. I. Comp. 2, p. 290, t. 13, f. 4 (1859). — Hamps., l. c. p. 649.  |   |
| <i>privata</i> Wlk., List Het. B. M. 31, p. 48 (1864), ♂ ( <i>Agarista</i> ). — Boisd., Rev. Mag. Zool. 1874, p. 77 ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 3, p. 650, t. 54, f. 2, (1901), ♂.  | Ceram   |
| <i>Pagenstecheri</i> Roeber, C. B. Ver. Iris 1, p. 40, t. 2, f. 10 (1866) ( <i>Agarista</i> ).   |   |

|  |             |
|--|-------------|
| <b>proxanthia</b> Hamps., Cat. Lep. Phal. 3, p. 647, t. 54, f. 5<br>(1901), ♀.   | Buru        |
| <b>Swinhoei</b> Semp., Reisen Arch. Philipp. 2, p. 511, t. 55,<br>f. 10 (1899) ( <i>Scrobigeria</i> ), ♂ ♀. — Hamps., Cat.<br>Lep. Phal. 3, p. 646 (1901), ♂ (als <i>O. swinhoei</i> (!)). | Philippinen |
| 12   |             |

**Darceta** H.-Sch.

|   |   |
|---|---|
| Herr.-Schäff., Aussereur. Schmett. p. 13 (1850).  |   |
| <b>Diamuna</b> Wlk., List Het. Br. M. 12, p. 960 (1857). — Hamps.,<br>Cat. Lep. Phal. 3, p. 651 (1901). — Jord., Nov. Zool. 3 (1896), p. 53.  |   |
| <b>Clitis</b> Wlk., l. c. p. 961 (1857). — Jord., Nov. Zool. 3 (1896),<br>p. 53—54.   |   |
| <b>falcata</b> Druce, Biol. Centr.-Amer. Heter. 1, p. 35, t. 5, — Panama<br>ff. 23—24 (1883) ( <i>Hecatesia</i> ). — Hamps., Cat.<br>Lep. Phal. 3, p. 651—652, f. 286 (1901), ♂ ♀ ( <i>Dia-<br/>muna</i> ). — Jord., Nov. Zool. 3 (1896), p. 52, ♂<br>(„ <i>Hecatesia</i> “). | Panama  |
| <b>Haenschii</b> H. Dohrn, Stett. Ent. Zeit. 67, p. 275, Fig.<br>(1906).  | Ecuador                                       |
| <b>hesperina</b> H.-Sch., Aussereur. Schmett. p. 13, f. 524 (1850).<br>— Hamps., Cat. Lep. Phal. 3, p. 653 (1901), ♀<br>( <i>Diamuna</i> ).   | Panama,<br>Brasilien,<br>(St. Catha-<br>rina) |
| <b>primulina</b> Druce, Biol. Centr.-Amer. Het. 1, p. 335, t. 30,<br>f. 25 (1889) ( <i>Clitis</i> ), ♂. — Hamps., Cat. Lep. Phal.<br>3, p. 652, ♀ (1901) ( <i>Diamuna</i> ).  | Mexico  |
| <b>proserpina</b> Cram., Pap. Exot. 4, p. 239, t. 399, f. I (1782)<br>( <i>Noctua</i> ). — Hamps., Cat. Lep. Phal. 3, p. 653—<br>654, f. 287, ♂ ♀ ( <i>Diamuna</i> ) (1901).  | Surinam<br>Sta. Catha-<br>rina                |
| <b>hesperina</b> H.-S., Aussereur. Schmett. ff. 525—<br>526 (1850).   |   |
| <b>severa</b> Cram., Pap. Exot. 4, p. 235, t. 398, f. L (1782) ( <i>Pha-<br/>laena</i> ). — Hamps., Cat. Lep. Phal. 3, p. 653 ♀<br>(1901) ( <i>Diamuna</i> ).   | Surinam,<br>Amazonas                          |

6

**Schalifrontia** Hamps.

Hamps., Cat. Lep. Phal. 3, p. 654 (1901).

|  |                     |
|--|---------------------|
| <b>furcifer</b> Hamps., Cat. Lep. Phal. 3, p. 654, f. 288 (1901), ♀. | Sta. Catha-<br>rina |
| 1  |                     |

**Parothria** Hamps.

Hamps., Cat. Lep. Phal. 3, p. 654—55 (1901).

|  |         |
|--|---------|
| <b>ecuadorina</b> Westw., Trans. Linn. Soc. Zool. (2) 1, p. 202<br>(1877) ( <i>Othria</i> ). — Hamps., Cat. Lep. Phal. 3,<br>p. 655, f. 289, ♂ (1901). | Ecuador |
| 1  |         |

**Orthia** H.-Sch.

H.-Sch., Aussereur. Schmett. p. 13 (1850). — Boisd., Lép. Hét. 1, p. 539 (1875).

*Othria* Westw., Trans. Linn. Soc. Zool. (2) 1, p. 201 (1877). — Hamps., Cat. Lep. Phal. 3, p. 655 (1901).

- *augias* H.-Sch., Aussereur. Schmett. f. 18 (1850). — Amazonas,  
Hamps., Cat. Lep. Phal. 3, p. 655—56, f. 290 Bolivien  
(*Othria*) (1901), ♂♀.  
*lethe* Feld., Reise Nov. t. 107, f. 7 (1868—1874)  
(*Agarista*).  
*amazonica* Westw., Trans. Linn. Soc. Zool. (2), 1,  
p. 202 (1877) (*Othria*), ♀.  
var. *nexa* Boisd., Spéc. gén. Lép. Hét. 1, p. 543  
(1875) (*Orthia*). — Westw., Trans. Linn. Soc.  
Zool. (2), 1, p. 201 (*Othria*) (1877).

1

**Seirocastnia** Grote

Grote, Proc. Ent. Soc. Phil. 6, p. 175 (1866). — Hamps., Cat. Lep. Phal. 3,  
p. 656 (1901).

- amaithea* Dalm., Anal. Ent. p. 49 (1823) (*Aegocera*?). — Kolumbien,  
Hamps., Cat. Lep. Phal. 3, p. 657, ♂♀ (1901). — Ecuador  
Westw., Trans. Linn. Soc. Zool. (2) 1, p. 202  
(*Othria*) (1877).  
*separata* Wlk., List Het. Br. Mus. 7, p. 1645  
(1856) (*Josia*?), ♀.  
*Lindigi* Feld., Reise Nov. t. 107, f. 6, ♂ (1868—74) (*Agasta*). — Bogota  
Boisd., Rev. Mag. Zool. (3) 2, p. 103  
(1874). — Westw., Trans. Linn. Soc. Zool. (2) 1,  
p. 202 (*Othria*) (1877).  
*columbina* Westw., Trans. Linn. Soc. Zool. (2), 1, p. 202  
(1877) (*Othria*), ♂. — Hamps., Cat. Lep. Phal. 3,  
p. 659, t. 54, f. 4, ♂ (1901).  
*extensa* Jord., Nov. Zool. 15, p. 255 (1808), ♀.  
*meridiana* Schaus, Journ. New York Ent. Soc. 4, p. 148  
(1896) (*Phasis*), ♂. — Hamps., Cat. Lep. Phal. 3,  
p. 659, t. 54, f. 17 (1901).  
*panamensis* Hamps., Cat. Lep. Phal. 3, p. 657, t. 53, f. 16  
(1901), ♂♀.  
*separata* Druce, Biol. Centr.-Amer. Het. 1, p. 36  
(nec Wlk.) (*Phasis*) (1884).  
*praefecta* Druce, Ann. Mag. Nat. Hist. (6) 18, p. 28 (1896)  
(*Phasis*). — Hamps., Cat. Lep. Phal. 3, p. 658—  
659, ♂♀ (1901).  
ab. *elaphebolia* Druce, Ann. Mag. Nat. Hist. (6)  
20, p. 299 (1897) (*Orthia*), ♂. — Hamps., Cat.  
Lep. Phal. 3, p. 659 (1901).  
ab. *nervalis* Strand n. n.; „ab. 2“ Hamps., Cat.  
Lep. Phal. 3, p. 659 (1901).  
*tribuna* Hb., Zutr. Ex. Schmett. 3, p. 24, ff. 491—92  
(*Ephialtias*) (1825). — Druce, Biol. Centr.-Amer.  
Het. 1, p. 36 (1884) (*Phasis*). — Hamps., Cat.  
Lep. Phal. 3, p. 658, f. 291 (1901).  
*continua* Wlk., List. Het. B. M. 7, p. 1646 (1856)  
(*Josia*?), ♀.

*Schausi* H. Edw., Ent. Am. 3, p. 90 (1887) (*Eusemia*).

**voluta** Druce, Ann. Mag. Nat. Hist. (6) 20, p. 299 (1897) (*Othria*), ♂. — Hamps., Cat. Lep. Phal. 3, p. 657—58 (1901), ♂.  
9

Sta. Lucia

### Phasidia Hamps.

Hamps., Cat. Lep. Phal. 3, p. 659 (1901).

**contraria** Wlk., List Het. Br. Mus. 31, p. 136 (1864) (*Phasis*), ♀. — Hamps., Cat. Lep. Phal. 3, p. 659—60, f. 292, ♀ (1901).  
**meridionalis** Schaus, Proc. Zool. Soc. 1892, p. 272, ♀ (*Othria*).  
1

Brasilien,  
Peru

### Phasis Wlk.

Wlk., List Het. Br. Mus. 2, p. 312 (1854). — Hamps., Cat. Lep. Phal. 3, p. 660 (1901).

**mardava** Druce, Ann. Mag. Nat. Hist. (6) 20, p. 300 (1897), ♀. — Hamps., Cat. Lep. Phal. 3, p. 661, t. 54, f. 10, ♀ (1901).

Amazonas

**noctilux** Wlk., List Het. Br. Mus. 2, p. 312 (1854) (*Josia*), ♂. — Hamps., Cat. Lep. Phal. 3, p. 660, f. 293 (1901), ♂.

Amazonas

**Batesi** Feld., Reise Nov. t. 107, f. 8 (1868—74) (*Agarista*). — Boisd., Rev. Mag. Zool. (3) 2, p. 103 (1874) (*Eusemia*).  
2

### Longicella Jord.

Jord., Nov. Zool. 3, p. 51 (1896). — Hamps., Cat. Lep. Phal. 3, p. 661 (1901).

**luctifera** Boisd., Spéc. gén. Lép. Hét. 1, t. 14, f. 4 (1836) (*Agarista*); id. Rev. Mag. Zool. 1874, p. 95 (*Eusemia*). — Hamps., Cat. Lep. Phal. 3, p. 662 (1901), ♂ ♀.

Java

Biologie: Piepers, Tijdschr. v. Eut. 48, p. 199 (1905).

— **molis** Wlk., List Het. Br. Mus. 7, p. 1774 (1856) (*Eusemia*), ♂ ♀. — Pag., Jahrb. Nass. Ver. 38, p. 8, t. 2, f. 1, ♂ ♀ (1885) (*Eusemia*). — Hamps., Cat. Lep. Phal. 3, p. 661—62, f. 294 (1901), ♂ ♀.

Penang,

Nias,

Malakka,

Sumatra,

Pulo Laut,

Borneo

var. *decipiens* Butl., Ann. Mag. Nat. Hist. (5) 14, p. 34 (1884), ♂ (*Ophthalmis*). — Hamps., Cat. Lep. Phal. 3, p. 662 (1901), ♂.

Sumatra,

Nias

2

**Agriopodes** Hamps.

Hamps., Cat. Lep. Phal. 8, p. 37 (1909).

|                 |  |                     |
|-----------------|--|---------------------|
| <b>fallax</b>   | H.-Sch., Ausscreur. Schmett. p. 80, f. 211 (1853) ( <i>Moma</i> ). — Wlk., List Het. Br. Mus. 9, p. 35 (1856) ( <i>Diphtera</i> ). — Grote, Bull. Buff. Soc. N. Sci. 2, p. 213 ( <i>Diphtera</i> ); id. Bull. Geol. Surv. 6, p. 277 ( <i>Diphtera</i> ). — J. B. Smith, Bull. Bkln. Ent. Soc. 5, p. 43 ( <i>Moma</i> ). — J. B. Smith, Cat. Noct. N. Am. p. 34 (1893) ( <i>Moma</i> ). — Hamps., Cat. Lep. Phal. 8, p. 37—39, f. 9 (1909), ♂♀ Biologie: Hamps., l. c. p. 39. | Kanada,<br>U. S. A. |
| <b>geminata</b> | J. B. Smith, Journ. New York Ent. Soc. 11, p. 1 (1903) ( <i>Moma</i> ). — Hamps., Cat. Lep. Phal. 8, p. 39, t. 123, f. 27 (1909), ♂.   | Kanada              |
| <b>tybo</b>     | Barnes, Canad. Entom. 36, p. 166—67 (1904) ( <i>Moma</i> ), ♀♂. — Hamps., Cat. Lep. Phal. 8, p. 40, t. 123, f. 28 (1909), ♀.   | Arizona             |
| <b>viridata</b> | Harv., Canad. Entom. 8, p. 35 (1876) ( <i>Jaspidea</i> ). — J. B. Smith, Cat. Noct. N. Am. p. 49 (1893) ( <i>Jaspidea</i> ). — Hamps., Cat. Lep. Phal. 8, p. 40, t. 123, f. 29 (1909), ♂.  | Süd-kalifornien     |

4

**Hypeuthina** Led.

Led., Verh. zool.-bot. Ges. Wien 1855, p. 199. — Hamps., Cat. Lep. Phal. 8, p. 169 (1909).

|                  |   |                  |
|------------------|---|------------------|
| <b>fulgorita</b> | Led., Verh. zool.-bot. Ges. Wien 1855, p. 199, t. 4, f. 1. — Hamps., Cat. Lep. Phal. 8, p. 169—170, f. 23 (1909), ♂♀. | Syrien           |
| <b>numida</b>    | Obthr., Ét. Ent. 13, p. 27, t. 6, f. 41 (1890) ( <i>Hypethyna</i> ). — Hamps., Cat. Lep. Phal. 8, p. 170 (1909).      | Algier,<br>Tunis |

2

**Cephalospargeta** Möschl.

Möschl., Abh. Senckb. Ges. 16, p. 119 (1890). — Hamps., Cat. Lep. Phal. 8, p. 224 (1909).

|                 |   |            |
|-----------------|---|------------|
| <b>elongata</b> | Möschl., Abh. Senckb. Ges. 16, p. 120 (1890), ♂♀. — Hamps., Cat. Lep. Phal. 8, p. 224—25, f. 49, ♂♀ (1909). | Porto Rico |
|-----------------|---|------------|

1

**Rhabinopteryx** Christ.

Christ., Mém. Lép. Rom. 5, p. 32 (1889). — Hamps., Cat. Lep. Phal. 8, p. 287 (1909).

|                 |  |        |
|-----------------|--|--------|
| <b>subtilis</b> | Mab., Bull. Soc. entom. Fr. 1888, p. 51 ( <i>Epimecia</i> ); id. Novit. Lep. p. 66, t. 11, f. 4 (1892) ( <i>Epicemcia</i> ). — Hamps., Cat. Lep. Phal. 8, t. 288, ♂♀ (1909). | Algier |
|-----------------|--|--------|

**turanica** Ersch., Fedtsch. Reise p. 67, t. 4, f. 69 (*Ligia*)  
 (1874). — Alpher., Horae S. Ross. 17, p. 188.  
 — Christ., Mém. Rom. 5, p. 34, t. 2, f. 6 (1889).  
 — Stgr., Stett. ent. Zeit. 1889, p. 49, 60, ♂. —  
 Hamps., Cat. Lep. Phal. 8, p. 287—88, f. 83 (1909).

2

Turkestan

**Emarginea** Guen.

Guen., Noct. 2, p. 288 (1852). — Hamps., Cat. Lep. Phal. 9, p. 113 (1910).

**Dacira** Wlk., List Het. B. M. 12, p. 801 (1857).

**Cyathissa** Grote, Bull. U. S. Geol. Geogr. Surv. Terr. 6, p. 576  
 (1881).

**combusta** Wlk., List Het. Br. Mus. 12, p. 802 (1857)  
 (*Dacira*), ♂. — Hamps., Cat. Lep. Phal. 9, p. 113,  
 t. 140, f. 6, ♂ (1910).

Brasilien:  
 Villa  
 Nuovo  
 Central- und  
 Süd-  
 brasilien,  
 Uruguay

**gammophora** Guen., Noct. 2, p. 289, t. 14, f. 1 (1852).  
 — Hamps., Cat. Lep. Phal. 9, p. 114, f. 32, ♂♀ (1910).

Kolumbien

**niphoplaga** Druce, Ann. Mag. Nat. Hist. (8) 3, p. 346  
 (1909), ♀. — Hamps., Cat. Lep. Phal. 9, p. 115—16,  
 t. 140, f. 7, ♂♀ (1910).

Arizona

**ochracea** J. B. Smith, Canad. Entom. 38, p. 225 (1906)  
 (*Cyathissa*), ♀♂. — Hamps., Cat. Lep. Phal. 9,  
 p. 118, t. 140, f. 9 (1910), ♀.

Ecuador,  
 Peru

**oleagina** Dogn., Lc Natur. (2) 3, p. 134 (1889) (*Dacira*).  
 — Hamps., Cat. Lep. Phal. 9, p. 115, f. 33, ♂ (1910).

Kalifornien

**pallida** J. B. Smith, Journ. New York Ent. Soc. 10,  
 p. 35, (1902) (*Cyathissa*), ♀. — Hamps., Cat.  
 Lep. Phal. 9, p. 118—119, ♀ (1910).

Florida,  
 Texas,  
 Colorado

**percara** Morr., Proc. Boston Soc. Nat. Hist. 17, p. 213,  
 (1874) (*Bryophila*). — Grote, Proc. Bost. Soc.  
 N. H. 18, p. 414 (1875) (*Bryophila*); id. Bull.  
 Buff. S. N. H. 2, p. 308 (*Jaspidea*) (1875); id.  
 Bull. Geol. Survey 6, p. 576 (*Cyathissa*). — J.  
 B. Smith, Cat. Noct. N. Amer. p. 50 (1893).  
 — Hamps., Cat. Lep. Phal. 9, p. 116—17, f. 34,  
 ♂ (1910).

Arizona

**quadrata** J. B. Smith, Canad. Entom. 38, p. 225 (1906)  
 (*Cyathissa*), ♂♀. — Hamps., Cat. Lep. Phal. 9,  
 p. 117—18, t. 140, f. 8 (1910), ♂♀.

8

**Bryolymnia** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 119 (1910).

Guatemala

**atriceps** Hamps., Cat. Lep. Phal. 9, p. 122—123, t. 140,  
 f. 12 (1910), ♂.

Mexico,

**oryx** Druce, Biol. Centr.-Amer. Het. 1, p. 295  
 (1889) (nec Feld.) (*Calymnia*).

Brasilien

**bicon** Druce, Biol. Centr.-Amer. Het. 1, p. 295 (1889)  
 (*Calymnia*). — Hamps., Cat. Lep. Phal. 9,  
 p. 122, t. 140, f. 11 (1910), ♂♀.

**ranapa** Schaus, Journ. New York Ent. Soc. 6,  
 p. 116 (1898) (*Dacira*).

- floccifera** Möschl., Abh. Senek. Ges. 14, p. 41, f. 7 (1886) (*Grammophora*). — Hamps., Cat. Lep. Phal. 9, p. 119—20, f. 35 (1910), ♂♀.
- Forrieri** Druce, Biol. Centr.-Amer. Het. 1, p. 309, t. 28, f. 27 (1889) (*Dacira*). — Hamps., Cat. Lep. Phal. 9, p. 121—22, ♀ (1910).
- ab. *subangula* Strand, n. n.; „ab. 1“ Hamps., l. c. p. 121 (1910).
- picturata** Schaus, Trans. Amer. Ent. Soc. 21, p. 238 (1894) (*Calymnia*), ♀. — Hamps., Cat. Lep. Phal. 9, p. 124, t. 140, f. 14 (1910).
- roma** Druce, Ann. Mag. Nat. Hist. (6) 13, p. 361 (1894) (*Dacira*); id. Biol. Centr.-Amer. Het. 2, p. 493, t. 95, f. 6 (1898) (*Dacira*). — Hamps., Cat. Lep. Phal. 9, p. 120—21, f. 36 (1910), ♂♀.
- viridimedia** J. B. Smith, Journ. New York Ent. Soc. 13, p. 188 (1905) (*Bryophila*). — Hamps., Cat. Lep. Phal. 9, p. 123, t. 140, f. 13, ♂ (1910).

7

Jamaica

Mexico,  
Costa Rica

Mexico

Mexico,  
Guatemala

Arizona

- Nikara** Moore  
Moore, Lep. Atkinson p. 126 (1882). — Hamps., Cat. Lep. Phal. 9, p. 183 (1910).
- castanea** Moore, Lep. Atkinson p. 126, t. 4, f. 24 (1882), ♀. — Hamps., Moths India 2, p. 233 (1894) (*Polia*), ♂; id. Cat. Lep. Phal. 9, p. 183—184, f. 67 (1910), ♂.

1

Sikkim

- Trichocosmia** Grote  
Grote, Canad. Entom. 15, p. 6 (1883). — Hamps., Cat. Lep. Phal. 9, p. 153 (1910).
- inornata** Grote, Canad. Ent. 15, p. 6 (1883), ♀ ♂. — J. B. Smith, Cat. Noct. N. Amer. p. 210 (1893). — Hamps., Cat. Lep. Phal. 9, p. 153—54, f. 47 (1910), ♂♀.
- ab. *demacula* Strand, n. n.; „ab. 1“, Hamps., l. c. p. 154 (1910).

1

Arizona

- Argyrhoda** Hamps.  
Hamps., Cat. Lep. Phal. 9, p. 216 (1910).
- Iaronia** Druce, Proc. Zool. Soc. 1890, p. 516, ♀ (*Thalpochara*); id. Biol. Centr.-Amer. Het. 2, p. 496, t. 95, f. 19, ♀ (1898). — Hamps., Cat. Lep. Phal. 9, p. 216—17, f. 81 (1910), ♀.

1

Mexico

- Apocalymnia** Hamps.  
Hamps., Cat. Lep. Phal. 9, p. 184 (1910).
- tenebrosa** Hamps., Journ. Bomb. Soc. 14, p. 204 (1902), ♀ (*Caradrina*); id. Cat. Lep. Phal. 9, p. 184—85, f. 68 (1910), ♀.

1

Madras

## **Omphalagria** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 272 (1910).

## **Derrima Wlk.**

Wlk., List Het. Br. Mus. 12, p. 770 (1857). — Hamps., Cat. Lep. Phal. 9,  
p. 241 (1910).

*Philomma* Grote, Proc. Ent. Soc. Phil. 3, p. 2 (1864).

*stellata* Wlk., List Het. Br. Mus. 12, p. 770 (1857). — U. S. A.  
Grote, Tr. Amer. ent. Soc. 2, p. 119 (1868). —  
Smith, Tr. Amer. ent. Soc. 10, p. 236 (1882). —  
Hamps., Cat. Lep. Phal. 9, p. 242 (1910).

Hamps., Cat. Lep. Phal. 3, p. 242 (1910).  
ab. *henrietta* Grote, Proc. Ent. Soc. Phil. 3, p. 3.  
t. 2, f. 1 (1864) (*Philomma*); id. Tr. Am. ent. Soc. 2, p. 119 (1868). — Smith, cbenda 10, p. 236 (1882). — Hamps., Cat. Lep. Phal. 9, p. 241, f. 97 (1910).

ab. *cinocentralis* Strand, n. n.; „Ab. 1“ Hamps.,  
l. c. p. 241.

Snhetta Wlk.

Wlk., List Het. Br. Mus. 32, p. 457 (1865). — Hamps., Cat. Lep. Phal. 9, p. 291 (1910).

**apicalis** Wlk., List Het. Br. Mus. 32, p. 457 (1865). — Moore, Lep. Ceyl. 2, p. 114, t. 121, f. 2, 2 a (1883). — Hamps., Moths India 2, p. 167, ♂♀ (1894); id. Cat. Lep. Phal. 9, p. 291—92, f. 122 (1910), ♂♂.

ab. *biocellata* Moore, Proc. Zool. Soc. 1879, p. 405.

**Coenobia** Steph.

Steph., Cat. Brit. Lep. p. 121 (1856). — Wlk., List Het. Br. Mus. 9, p. 118 (1856). — Spul., Schmett. Eur. 1, p. 218 (1906). — Hamps., Cat. Lep. Phal. 9, p. 300 (1910).

*rufa* Haw., Lep. Brit. p. 260 (1809) (*Phytometra*). — Steph., Ill. Brit. Ent. Haust. 3, p. 123 (1829). — Lederer, Noct. p. 36, 122 (1857). — Tutt, Brit. Noct. 1, p. 48. — Barr., Brit. Lep. 5, t. 196, f. 2. — Spul., Schmett. Eur. I., p. 218, t. 42, f. 17 (1906). — Hamps., Cat. Lep. Phal. 9, p. 300, f. 124 (1910).

*despecta* Treit., Eur. (5) 2, p. 311 (1825) (*Nona-gria*). — Hb. Géyer, Eur. Schmett. Noct. ff. 751—752 (1833). — Dup., Lépid. Fr. Suppl. 3, p. 355, t. 32, f. 5 (1836). — Herr., Sch., Eur. Schmett. Noct. f. 365 (1845). — Guen., Noct. 1, p. 102 (1852).

- ab. *pallidescens* Tutt, l. c. England  
 ab. *lineola* Steph., Ill. Brit. Entom. Haust. 3, " "  
     p. 123 (1829) (*Acosmetia*). "  
 ab. *fusca* Bankes, Ent. Rec. 21, p. 4 (1909). "  
 ab. *rubicundipennis* Strand, n. n.; , Ab. 1"  
     Hamps., l. c. p. 301.  
 Biologie: Barrett, Lep. Brit. 5, p. 94, t. 196,  
     f. 2. — Hamps., Cat. Lep. Phal. 9, p. 301 (1910).  
     — Edelsten, Ent. Rec. 21, No. 5, p. 109 (1909).  
     — Treitsche, Schm. Eur. V, 2, p. 311 (1825). —  
     Wilde, Pfl. u. Raup. p. 187 (1860—61). —  
     Schmidt, Verz. Mecklbg. 1879, p. 122. — Spul.,  
     Schm. Eur. I, p. 218 (1906).

1

**Microlita** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 302 (1910).

- leucorhabda* D. Jones, Trans. Ent. Soc. 1908, p. 165 Brasilien  
     (*Doryodes*). — Hamps., Cat. Lep. Phal. 9,  
     p. 302—03, f. 126 (1910), ♀.

1

**Hypocoena** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 301 (1910).

- rufostriga* Pack., Proc. Bost. Soc. N. H. 11, p. 36 (1866) Labrador,  
     (*Leucania*). — J. B. Smith, Cat. Noct. N. Amer. Kanada,  
     p. 186 (1903) (*Leucania*). — Hamps., Cat. Lep. Colorado  
     Phal. 9, p. 301—02, f. 125 (1910).  
*punctivena* J. B. Smith, Trans. Am. Ent. Soc. 21,  
     p. 77, t. 5, f. 12 (1894) (*Caradrina*).

1

**Amphilita** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 303 (1910).

- arcuata* D. Jones, Trans. Ent. Soc. 1908, p. 165 (*Parva-* Brasilien  
     *penna*). — Hamps., Cat. Lep. Phal. 9, p. 303—04,  
     f. 127, ♀ (1910). "  
*punctilinea* D. Jones, Trans. Ent. Soc. 1908, p. 165 (*Parva-* "  
     *penna*). — Hamps., Cat. Lep. Phal. 9, p. 304,  
     t. 143, f. 32 (1910), ♀.

2

**Molvena** Wlk.Wlk., List Het. Br. Mus. 34, p. 1266 (1865). — Hamps., Cat. Lep. Phal. 9,  
     p. 357—58 (1910).guttalis Wlk., List Het. Br. Mus. 34, p. 1267 (1865), ♀. — Queensland  
     Hamps., Cat. Lep. Phal. 9, p. 358, f. 163, ♀ (1910).

1

**Mazuca** Wlk.

Wlk., List Het. Br. Mus. 35, p. 1777 (1866). — Hamps., Cat. Lep. Phal. 9 p. 347—48 (1910).

*Mila* Auriv., Ent. Tidskr. 13, p. 187 (1892). — Karsch, Ent. Nachr. 21, p. 350 (1895). — Jord. Nov. Zool. 3, p. 26 (1896). — Strand, Deutsche Ent. Zeitschr. 1909, p. 534.

|   |                                   |
|---|-----------------------------------|
| <i>haemographa</i> Hamps., Cat. Lep. Phal. 9, p. 348, t. 145,   | Goldküste                         |
| f. 1, ♂ (1910).   |                                   |
| <i>strigicineta</i> Wlk., List Het. Br. Mus. 35, p. 1777 (1866). — Hamps., Cat. Lep. Phal. 9, p. 348—49, f. 159 (1910), ♂.              | Nigeria,<br>Kamerun,<br>Britisch- |
| <i>concinnula</i> Mab., Bull. Soc. Zool. Fr. 3, p. 85 (1878) ( <i>Hypsa</i> ); id. Ann. Soc. Ent. Fr. (5) 9, p. 294, t. 6, f. 2 (1879). | Zentral-<br>afrika,<br>Sambesi    |
| <i>liturata</i> Butl., Ann. Mag. Nat. Hist. (5) 7, p. 37 (1881) ( <i>Apsarasa</i> ).  |                                   |
| <i>hebraica</i> Auriv., Ent. Tidskr. 12, p. 228, t. 1, f. 3 (1891) ( <i>Mila</i> ); id. ebenda 1892, p. 188.                            |                                   |
| 2   |                                   |

**Apsarasa** Moore

Moore, Proc. Zool. Soc. 1867, p. 665. — Hamps., Cat. Lep. Phal. 9, p. 344 (1910.) — Grünb., Ent. Rundschau 28, p. 161—62 (1911).

|   |                                     |
|---|-------------------------------------|
| <i>atramenta</i> Hamps., Cat. Lep. Phal. 9, p. 345—46, t. 144, f. 31 ♂ (1910). — Grünb., Ent. Rundschau 28, p. 163, 164 (1911).   | Holl.-Neuguinea<br>Waigeo           |
| <i>dajakana</i> Grünb., Entom. Rundschau 28, p. 163 (1911), ♀.  | Nordost-borneo                      |
| <i>figurata</i> Moore, Proc. Zool. Soc. 1877, p. 604, ♀. — Hamps., Moths India 2, p. 290, ♂ ♀ (1894); id. Cat. Lep. Phal. 9, p. 347, t. 144, f. 32 (1910), ♀. — Grünb., Ent. Rundschau 28, p. 163, 164 (1911).  | Andamanen, Key                      |
| <i>moluccana</i> Grünb., Ent. Rundschau 28, p. 163, 164 (1911), ♂ ♀.  | Molukken                            |
| <i>nigrocaerulea</i> Hamps., Cat. Lep. Phal. 9, p. 344—45, t. 144, f. 30 (1910), ♂. — Grünb., Ent. Rundschau 28, p. 162—64 (1911).  | Gilolo,<br>Palawan                  |
| <i>nigrotarsata</i> Grünb., Ent. Rundschau 28, p. 163—64, f. 1 (1911), ♂.   | Mindanao                            |
| <i>radians</i> Westw., Cab. Or. Ent. p. 58, t. 28, f. 4 (1848) ( <i>Apatela</i> ). — Wlk., List Het. B. M. 15, p. 1668 (1858) ( <i>Glottula</i> ). — Moore, Pr. Zool. Soc. Lond. 1867, p. 665. — Hamps., Moths India 2, p. 290, ♂ ♀ (1894); id. Cat. Lep. Phal. 9, p. 346, f. 158, ♂ ♀ (1910). — Grünb., Ent. Rundschau 28, p. 163, 164 (1911). | Sikhim,<br>Assam,<br>Siam,<br>China |

**Synthymia** Hb.

Hb., Verzeichn. p. 282 (1827). — Hamps., Cat. Lep. Phal. 9, p. 372 (1910).

*Metoptria* Dup. Cat. Méth. p. 191 (1844).

*exsiccata* Warr., Nov. Zool. 12, p. 25, t. 4, ff. 19, 30 (1905) (*Synthymia*) ♂. — Hamps., Cat. Lep. Phal. 9, p. 373 (1910), ♂.

**fixa** F. Ent. Syst. III, 2, p. 46 (1794) (*Noctua*). — Hamps., Cat. Lep. Phal. 9, p. 372—73 (1910), ♂ ♀.  
*monogramma* Hb., Europ. Schmetterl. Noct. f. 353 (1808) (*Noctua*). — Treits., Schm. Eur. V, 3, p. 389. — Godt., Lép. Fr. 5, t. 51, f. 4, 5. — Guen., Noct. 2, p. 262. — Mill., Icones 3, t. 144, ff. 12, 14 (1852). — Spul., Schmett. Eur. 1, p. 306, t. 52, f. 9, ♂ ♀ (1907) (*Metoptria*).  
ab. *diffusa* Strand n. n.; „Ab. 1“ Hamps., l. c. p. 373 (1910).  
ab. *suffusa* Strand n. n.; „Ab. 2“ Hamps., l. c. p. 373 (1910).  
Biologie: Kirby, Butt. a. Moths Eur. p. 290. — Hoffm., Raup. p. 144, t. 36, f. 19. — Hamps., l. c. p. 373 (1910). — Spul., l. c. p. 306, t. 36, f. 19. — Mill., l. c.

2

### Pseudina Guen.

Guen., Noct. 2, p. 226 (1852). — Hamps., Cat. Lep. Phal. 9, p. 397 (1910).  
*albina* Hamps., Cat. Lep. Phal. 9, p. 400, t. 145, f. 28 (1910), ♂ ♀.  
*cyanostigma* Dogn., Ann. Soc. ent. Belg. 51, p. 239 (1907), ♂. — Hamps., Cat. Lep. Phal. 9, p. 399, t. 145, f. 27 (1910), ♂.  
*fatuella* Dogn., Le Natur. (2) 5, p. 211 (1891) (*Hecatera*), ♂. — Hamps., Lep. Phal. 9, p. 398, t. 145, f. 26 (1910), ♂.  
*vellerea* Guen., Noct. 2, p. 226, t. 10, f. 6 (1852). — Hamps., Cat. Lep. Phal. 9, p. 398—99, f. 188 (1910), ♂ ♀.

4

### Xerociris Cockl.

*Ciris* Grote, Proc. Ent. Soc. Philad. 2, p. 65 (1863) nec C. L. Koch (in: *Arachnida*, 1850). — Neumoegen a. Dyar, Journ. Ent. Soc. 2, p. 18 (1894).  
*Xerociris* Cockerell, Ent. News 15, p. 76 (1904). — Hamps., Cat. Lep. Phal. 9, p. 400 (1910).

*Wilsoni* Grote, Proc. Ent. Soc. Philad. 2, p. 65, t. 3, f. 1 (1863) (*Ciris*). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 25 (1894) (*Ciris*). — Hamps., Cat. Lep. Phal. 9, p. 400—01, f. 189, ♂ (1910).

Biologie: Hamps., l. c.

1

### Euthisanotia Hb.

*Euthisanotia* Hb., Zutr. Sammlg. exot. Schmett. 3, p. 12 (1827). — Neumoegen a. Dyar, J. New York Ent. Soc. 2, p. 18, 24 (1894).  
*Eudryas* Boisd., Spéc. gén. Lépid. 1, p. 4 (1836); id. Rev. Mag. Zool. (3), 2, p. 57 (1874). — Wilk., List Het. Br. M. 9, p. 143 (1856). — Pack., Proc. Essex Inst. 4, p. 24 (1864). — Stretch, Zyg. a. Bomb.

- N. Amer. p. 145 (1872). — Grote, Canad. Ent. 25, p. 319—23 (1893); id. Ent. Rec. VI, p. 249. — Hamps., Cat. Lep. Phal. 9, p. 401—402 (1910).
- brevipennis** Stretch, Zyg. a. Bomb. N. Amer. p. 151, t. 7, f. 3—4 (*Eudryas*) (1874). — Neumoegen a. Dyar, J. New York Ent. Soc. 2, p. 25 (1894). — Hamps., Cat. Lep. Phal. 9, p. 403—04, t. 145, f. 30, ♀ (1910) (*Eudryas*).  
Biologie: Hamps., l. c. p. 404 (1910).
- cypria** Grote, Canad. Entom. 25 (1893), p. 322.
- grata** F., Syst. Ent. 3, pt. 1, p. 457 (1793) (*Bombyx*). — Stretch, Zyg. a. Bomb. N. Amer. p. 147, t. 7, f. 1 (1872) (*Eudryas*). — Riley, Rep. Ins. Miss. 6, p. 88, f. 22 (1874) (*Eudryas*). — Lintn., Rep. Ins. N. York 5, p. 179 (1889) (*Eudryas*). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 25 (1894) (*Eudryas*). — Hamps., Cat. Lep. Phal. 9, p. 402—03, t. 145, f. 29, ♀ ♂ (1910) (*Eudryas*).  
Assumption U. S. A.  
(Atlantische Staaten)
- assimilis** Boisd., Rev. Mag. Zool. (3), 2, p. 59 (1874) (*Eudryas*). — Grote, Canad. Entom. 6, p. 180 (1874) (*Eudryas*).  
Biologie: Hamps., l. c. p. 403 (1910). — Raupe; Harris, Ins. inj. Veget. 1st. edit. (1841), p. 310, 2d edit. (1852), p. 329; Fitch, 3d Rep. Ins. N. York, p. 399 (1856); Clemens, Jour. Acad. N. Sc. Philad., July 1859; Harris, Ins. inj. Veget., Flint's edit., p. 427 (1862); Morris, Synops. Lep. N. Amer. p. 246 (1862); Packard, Proc. Essex Inst. 4, p. 27 (1864); Harris, Entom. Corresp. p. 306 (1869); Packard, Guide to study of Insects p. 281 (1869); Riley, 2d Missouri Rept. p. 83 (1870); Lintner, 26th Rept. State Cab. Nat. Hist. p. 123 (1874); Riley, 6th Missouri Rep. p. 89 (1874); Saunders, Canad. Entomol. 7, p. 41 und in: Rept. Entom. Soc. Ontario, p. 38 (1875); French, Trans. Dept. Agric. Ill. 15, p. 178 (1877); Marten, ebenda, vol. 18, Append. p. 111 (1880); Coquillet, ebenda p. 173 (1880); Saunders, Ins. inj. Fruits, p. 259 (1883); Fernald, Kingsley's Stand N. Hist. 2, p. 462 (1885); Fletcher, Rep. Entom. Dept. Agr. Canad. p. 30 (1888). — Puppe: cf. Packard, Riley, Saunders ll. cc. — Eier: cf. Fletcher, Fernald, Saunders, Lintner, Marten.  
Mexico [Type in England oinge- schlepppt]
- Sanetae** Johannis Wlk., List Het. Br. Mus. 9, p. 144 (*Eudryas*) (1856), ♂. — Neumoegen a. Dyar, J. New York Ent. Soc. 2, p. 25 (1894). — Druce, Biol. Centr.-Amer. Het. 2, p. 328, t. 70, f. 8 (1896) (*Eudryas*). — Hamps., Cat. Lep. Phal. 9, p. 402 (1910) (*Eudryas*). — Grote, Canad. Entomol. 24 (1892) p. 236, 27 (1895), p. 157—58.
- unio** Hb., Zutr. Sammlg. exot. Schmett. 3, p. 12, ff. 431, 432 (1827). — Boisd., Spéc. gén. Lépid. 1, t. 14, f. 9 (1836) (*Eudryas*). — Stretch, Zyg. a. Bomb. N. Amer. p. 149, t. 7, f. 2 (1872) (*Eudryas*). — Riley, Rep. Ins. Miss. 6, p. 90, f. 24 (1874) (*Eudryas*). — Lintn., Rep. Ins. New York 5, p. 179  
U. S. A.  
(Atlantische Staaten)

(1889) (*Eudryas*). — Neumoegen a. Dyar, J. New York Ent. Soc. 2, p. 24 (1894). — Hamps., Cat. Lep. Phal. 9, p. 404—05, f. 190 (1910) (*Eudryas*).

Biologie: Hamps., l. c. p. 405 (1910); Fitch, 3d Report Ins. N. York p. 399 (1856); Kirkpatrick, Proc. Entom. Soc. Philad. 1864, p. 43, und in: Ohio Farmer, Febr. 8 (1868); Riley 2d Missouri Report p. 83 (1870) (irrtümlich in Verbindung mit *Copidryas gloveri* gebracht!); Stretch, Zygaeen. Bombyc. N. Amerika p. 150 (1873); Lintner, 26th Report N. Y. State Cabinet Natural Hist. p. 118 (1874); Riley, 6th Missouri Rept. p. 92 (1874); French, Trans. Dept. Agr. Ill. 15, p. 178 (1877); Marten, ebenda, vol. 18, Append. p. 111 (1880); Coquillett, ebenda p. 173 (1880); Kellcott, Bull. Buffalo Soc. N. Sc. 4, p. 29 (1881); Saunders, Ins. inj. Fruits p. 262 (1883). Alles über die Raupe. — Ueber die Puppe cf. Kirkpatrick, l. c. (1864 u. 1868) und Saunders, l. c.

5

### Caularis Wlk.

Wlk., List Het. Br. Mus. 12, p. 800 (1857). — Jord., Nov. Zool. 3, p. 55 (1896). — Hamps., Cat. Lep. Phal. 9, p. 405 (1910).

|                     |   |                                |
|---------------------|---|--------------------------------|
| <i>lunata</i>       | Hamps., Ann. Mag. Nat. Hist. (7) 14, p. 169, ♀ (1904); id. Cat. Lep. Phal. 9, p. 406—07, t. 145, f. 31 (1910), ♀. | Bahamas                        |
| <i>undulans</i>     | Wlk., List Het. Br. Mus. 12, p. 801 (1857), ♀. — Hamps., Cat. Lep. Phal. 9, p. 405—06, f. 191, ♀ ♂ (1910).        | Jamaica,<br>Haiti,<br>St. Bar- |
| <i>Bartholomaei</i> | Boisd., Rev. Mag. Zool. (3) 2, p. 59 (1874) ( <i>Eudryas</i> ).<br>2  | tholomy                        |

### Erocha Wlk.

Wlk., List Het. Br. M. 2, p. 318 (1864). — Hamps., Cat. Lep. Phal. 9, p. 407 (1910).

*Leiosoma* Feld., Reise Nov. p. 6 (1875), nec Steph. (in: Coleoptera) 1831.

*Leonides* Druce, Biol. Centr. Amer. Het. 2, p. 328 (1896).

|                    |  |                              |
|--------------------|--|------------------------------|
| <i>dolens</i>      | Druce, Ann. Mag. Nat. Hist. (7) 13, p. 248 (1904) ( <i>Heterocompa</i> ), ♂. — Hamps., Cat. Lep. Phal. 9, p. 407—08, f. 192, ♂ (1910). | S. O. Peru                   |
| <i>leueodisca</i>  | Hamps., Cat. Lep. Phal. 9, p. 408—09, t. 145, f. 32 (1910), ♂.   | Peru                         |
| <i>leucotelus</i>  | Wlk., List Het. B. M. 32, p. 635 (1865) ( <i>Euthisanotia</i> ), ♀. — Hamps., Cat. Lep. Phal. 9, p. 410 (1910) ( <i>Leiosoma</i> ).    | Mexico,<br>Columbia,<br>Peru |
| <i>serpentinum</i> | Feld., Reise Nov. p. 6, t. 99, f. 23 (1868—74) ( <i>Leiosoma</i> ). — Druce, Biol. Centr. Amer. Het. 2, p. 328 ( <i>Leonides</i> ).    |                              |

|   |  |
|---|--|
| <i>juanita</i> Schaus, Ent. Amer. 5, p. 87 (1889) ( <i>Leiosoma</i> ).  |  |
| <i>mummia</i> Cr., Pap. Exot. 3, p. 61, t. 228, f. C (1779) ( <i>Bombyx</i> ). — Jord., Nov. Zool. 3, p. 27 (1896) ( <i>Pycnodontis</i> ). — Hamps., Cat. Lep. Phal. 9, p. 409, f. 193 (1910), ♂. | Venezuela<br>Fr. Guiana<br>Surinam,<br>Brasilien |
| <i>discreta</i> Wlk., List Het. Br. Mus. 2, p. 319 ( <i>Diptis</i> ) (1864), ♂.   |  |
| <i>semiviridis</i> Druce, Ann. Mag. Nat. Hist. (7) 11, p. 200 (1903) ( <i>Euthisanotia</i> ), ♂. — Hamps., Cat. Lep. Phal. 9, p. 410—11, f. 194 (1910), ♂.  | Bolivien,<br>Peru                                |
| 5   |  |

### Mystrocephala H.-Sch.

H.-Sch., Aussereur. Schmett. p. 13 (1850).

*Rhosus* Wlk., List. Het. B. M. 2, p. 359 (1854). — Hamps., Cat. Lep. Phal. 9, p. 411 (1910).

*Pycnodontis* Feld., Reise Nov. p. 8 (1874). — Jord., Nov. Zool. 3, p. 26, 27, 55 (1896).

*Aguirrei* Berg, Ann. Soc. Argent. 13, p. 174 (1882) (*Alypia*). — Hamps., Cat. Lep. Phal. 9, p. 413, t. 146, f. 2, ♀ (1910) (*Rhosus*).

*columbiana* Hamps., Cat. Lep. Phal. 9, p. 413, t. 146, f. 1, ♂ ♀ (1910) (*Rhosus*).

*isabella* Dogn., Ann. Soc. Ent. Belg. 42, p. 345 (1898), ♀ (*Rhosus*). — Hamps., Cat. Lep. Phal. 9, p. 414, t. 146, f. 3 (1910), ♀ (*Rhosus*).

*leuconoë* Feld., Reise Nov. t. 107, f. 13 (1868—74) (*Pycnodontis*), ♀. — Hamps., Cat. Lep. Phal. 9, p. 412, ♀ (1910) (*Rhosus*).

*ovata* Roths., Nov. Zool. 3, p. 98, t. 15, f. 33, ♂ (♀?) (1896) (*Pycnodontis*). — Hamps., Cat. Lep. Phal. 9, p. 414, ♂ ♀ (1910) (*Rhosus*).

*unipuncta* Schaus, J. New York Ent. Soc. 4, p. 153 (1896) (*Rhosus*).

*postica* Wlk., List Het. B. M. 2, p. 360 (1854) (*Rhosus*). — Hamps., Cat. Lep. Phal. 9, p. 412—13, f. 195, ♂ ♀ (*Rhosus*).

*clavigera* Wlk., List Het. B. M. 2, p. 390 (1854) (*Melanchroia*).

*aeruginosa* Wlk., List Het. B. M. 2, p. 391 (1854) (*Melanchroia*).

*quadrimacula* H.-Sch., Aussereur. Schmett. f. 435 (1855).

*pulverosa* Roths., Nov. Zool. 3, p. 98, t. 15, f. 34 (1896) (*Pycnodontis*), ♀. — Hamps., Cat. Lep. Phal. 9, p. 412, ♀ (1910) (*Rhosus*).

*posticus* (ad part.) Wlk., List Het. B. M. 2, p. 360 (1854) (*Rhosus*).

*spadicea* Feld., Reise Nov. t. 107, f. 12 (1868—1874) (*Pycnodontis*). — Berg, An. Soc. Argent. 15, p. 153 (1883) (*Alypia?*). — Hamps., Cat. Lep. Phal. 9, p. 414, ♂ ♀ (1910) (*Rhosus*).

**Paratuerta** Hamps.

Hamps., Ann. S. Afr. Mus. 2, p. 282 (1902); id. Cat. Lep. Phal. 9, p. 414—15 (1910).

*laminifera* Saalm., Bericht Senckenb. Ges. 1878, p. 91 Nossibé  
*(Ovios, Eudryas)*; id. Lep. Mad. p. 140, f. 133 (1884) (*Euschirropterus*). — Hamps., Cat. Lep. Phal. 9, p. 416 (1910).

*Marshalli* Hamps., Ann. S. Afr. Mus. 2, p. 282 (1902), Mashonaland  
 ♀; id. Cat. Lep. Phal. 9, p. 415—16, f. 196 (1910),  
 ♂ ♀.

2

**Gerra** Wlk.

Wlk., List Het. B. M. 31, p. 141 (1854). — Hamps., Cat. Lep. Phal. 9, p. 416 (1910).

*Fenaria* Grote, Papilio 2, p. 132 (1882).

*Seudyra* Neumoegen a. Dyar, J. N. York Ent. Soc. 2, p. 1894.

*aelia* Druce, Biol. Centr. Amer. Het. 1, p. 334, t. 30, f. 23, 24 (1889), ♂ (*Diamuna*).

*radiealis* Wlk., List Het. B. M. 31, p. 141 (1864), ♂. — Mexico  
 Hamps., Cat. Lep. Phal. 9, p. 416—417, f. 197, ♂ ♀ (1910).

*adrasta* Druce, Biol. Centr.-Amer. Het. 1, p. 334, t. 30, f. 20 (1889) (*Diamuna*), ♀.

*sevorsa* Grote, Papilio 2, p. 132 (*Fenaria*), p. 189 (*Phae-garista*) (1882); id. Canad. Entom. 15, p. 5 (1883). — Arizona,  
 Neumoegen a. Dyar, Journ. N. York ent. Soc. 2, p. 19 (1894). — Hamps., Cat. Lep. Phal. 9, p. 417—18, ♂ ♀ (1910).

*aedessa* Druce, Biol. Centr.-Amer. Het. 1, p. 334, t. 30, f. 21—22 (1889) (*Diamuna*), ♂.

3

**Gerrodes** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 418 (1910).

*longipes* Druce, Biol. Centr.-Amer. Het. 1, p. 334, t. 30, f. 18 (1889) (*Diamuna*), ♀. — Mexico  
 Hamps., Cat. Lep. Phal. 9, p. 419, f. 198, ♂ (1910).

1

**Aucula** Wlk.

Wlk., Trans. Ent. Soc. London (3), 1, p. 253 (1862). — Hamps., Cat. Lep. Phal. 9, p. 419—20 (1910). — Jord., Novit. Zoolog. 3 (1896), p. 27, 55.

*Arpia* Schaus, Journ. N. York Ent. Soc. 4, p. 148 (1896).

*buprasium* Druce, Ann. Mag. Nat. Hist. (6), 20, p. 300 Ecuador,  
 (1897), ♂ (*Leiosoma*).

*buprasia* Hamps., Cat. Lep. Phal. 9, p. 420—21, Fr. Guiana  
 f. 199, ♂ (1910).

4\*

|   |                |
|---|----------------|
| <b>Hilzingeri</b> Berg, An. Soc. Argent. 13, p. 176 (1882) ( <i>Metagarista</i> ). — Hamps., Cat. Lep. Phal. 9, p. 421, f. 200 (1910), ♂ ♀.             | Buenos Aires   |
| <b>janeira</b> Schaus, Journ. N. York. Ent. Soc. 4, p. 148 (1896) ( <i>Arpia</i> ). — Hamps., Cat. Lep. Phal. 9, p. 422—23, f. 201, ♂ (1910).           | Rio Janeiro    |
| <b>marginalis</b> Rothschr., Novit. Zool. 4, p. 312, t. 7, f. 10 (1897), ♂ ( <i>Copidryas</i> ).  | Espirito Santo |
| <b>josiooides</b> Wlk., Trans. Ent. Soc. (3), 1, p. 253 (1862). — Hamps., Cat. Lep. Phal. 9, p. 420, t. 146, f. 4, ♀ (1910).                            | Brasilien      |
| <b>magnifica</b> Schaus, Trans. Amer. Ent. Soc. 30, p. 150 (1904) ( <i>Euthisanotia</i> ). — Hamps., Cat. Lep. Phal. 9, p. 422, t. 146, f. 5 (1910), ♀. | Brasilien      |
| <b>sublata</b> Wlk., List Het. B. M. 31, p. 143 (1864) ( <i>Repara?</i> ). — Hamps., Cat. Lep. Phal. 9, p. 423, t. 146, f. 6 (1910), ♂.                 | "              |

6

**Vespola** Wlk.

Wlk., Journ. Linn. Soc. Zool. 9, p. 185 (1868). — Hamps., Cat. Lep. Phal. 9, p. 423—24 (1910).

**caeruleifera** Wlk., Journ. Linn. Soc. Zool. 9, p. 186 (1868). — Druce, Biol. Centr.-Amer. Het. 1, p. 352, t. 31, f. 12 (1890). — Hamps., Cat. Lep. Phal. 9, p. 424, f. 202, ♂ (1910).

1

**Psychomorpha** Harr.

Harr., Amer. Journ. Sci. 36, p. 319 (1839). — Neumoegen a. Dyar, Journ. New York Ent. Soc. 2, p. 18 (1894). — Hamps., Cat. Lep. Phal. 9, p. 424—25 (1910).

**epimenis** Drury, Ill. Exot. Ins. 3, p. 39, t. 29, f. 2 (1780) (*Noctua*). — Neumoegen a. Dyar, J. New York Ent. Soc. 2, p. 19 (1894). — Hamps., Cat. Lep. Phal. 9, p. 425—26, f. 203 (1910), ♂ ♀.

Biologie; Raupe; Doubleday, in: Harris's Entomol. Corresp. p. 130 (1869); Riley, 3 d Missouri Rept. p. 64 (1871); Lintner, 26 th Rep. N. York State Cab. Nat. Hist. p. 121 (1872); Stretch, Zygaen. Bomb. N. Amer. p. 18, t. 10 (1873); Riley, 6 th Missouri Rep. p. 88 (1874); French, Trans. Dept. Agric. Ill. 15, p. 177 (1877); Marten, ebenda Vol. 18, Append. p. 111 (1880); Coquillett, ebenda p. 172 (1880); Saunders, Ins. Inj. Fruits., p. 264 (1883); Hamps., l. c. (1910). — Puppe: Riley, l. c. (1871 u. 1874); Marten l. c.; Saunders, l. c.

**euryrhoda** Hamps., Cat. Lep. Phal. 9, p. 425, t. 146, f. 7 (1910).

2

U. S. A.,  
Atlantische  
Staaten,  
Kansas,  
Texas

Florida

**Ovios Wlk.**

Wlk., List Het. Br. Mus. 3, p. 53 (1855). — Hamps., Cat. Lep. Phal. 9, p. 426 (1910).

**capensis** H.-Sch., Aussereur. Schmett. ff. 115—16 (1853) (*Eudryas*). — Hamps., Cat. Lep. Phal. 9, p. 426—  
27, f. 204, ♂♀ (1910).  
**septentrionis** Hamps., Cat. Lep. Phal. 9, p. 427—28, t. 146,  
f. 8 (1910), ♀.

2

**Perimagia Strand**

Strand, Deutsche Entom. Zeits. 1909, p. 534—36; id. Mitt. Zool. Mus. Berlin 5, p. 301—02 (1911).

† *Leucovis* Hamps., Cat. Lep. Phal. B. M. 7, p. 8 (1908); id. l. e. 9, p. 428 (1910).

**alba** Roths., Nov. Zoolog. 4, p. 183—84 (1897) (*Pristoceraea*). — Hamps., Cat. Lep. Phal. 9, p. 428—  
429, f. 205 (1910) (*Leucovis*); id. Ann. S. Afr. Museum II, p. 295 (1902) (*Ovios*). — Strand,  
Deutsche entom. Zeits. 1909, p. 534—36; id. Mitt. zool. Mus. Berlin 5, p. 301—02 (1911).

1

Britisch-Zentralafrika,  
Mashonaland,  
Rhodesia,  
Transvaal,  
Deutsch-Ostafrika

**Seudyra Stretch**

Stretch, Cist. Entom. 2, p. 19 (1875). — Hamps., Cat. Lep. Phal. 9, p. 429 (1910).

*Zalissa* Hamps., Moths India 2, p. 155 (1894) (p. p.). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7 (1909) nec Wlk.

**albifascia** Wlk., List Het. Br. Mus. 33, p. 933 (1865), ♀ (*Catocala*). — Hamps., Moths Ind. 2, p. 157 (*Zalissa*) (1894); id. Cat. Lep. Phal. 9, p. 439—440, f. 209 (1910). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 8, Fig. 1f (1909) (*Zalissa*).

Sikkim,  
Bombay,  
Burma,  
Andamanen,  
Nordchina  
Sikkim

**bala** Moore, Proc. Zool. Soc. 1865, p. 795, ♂ (*Phaeogorista*). — Hamps., Moths India 2, p. 156 (1904) (*Zalissa*); id. Cat. Lep. Phal. 9, p. 436, t. 146, f. 11 (1910), ♂♀.

**catocalina** Wlk., List Het. B. M. 35, p. 1859 (*Phaeogorista*) (1866). — Butl., Ill. Het. B. M. 5, p. 20, t. 82, f. 9 (1881).

**exiguifascia** Swinh., Cat. Het. Mus. Oxon. 1, p. 167 (1892) (*Zalissa*). — Hamps., Moths India 2, p. 156 (1894) (*Zalissa*).

**flavida** Leech, Entom. 23, p. 110 (1890). — Hamps., Cat. Lep. Phal. 9, p. 432, t. 146, f. 9, ♂♀ (1910). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1e (1909).

Zentral- und Westchina

**interposita** Hamps., Cat. Lep. Phal. 9, p. 437, t. 148, f. 11 (1910), ♀.

Westchina

- longipennis** Wlk., List Het. B. M. 33, p. 934 (1865) (*Catocala?*). — Butl., Ill. Het. B. M. 5, p. 19, t. 82, f. 8 (1881). — Hamps., Moths India 2, p. 156 (1894), ♂ (*Zalissa?*); id. Cat. Lep. Phal. 9, p. 432—33, f. 207 (1910). Sikkim, Assam
- mandarina** Leech, Entomol. 23, p. 110 (1890), ♂. — Hamps., Cat. Lep. Phal. 9, p. 434—435, t. 146, f. 10, ♂ (1910). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 e (1909), ♂. Chang-Jang (Zentral-china)
- nepcha** Moore, Proc. Zool. Soc. 1867, p. 68 (*Catocala*). — Hamps., Moths India 2, p. 157 (1894) (*Zalissa?*); id. Cat. Lep. Phal. 9, p. 440 (1910) (*Seudyra?*). Sikkim
- subalba** Leech, Entomol. 23, p. 110 (1890), ♂. — Hamps., Cat. Lep. Phal. 9, p. 438—39, t. 146, f. 12 (1910). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 e (1909). Zentral- und Westchina
- subflava** Moore, Ann. Mag. Nat. Hist. (4) 20, p. 85 (1877). — Hamps., Cat. Lep. Phal. 9, p. 430—31, ♂ ♀ (1910). — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 e (1909). — Leech, Trans. Ent. Soc. 1899, p. 213 (*Zalissa*). China, Japan, Korea, Ostsibirien
- Jankowskii** Alph., Rom. Mém. 9, p. 151, t. 11, f. 2 (1897) (*Zalissa*), ♂ ♀. Indien, Burma, Malakka, Borneo Java, Bali
- transiens** Wlk., List Het. Br. Mus. 7, p. 1588 (1856) (*Eusemia*). — Hamps., Moths India 2, p. 155, Fig. 102 (1894) (*Zalissa?*); id. Cat. Lep. Phal. 9, p. 437—38, f. 298 (1910). — Snellen, Tijdschr. v. Ent. 48, p. 199 (1905) (*Zalissa*). Biologie: Moore, Lep. E. Ind. Co. 2, p. 290, t. 13, f. 5, 5 a; Hamps., Moths India 2, p. 156; Piepers Tijdschr. v. Ent. 48, p. 199, t. 7, f. 7; Hamps., l. c. p. 438 (1910).
- catocaloides** Wlk., Journ. Linn. Soc. Zool. 6, p. 87 (1862) (*Phaeorista*).
- aegoceroides** Feld., Reise Novar. t. 107, f. 10 (1868—74) (*Agarista*). — Boisd., Rev. Mag. Zool. (3) 2, p. 106 (1874) (*Eusemia?*).
- dissimilis** Swinh., Trans. Ent. Soc. 1890, p. 174, ♂. Biologie: Moore, Lep. E. Ind. Co. 2, p. 290, t. 13, f. 5, 5 a; Hamps., Moths India 2, p. 156; Piepers Tijdschr. v. Ent. 48, p. 199, t. 7, f. 7; Hamps., l. c. p. 438 (1910).
- venosa** Moore, Proc. Zool. Soc. 1879, p. 389. — Waterh., Aid 2, t. 131, f. 5 (1883). — Hamps., Moths India 2, p. 156, ♂ (1894) (*Zalissa?*); id. Cat. Lep. Phal. 9, p. 429—30, f. 206 (1910), ♂ ♀. Punjab, Sikkim
- venusta** Leech, Proc. Zool. Soc. 1888, p. 614, t. 31, f. 2, ♂ (1889). — Hamps., Cat. Lep. Phal. 9, p. 435—436 (1910), ♂ ♀. — Jord. in: Seitz, Grossschmett. I, Bd. 3, p. 7, Fig. 1 e (1909). Korea, Zentral- und West-china

**Zalissa** Wlk.

Wlk., List Het. B. M. 33, p. 936 (1865). — Hamps., Cat. Lep. Phal. 9, p. 441 (1910).

**catocalina** Wlk., List Het. B. M. 33, p. 936 (1865), ♀. — Hamps., Cat. Lep. Phal. 9, p. 441—42, f. 210, ♀ ♂ (1910).

**Pratti** Beth.-Bak., Nov. Zool. 13, p. 249 (1906) (*Hypocala*), ♂. — Hamps., Cat. Lep. Phal. 9, p. 442 (1910), ♂.

West- australien

Britisch Neuguinea

**Protoseudyra** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 443 (1910).

**flava** Leech, Trans. Ent. Soc. 1900, p. 121 (*Caradrina*), ♂. — Hamps., Cat. Lep. Phal. 9, p. 444—45, t. 146, f. 15 (1910).

**picta** Hamps., Moths India 2, p. 263—64 (1894) (*Caradrina*), ♂; id. Cat. Lep. Phal. 9, p. 443, f. 211, ♂♀ (1910). — Swinh., Ann. Mag. Nat. Hist. (6) 15, p. 6 (1895) (*Caradrina*), ♂; id. Trans. ent. Soc. Lond. 1895, p. 45 (*Caradrina*).

**secunda** Leech, Trans. Ent. Soc. 1900, p. 121 (*Caradrina*), ♂. — Hamps., Cat. Lep. Phal. 9, p. 444, t. 146, f. 14 (1900), ♂.

3

Zentralchina

Sikkim,  
Assam,  
Westchina

Westchina

**Opsyra** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 445 (1910).

**chalcoela** Hamps., Journ. Bomb. Soc. 14, p. 208 (1902) (*Callyna*); id. Cat. Lep. Phal. 9, p. 445—46, f. 212 (1910).

1

Sikkim,  
Westchina

**Leucogonia** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 446 (1910).

**ekeikei** Beth.-Bak., Nov. Zool. 13, p. 211 (1906) (*Calissa*), ♂. — Hamps., Cat. Lep. Phal. 9, p. 446—47, f. 213 (1910).

**kebeensis** Beth.-Bak., Nov. Zool. 13, p. 211 (1906) (*Zalissa*), ♂. — Hamps., Cat. Lep. Phal. 9, p. 447, t. 146, f. 16 (1910).

2

Britisch-  
Neuguinea

Britisch-  
Neuguinea

**Metaxanthia** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 448 (1910).

**cosmopis** Lower, Proc. Linn. Soc. N. S. Wales 22, p. 17 (1897) (*Britha*), ♀. — Hamps., Cat. Lep. Phal. 9, p. 448, f. 214 (1910).

1

Queensland

**Ipanica** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 450 (1910).

*Ipana* Jord., Nov. Zool. 3, p. 54 (1896) nec Wlk. 1858.

**cornigera** Butl., Trans. Ent. Soc. 1886, p. 381 (*Aegocera*), ♂. — Jord., Nov. Zool. 3, p. 54 (1896). — Hamps., Cat. Lep. Phal. 9, p. 450—51, f. 216 (1910).

1

Neuguinea,  
Australien

**Apina** Wlk.

Wlk., List Het. Br. Mus. 3, p. 756 (1855). — Jord., Nov. Zool. 3 (1896), p. 54, 24—26. — Hamps., Cat. Lep. Phal. 9, p. 449.

*Amazela* Boisd. Rev. Mag. Zool. 1874, p. 66.

*callisto* Wlk., List Het. Br. Mus. 3, p. 756 (1855). — Australien, Hamps., Cat. Lep. Phal. 9, p. 449, f. 215, ♂♀ Tasmanien (1910).

*calisto* Boisd., Rev. Mag. Zool. 1874, p. 66 (*Amazela*).

1

**Micrapatetis** Meyr.

Meyr., Trans. Ent. Soc. 1897, p. 369. — Hamps., Cat. Lep. Phal. 9, p. 451 (1910).

*Axiorata* Turner, P. Linn. Soc. N. S. Wales 27, p. 120 (1902).

*albiviata* Hamps., Cat. Lep. Phal. 9, p. 453, f. 217, ♀ (1910). Nord- australien

*flavipars* Hamps., Cat. Lep. Phal. 9, p. 454, t. 146, f. 23 (1910), ♀. Bombay

*glycyphroa* Turner, Tr. R. Soc. S. Austr. 28, p. 218 (1904) (*Axiorata*), ♀. — Hamps., Cat. Lep. Phal. 9, p. 453—54, t. 146, f. 20 (1910), ♀. Queensland

*leucozona* Turn., P. Linn. Soc. N. S. Wales 27, p. 121 (1902) (*Axiorata*). — Hamps., Cat. Lep. Phal. 9, p. 452—53, t. 146, f. 19, ♂♀ (1910). "

*orthozona* Meyr., Trans. Ent. Soc. 1897, p. 369. — Hamps., Cat. Lep. Phal. 9, p. 452, t. 146, f. 18 (1910). "

*purpurascens* Hamps., Cat. Lep. Phal. 9, p. 454, t. 146, f. 21, ♂♀ (1910). West- australien

*pyrastis* Hamps., Cat. Lep. Phal. 9, p. 454, t. 146, f. 22, ♀ (1910). Madras

*tripartita* Butl., Trans. Ent. Soc. 1886, p. 400 (*Aconitia*), ♀. — Hamps., Cat. Lep. Phal. 9, p. 451—52, t. 146, f. 17, ♀ (1910). Queensland

8

**Xenopseustis** Meyr.

Meyr., Trans. Ent. Soc. 1897, p. 369. — Hamps., Cat. Lep. Phal. 9, p. 455 (1910).

*poecilastis* Meyr., Trans. Ent. Soc. 1897, p. 370, ♂. — Hamps. Cat. Lep. Phal. 9, p. 455, f. 218, ♂ (1910). Queensland

1

**Agaristodes** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 456 (1910).

*Feisthameli* H.-Sch., Aussereur. Schmett. f. 25 (1853) (*Agarista*). — Boisd., Rev. Mag. Zool. (3) 2, p. 72 (1874). — Hamps., Cat. Lep. Phal. 9, p. 456—57, f. 219, ♂♀. Tasmanien

1

**Radinocera** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 457 (1910).

|   |                                |
|---|--------------------------------|
| <i>diversa</i> Wilk., List Het. B. M. 31, p. 49 (1864) ( <i>Agarista</i> ), ♀. — Hamps., Cat. Lep. Phal. 9, p. 457, t. 146, f. 24, ♂♀ (1910).         | Australien                     |
| <i>maculosa</i> Rothseh., Nov. Zool. 3, p. 94, t. 15, f. 29 (1896) ( <i>Phalaenoides</i> ), ♂. — Hamps., Cat. Lep. Phal. 9, p. 458, f. 220, ♂ (1910). | Queensland                     |
| <i>placodes</i> Lower, Tr. R. Soc. S. Austr. 27, p. 30 (1903) ( <i>Cruria</i> ), ♀. — Hamps., Cat. Lep. Phal. 9, p. 457—58, t. 146, f. 25 (1910), ♀.  | Tasmanien                      |
| <i>vagata</i> Wilk., List Het. B. M. 31, p. 208 (1864) ( <i>Nyctemera</i> ). — Hamps., Cat. Lep. Phal. 9, p. 458—59 (1910).                           | Neuguinea,<br>Dammer-<br>Insel |
| <i>Kühni</i> Rothseh., Nov. Zool. 7, p. 275, t. 5, f. 4 (1900) ( <i>Phalaenoides</i> ).   | Nord-<br>australien            |

4

**Idalima** Turn.

Turner, Tr. R. Soc. S. Austral. 27, p. 2 (1903). — Hamps., Cat. Lep. Phal. 9, p. 459 (1910).

|  |   |
|--|---|
| <i>affinis</i> Boisd., Voy. Astrolabe, Lép. p. 177 (1832) ( <i>Agarista</i> ); id. Rev. Mag. Zool. 1874, p. 72 ( <i>Agarista</i> ). — H.-Seh., Aussereur. Schmetterl. ff. 29—30 ( <i>Agarista</i> ) (1853). — Butl., Ill. Het. B. M. 1, p. 8, t. 4, f. 3 (1877) ( <i>Agarista</i> ). — Swinh., Cat. Het. Mus. Oxon. 1, p. 157 (1892). — Hamps., Cat. Lep. Phal. 9, p. 461—62, f. 221 (1910), ♂♀. | Australien                              |
| <i>vindezi</i> Butl., Ann. Mag. Nat. Hist. (5), 14, p. 405 (1884) ( <i>Agarista</i> ), ♂.  |   |
| <i>aethrias</i> Turn., Trans. R. Soc. S. Austr. 1908, p. 55 ( <i>Argyro-lepidia</i> ); id. Ann. Queensland Mus. No. 10 (1911), p. 60.  | Nordqueens-<br>land                     |
| <i>cyanobasis</i> Hamps., Cat. Lep. Phal. 9, p. 460 (1910).  | Nordaustra-<br>lien                     |
| <i>novae-hiberniae</i> Butl., Ill. Het. B. M. 1, p. 8, t. 4, f. 5 (nee Boisd.).  |   |
| <i>hemiphragma</i> Lower, Tr. R. Soc. S. Austral. 27, p. 30 (1903) ( <i>Cruria</i> ), ♂. — Hamps., Cat. Lep. Phal. 9, p. 460—61, t. 146, f. 26, ♂ (1910).  | Westaustra-<br>lien                     |
| <i>leonora</i> Doubl., Lort Stokes's Disease. Austr. 1, p. 518, t. 3, f. 4 (1846) ( <i>Agarista</i> ). — Boisd., Rev. Mag. Zool. 1874, p. 76 ( <i>Agarista</i> ). — Butl., Ill. Het. Br. M. 1, p. 8, t. 4, f. 6, 1877 ( <i>Agarista</i> ). — Hamps., Cat. Lep. Phal. 9, p. 459—60, ♂♀ (1910). — Swinh., Cat. Het. Mus. Oxon., p. 156 (1892).   | Nordaustra-<br>lien,<br>Queens-<br>land |
| <i>ab. cedarensis</i> Strand n. n.; „Ab. 1“ Hamps., l. e., p. 460.   | Cedar Bay                               |
| <i>metasticta</i> Hamps., Cat. Lep. Phal. 9, p. 461, t. 146, f. 27 (1910), ♂♀.   | Nordaustra-<br>lien                     |

5

**Coenotoca** Turn.

Turn., Tr. R. Soc. S. Austr. 27, p. 2 (1903). — Hamps., Cat. Lep. Phal. 9, p. 462 (1910).

*subaspersa* Wlk., List Het. B. 31, p. 210 (1864) (*Melanochroia*), ♂. — Hamps., Cat. Lep. Phal. 9, p. 462—  
463, f. 222 (1910), ♂.  
*monophyes* Turn., Tr. R. Soc. S. Austr. 27, p. 2 (1903).

1

Queensland,  
N. S.  
Wales

**Eutricopis** Morr.

Morr., Ann. New York Lyc. 11, p. 102 (1875). — Hamps., Cat. Lep. Phal. 9, p. 466 (1910).

*nexilis* Morr., Ann. New York Lyc. 11, p. 102 (1875). — Grote, Bull. Bkln. Ent. Soc. 3, p. 38 (*Meliceptria*). — J. B. Smith, Trans. Amer. Ent. Soc. 10, p. 246 (*Heliaca*) (1883). — J. B. Smith, Cat. Noct. N. Amer. p. 291 (1893) (*Heliaca*). — Hamps., Cat. Lep. Phal. 9, p. 466—67, f. 225 (1910).  
ab. *elaborata* H. Edw., Papilio 1, p. 21, ♂ (1881) (*Meliceptria*). — J. B. Smith, Trans. Amer. Ent. Soc. 10, p. 246 (1883); id. Cat. Noct. N. Amer. p. 291 (1893).

1

Kanada,  
Vereinigte  
Staaten

**Heliothodes** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 464 (1910).

*diminutiva* Grote, Bull. Buff. Soc. Nat. Sci. 1, p. 148 (1873) (*Heliothis*), 2, p. 34 (*Meliceptria*). — J. B. Smith, Trans. Amer. Ent. Soc. 10, p. 245 (*Heliaca*). — J. B. Smith, Cat. Noct. N. Amer., p. 291 (*Heliaca*). — Hamps., Cat. Lep. Phal. 9, p. 465, f. 224, ♂ ♀.  
ab. *macromacula* Strand n. n.; „Ab. 1“ Hamps., l. c., p. 465 (1910).  
ab. *suffusana* Strand n. n.; „Ab. 2“ Hamps., l. c., p. 465 (1910).  
ab. *bifida* Strand n. n.; „Ab. 3“ Hamps., l. c., p. 465 (1910).

Vereinigte  
Staaten

*fasciata* H. Edw., Proc. Cal. Ac. Sci. 6, p. 134 (1875) (*Meliceptria*). — J. B. Smith, Trans. Amer. Ent. Soc. 10, p. 246, t. 8, f. 63 (1883) (*Heliaca*); id. Cat. Noct. N. Amer. p. 291 (1893) (*Heliaca*). — Hamps., Cat. Lep. Phal. 9, p. 465—66, t. 146, f. 29 (1910), ♂ ♀.

Nevada,  
Californien

2

**Microhelia** Hamps.

Hamps., Cat. Lep. Phal. 9, p. 463 (1910).

*angelica* J. B. Smith, Proc. U. S. Nat. Mus. 22, p. 484 (1900) (*Heliodes*), ♂ ♀. — Hamps., Cat. Lep. Phal. 9, p. 463—64, f. 223, ♂ ♀ (1910).

Californien

*restricatalis* J. B. Smith, Proc. U. S. Nat. Mus. 22, p. 485 (1900) (*Heliodes*), ♂♀. — Hamps., Cat. Lep. Phal. 9, p. 464, 1910, ♀.  
ab. *immacula* Strand n. n.; „Ab. 1“ Hamps., l. c. 2

Californien

### Anaphila Grote

Grote, Bull. Buff. Soc. Nat. Sci. 1, p. 149 (1873). — Hamps., Cat. Lop. Phal. 9, p. 472 (1910).

|   |                                   |
|---|-----------------------------------|
| <i>arvalis</i> H. Edw. Proc. Cal. Ac. Sci. 7, p. 136 (1875); id. Papilio 1, p. 23 (1881). — Hamps., Cat. Lep. Phal. 9, p. 473—74, t. 147, f. 1 (1910), ♂♀.  | Oregon,<br>Kalifornien            |
| <i>salicis</i> H. Edw., Papilio 1, p. 23 (1881). — J. B. Smith, Cat. Noct. N. Amer. p. 297 (1893).  | Kalifornien                       |
| <i>casta</i> H. Edw., Ent. Amer. 6, p. 114 (1890), ♀. — J. B. Smith, Cat. Noct. N. Amer. p. 296 (1893). — Hamps., Cat. Lep. Phal. 9, p. 482, ♀ (1910).  | Oregon,<br>Nevada,<br>Kalifornien |
| <i>danistica</i> Grote, Bull. Buff. Soc. Nat. Sci. 1, p. 151, t. 4, f. 7 (1873). — J. B. Smith, Cat. Noct. N. Amer. p. 297 (1893). — Hamps., Cat. Lep. Phal. 9, p. 474, t. 147, f. 2 (1910), ♂♀.      | Oregon,<br>Nevada,<br>Kalifornien |
| <i>decia</i> Grote, Canad. Entom. 7, p. 47 (1875). — J. B. Smith, Cat. Noct. N. Amer. p. 296 (1893). — Hamps., Cat. Lep. Phal. 9, p. 478, t. 147, f. 8 (1910), ♂♀.                                    | Oregon,<br>Kalifornien            |
| <i>amicula</i> H. Edw., Proc. Cal. Ac. Sci. 6, p. 137 (1875).   | Kalifornien                       |
| <i>depicta</i> Grote, Bull. Buff. Soc. Nat. Sci. 1, p. 150, t. 4, f. 13 (1873). — J. B. Smith, Cat. Noct. N. Amer. p. 296 (1893). — Hamps., Cat. Lep. Phal. 9, p. 478—79, t. 147, f. 9 (1910), ♂♀.    | „                                 |
| <i>diva</i> Grote, Bull. Buff. Soc. Nat. Sci. 1, p. 150, t. 4, f. 14 (1873), ♂. — J. B. Smith, Cat. Noct. N. Amer. p. 296 (1893). — Hamps., Cat. Lep. Phal. 9, p. 481—82, f. 229 (1910), ♂♀.          | Yosemitetal<br>in Kalifornien     |
| ab. <i>yosemitensis</i> Strand n. n.; „Ab. 1“ Hamps., Cat. Lep. Phal. 9, p. 482 (1910).   | Kalifornien                       |
| <i>divinula</i> Grote, Bull. U. S. Geolog. Geogr. Surv. Terr. 4, p. 183 (1878), ♀. — J. B. Smith, Cat. Noct. N. Amer. p. 296 (1893). — Hamps., Cat. Lep. Phal. 9, p. 476—477, t. 147, f. 6, ♀ (1910). | „                                 |
| <i>domina</i> H. Edw., Proc. Cal. Ac. Sci. 6, p. 138 (1875). — J. B. Smith, Cat. Noct. N. Amer. p. 297 (1893). — Hamps., Cat. Lep. Phal. 9, p. 475, t. 147, f. 4, ♀ (1910).                           | „                                 |
| <i>germania</i> H. Edw., Proc. Cal. Ac. Sci. 6, p. 138 (1875). — J. B. Smith, Cat. Noct. N. Amer. p. 296 (1893). — Hamps., Cat. Lep. Phal. 9, p. 477, t. 147, f. 7, ♂ (1910).                         | „                                 |
| <i>lithosina</i> H. Edw., Proc. Cal. Ac. Sci. 6, p. 137 (1875). — Smith, Cat. Noct. N. Amer. p. 297 (1893). — Hamps., Cat. Lep. Phal. 9, p. 479—80, t. 147, f. 10 (1910), ♂♀.                         | Oregon,<br>Kalifornien            |
| <i>variegata</i> J. B. Smith, Ann. New York Ac. Sci. 18, p. 122 (1908).   | Kalifornien                       |
| <i>mira</i> Harv., Bull. Buff. Soc. Nat. Sci. 2, p. 277 (1875). — J. B. Smith, Cat. Noct. N. Amer. p. 297 (1893). —   | Kalifornien                       |

|   |             |
|---|-------------|
| Hamps., Cat. Lep. Phal. 9, p. 474—475, t. 147, f. 3 (1910), ♂.  |             |
| miona J. B. Smith, Ann. New York Ac. Sci. 18, p. 121 (1908). — Hamps., Cat. Lep. Phal. 9, p. 480—81, t. 147, f. 11 (1910), ♀.   | Kalifornien |
| pustulata H. Edw., Papilio 1, p. 23 (1881). — J. B. Smith, Cat. Noct. N. Amer. p. 297 (1893). — Hamps., Cat. Lep. Phal. 9, p. 476, t. 147, f. 5 (1910), ♀.  | Arizona     |
| superba H. Edw., Proc. Cal. Ac. Sci. 6, p. 139 (1875). — Grote, Ill. Essay p. 60, t. 3, f. 28 (1882). — J. B. Smith, Cat. Noct. N. Amer. p. 296 (1893). — Hamps., Cat. Lep. Phal. 9, p. 482—83, t. 147, f. 13 (1910) ♀. | Kalifornien |
| 14  |             |

### Xanthothrix H. Edw.

H. Edw., Proc. Cal. Ac. Sci. Pac. Coast Lep. No. 29 (1878). — Hamps., Cat. Lep. Phal. 9, p. 467 (1910).

*Euedwardsia* Grote, Papilio 2, p. 122 (1882).

|   |                     |
|---|---------------------|
| callicore Stgr., Cat. Lep. Eur. ed. 2, p. 128 (1871) ( <i>Heliacea</i> ); id. Horae Soc. Ross. 14, p. 398 (1879); id. Cat. Lep. Pal. p. 220. — Hamps., Cat. Lep. Phal. 9, p. 467—68, t. 146, f. 30 (1910), ♂ ♀. | Kleinasiens, Syrien |
|---|---------------------|

|  |             |
|--|-------------|
| Neumoegeeni H. Edw., Papilio 1, p. 101 (1881). — Grote, Papilio 2, p. 122 ( <i>Euedwardsia</i> ) (1882). — J. B. Smith, Tr. Amer. Ent. Soc. 10, p. 241 (1883). — Grote, Proc. Am. Phil. Soc. 21, p. 165 ( <i>Euedwardsia</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 290 (1893). — Hamps., Cat. Lep. Phal. 9, p. 468, t. 146, f. 31 (1910) ♀. | Kalifornien |
|--|-------------|

|   |   |
|---|---|
| ranunculi H. Edw., Proc. Cal. Ac. Sci., Pac. Coast Lep. No. 29 (1878). — J. B. Smith, Tr. Am. Ent. Soc. 10, p. 241 (1883). — J. B. Smith, Cat. Noct. N. Amer. p. 290 (1893). — Hamps., Cat. Lep. Phal. 9, p. 469, f. 226, ♂ ♀ (1910). | " |
|---|---|

3

### Mieriantha Hamps.

Hamps., Cat. Lep. Phal. 9, p. 486 (1910).

|  |             |
|--|-------------|
| decorata Friy, Magyar Termé. Evkön. 1, p. 186, t. 3, f. 2 (1845) ( <i>Heliothis</i> ). — Hamps., Cat. Lep. Phal. 9, p. 486—87, f. 232 (1910), ♂. | Kleinasiens |
|--|-------------|

|   |  |
|---|--|
| violacea H.-Sch., Europ. Schmett. 2, p. 364 (1847) ( <i>Anthaecia</i> ). — Guen., Noct. 2, p. 195 (1852) ( <i>Anarta</i> ). — Mill., Icones 3, t. 113, f. 15 (1870) ( <i>Anthaecia</i> ). |  |
|---|--|

1

### Janthinea Guen.

Guen., Noct. 2, p. 188 (1852). — Lederer, Noctuiden p. 42, 177 (1857). — Hamps., Cat. Lep. Phal. 9, p. 483 (1910). — Spuler, Schm. Eur. 1, p. 280 (1907).

|   |           |
|---|-----------|
| divalis Stgr., Iris 4, p. 312, t. 4, f. 6 (1891), ♀. — Hamps., Cat. Lep. Phal. 9, p. 483—84, t. 147, f. 14 (1910), ♀. | Kurdistan |
|---|-----------|

*dos* Frr., Neuere Beitr. 3, p. 98, t. 263, f. 4 (1838) (*Heliothis*). — Herr. Sch., Eur. Schmett. Noct. f. 274, 275 (1843—56) (*Heliothis*). — Guen. Noct. 2, p. 187 (1852). — Spul., Schm. Europ. p. 280 (1907). — Hamps., Cat. Lep. Phal. 9, p. 485 (1910).

*Frivaldszkii* Dup., Ann. Soc. ent. France 1835, p. 633, t. 18 b, ff. 2, 3 (*Heliothis*). — Friv. Magyar Tudo. Tarsag. Evkönyv. 3, p. 173, t. 7, f. 3 (1838) (*Heliothis*). — Dup., Lép. Fr. Suppl. 3, p. 432, t. 38, f. 3 (*Heliothis*). — H.-Sch., Europ. Schmett. Noct. f. 215—16 (*Heliothis*). — Guen., Noct. 2, p. 188 (1852). — Hamps., Cat. Lep. Phal. 9, p. 484—85, f. 230 (1910), ♂ ♀. — Spul., Schmett. Eur. 1, p. 280, t. 50, f. 34, ♂ (1907).

*viola* Frr., Neuere Beiträge t. 201, f. 4 (1836). — Hb.-Geyer, Smlg. eur. Schm. f. 866.

3

Kleinasien

Bithynien,  
Armenien,  
Kleinasien,  
? West-  
turkestan

*Hb.*, Verz. p. 262 (1827). — Hamps., Cat. Lep. Phal. 9, p. 487 (1910).

*Panhemeria* Spul., Schm. Eur. 1, p. 279 (1907).

*Heliaca* H.-Sch., Schmett. Europ. 2, p. 370 (1852). — Lederer, Noctuid. p. 42 u. 175 (1857).

*jocosa* Zell., Isis 1847, p. 450 (*Anarta*). — H.-Sch., ff. 445—446. — Stgr., Horae Soc. E. Ross., 7, p. 131, (1870). — Spul., Schm. Eur. 1, p. 279 (1907). — Hamps., Cat. Lep. Phal. 9, p. 487—88, t. 147, f. 15 (1910).

*arbutooides* Bell., Ann. Soc. Ent. France 1860, p. 694 (*Heliodes*).

Sicilien  
Balkan-  
staaten

*tenebrata* Scop., Ent. Carn. p. 230 (1763) (*Phalaena*). — Lederer, Noctuiden p. 42, 176 (*Heliaca*) (1857). — Tutt., Brit. Noct. 3, p. 131 (1891—92). — Heinem., Schm. Deutschl. 1, p. 547 (1859). — Hamps., Cat. Lep. Phal. 9, p. 488—89, f. 233 (1910), ♂ ♀. — Spul., Schm. Eur. 1, p. 279 (1907).

*arbuti* F., Syst. Ent. p. 619 (1775) (*Noctua*). — Don., Brit. Ins. 10, p. 47, t. 343, f. 3 (1804). — Esp. IV, 1, p. 555 (1790). — Guen. Noct. 2, p. 197 (1852) (*Heliodes*). — Barrett, Lep. Brit. 6, t. 246, f. 1 (1899—1900).

*heliaca* Schiff., Wien. Verz. p. 94 (1776) (*Noctua*). — Hb., Eur. Schmett. Noct. f. 316 (1793—1827). — Dup., Lép. Fr. 7, pt. 1, p. 293, t. 118, f. 4 (1828). — Frr., Beitr. t. 119 (1827—31). — Treit., Schm. V, 3, p. 212 (1826) (*Anarta*).

*domestica* Kühn., Naturf. 3, t. 1, f. 8 (1774) u. 9, p. 136 (1776) (*Noctua*).

*policula* Lang, Verz. Schmett. p. 159 (1789) (*Noctua*).

*fasciola* Esp., Schmett. 4, t. 163, f. 1 (1791) (*Noctua*).

Biologie: Meyr., Brit. Lepid. p. 167 (1895). — Barrett, Lep. Brit. 6, p. 169, t. 246, f. 1. — Hamps., Cat. Lep. Phal. 9, p. 489 (1910). — Wilde, Pfl. u. Raup. p. 315, t. 9 A, f. 88 (1860—

Europa (excl.  
reg. bor. et  
Ib. c. et  
mer.)

1861). — Freyer, Beitr. 3, p. 84, t. 119 (1831). — Praun, Schm. raupen t. 11, f. 3 (1874) (*heliaca*). — Buckler, Ent. Month. Mag. 21, p. 36 (*arbuti*). — Spul., Schm. Eur. I, p. 279, t. 49, f. 20 (1907).

2

### Daphaenura Butl.

Butl., Ann. Mag. Nat. Hist. (5) 2, p. 457 (1878). — Hamps., Cat. Lep. Phal. 9, p. 494 (1910).

**fasciata** Butl., Ann. Mag. Nat. Hist. (5) 2, p. 457 (1878). — Madagaskar  
— Hamps., Cat. Lep. Phal. 9, p. 494, f. 237, ♂ ♀ (1910).

1

### Copanarta Grote

Grote, Abh. Ver. Bremen 14, p. 111 (1895). — Hamps., Cat. Lep. Phal. 9, p. 492 (1910).

**aurea** Grote, Bull. Geol. Geogr. U. S. Surv. Terr. 5, p. 205 (1879) (*Pseudanarta*), ♂; id. Canad. Ent. 14, p. 19 (*Pseudanarta*). — J. B. Smith, Entom. Amer. 5, p. 177 (*Pseudanarta*). — J. B. Smith, Cat. Noct. N. Am. p. 149 (1893) (*Pseudanarta*). — Hamps., Cat. Lep. Phal. 9, p. 492—93, f. 235, ♂ (1910).  
ab. *nigerrima* Smith, Journ. N. York Ent. Soc. 11, p. 10 (1903) (*Oncocnemis*). — Hamps., l. e. p. 493.

1

Texas,  
Arizona

### Pseuderaspedia Hamps.

Hamps., Journ. Bombay Nat. Hist. Soc. 11, p. 704 (1898); id. Cat. Lep. Phal. 10, p. 260 (1910).

|   |  |
|---|--|
| <b>basipunctaria</b> Wlk., List Het. Br. Mus. 23, p. 785 (1861) ( <i>Acidalia</i> ), ♂. — Hamps., Cat. Lep. Phal. 10, p. 262 (1910), ♂. | Florida,<br>St. Vincent  |
| <b>melanosticta</b> Hamps., Trans. ent. Soc. 1898, p. 256, t. 17, f. 6.   |  |
| <b>leueozona</b> Hamps., Cat. Lep. Phal. 10, p. 260—61, t. 156, f. 17 (1910), ♂.  | Kolumbien  |
| <b>prosticta</b> Hamps., Cat. Lep. Phal. 10, p. 261, t. 156, f. 18 (1910).  | Ceylon   |
| <b>punctata</b> Hamps., Journ. Bombay Nat. Hist. 11, p. 704, (1898), ♀; id. Cat. Lep. Phal. 10, p. 261—62, f. 74, ♂ ♀ (1910).           | Uganda,<br>Britisch-<br>Ostafrika,<br>Sikkim,<br>Madras,<br>Tonkin,<br>Pulo Laut |

4

### Araeopteron Hamps.

Hamps., Ill. Het. Br. Mus. 9, p. 136 (1893).

*Essonistis* Meyr., Trans. ent. Soc. 1902 (April), p. 36.  
*Thelxinoa* Turn., Proc. Linn. Soc. N. S. Wales 27, p. 131 (August 1902).

*Araeoptera* Hamps., Cat. Lep. Phal. 10, p. 22 (1910).

|   |   |
|---|---|
| acidalica Hamps., Cat. Lep. Phal. 10, p. 22, f. 9 (1910), ♂.  | Jamaica                                   |
| canescens Wlk., List Het. Br. Mus. 34, p. 1318 (1865) ( <i>Isopteryx</i> ), ♂ ♀. — Hamps., Cat. Lep. Phal. 10, p. 31, t. 149, f. 23, ♂ ♀ (1910).        | Sierra Leone,<br>Südigeria,<br>Queensland |
| <i>favillalis</i> Wlk., List Het. Br. Mus. 34, p. 1319 (1865) ( <i>Isopteryx</i> ).   | Pulo Laut.                                |
| ab. <i>rubicundinctia</i> Strand n. n.; „ab. 1“ Hamps., I. c. (1910).   |   |
| epiphracta Turn., Proc. Linn. Soc. N. S. Wales 27, p. 132 (1902) ( <i>Thelxinoa</i> ).  |   |
| fasciale Hamps., Moths India 4, p. 543 (1896), ♂; id. Cat. Lep. Phal. 10, p. 23—24, t. 149, f. 11 (1910), ♂.  | Ceylon                                    |
| goniophora Hamps., Journ. Bombay Soc. Nat. Hist. 17, p. 672, ♀ (1907); id. Cat. Lep. Phal. 10, p. 30, t. 149, f. 21 (1910), ♀.                          | Ceylon,<br>Pulo Laut                      |
| griseata Hamps., Journ. Bombay Soc. Nat. Hist. 17, p. 671 (1907), ♂; id. Cat. Lep. Phal. 10, p. 30—31, t. 149, f. 22 (1910), ♂ ♀.                       | Sierra Leone,<br>Ceylon,<br>Pulo Laut     |
| leucoplagia Hamps., Cat. Lep. Phal. 10, p. 29, t. 149, f. 19, ♂ (1910).   | Pulo Laut                                 |
| mieraeola Meyr., Trans. Ent. Soc. 1902, p. 36 (April 1902) ( <i>Essonistis</i> ). — Hamps., Cat. Lep. Phal. 10, p. 24—25, t. 149, f. 13 (1910), ♂.      | Queensland                                |
| calliscia Turn., Proc. Linn. Soc. N. S. Wales 27, p. 133 (August 1902) ( <i>Thelxinoa</i> ).  |   |
| nivalis Hamps., Journ. Bombay Nat. Hist. Soc. 17, p. 671 (1907), ♂; id. Cat. Lep. Phal. 10, p. 24, t. 149, f. 12 (1910), ♂.                             | Ceylon                                    |
| obliquifascia Joan., Bull. Soc. ent. Fr. 1910, p. 201, ♀. — Hamps., Cat. Lep. Phal. 10, p. 25, t. 152, f. 1 (1910), ♀.                                  | Mauritius                                 |
| pietale Hamps., Ill. Het. Br. Mus. 9, p. 137, t. 168, f. 19, ♀ (1893); id. Cat. Lep. Phal. p. 27—28, f. 10 (1910), ♀.                                   | Ceylon                                    |
| pleurotypa Turn., Proc. Linn. Soc. N. S. Wales 27, p. 133 (1902) ( <i>Thelxinoa</i> ). — Hamps., Cat. Lep. Phal. 10, p. 26—27, t. 149, f. 16, ♂ (1910). | Queensland                                |
| poliophaea Hamps., Cat. Lep. Phal. 10, p. 29—30, t. 149, f. 20 (1910), ♀.   | Ceylon                                    |
| proleuca Hamps., Journ. Bombay Nat. Hist. Soc. 17, p. 671 (1907), ♂. — Hamps., Cat. Lep. Phal. 10, p. 25—26, t. 149, f. 14 (1910), ♂.                   | Bengalen,<br>Ceylon                       |
| rufescens Hamps., Cat. Lep. Phal. 10, p. 27, t. 149, f. 17 (1910), ♀.   | Ceylon                                    |
| xanthopis Hamps., Journ. Bombay Nat. Hist. Soc. 17, p. 672 (1907), ♂; id. Cat. Lep. Phal. 10, p. 28—29, t. 149, f. 18 (1910), ♂.                        | ,,  |

**Cydosia** Westw.

Westw., Jardine's Natur. Libr. 32, p. 193 (1841). — J. B. Smith, Proc. U. S. Nat. Mus. 11, p. 187 (1888). — Dyar, Psyche 8, p. 154 (1897). — Dyar, Journ. New York entom. Soc. 6, p. 41 (1898). — Hamps., Cat. Lep. Phal. 10, p. 10—11 (1910).

*Eggyna* Wlk., List Het. Br. Mus. 35, p. 1894 (1866).

*Penthetria* H. Edw., Papilio 1, p. 80 (1881) nec Meig. 1803.

*Tantura* Kirby, Cat. Lep. Het. p. 86 (1892).

**aurivitta** Grote a. Rob., Trans. Amer. ent. Soc. 2, p. 186 (1869). — Neumoegen a. Dyar, Journ. N. York ent. Soc. 1, p. 154 (1893). — Hamps., Cat. Lep. Phal. 10, p. 14—15, t. 149, f. 7 (1910), ♂ ♀.

**imitella** Stretch, Zyg. a. Bomb. N. Amer. 1, p. 163, t. 7, f. 8 (1873), ♂ ♀. — Neumoegen a. Dyar, Journ. N. York ent. Soc. 1, p. 154 (1893). — Druce, Biol. Centr.-Amer. Het. 2, p. 402 (1897). — Hamps., Cat. Lep. Phal. 10, p. 13, t. 149, f. 5 (1910), ♂ ♀.

**majuscula** H. Edw., Papilio 1, p. 80 (1881) (*Penthetria*), ♀. — Neumoegen a. Dyar, Journ. N. York ent. Soc. 1, p. 113 (1893). — Dyar, l. c., p. 41 (1898). — Hamps., Cat. Lep. Phal. 10, p. 15, t. 149, f. 8 (1910).

**mimica** Wlk., List Het. Br. Mus. 35, p. 1895 (1866). (*Eggyna*). — Hamps., Cat. Lep. Phal. 10, p. 13, t. 149, f. 4 (1910), ♀.

**nobilitella** Cr., Pap. Exot. 3, p. 128, t. 264, f. 6 (1779) (*Phalaena*). — Hamps., Cat. Lep. Phal. 10, p. 11—12, f. 3 (1910), ♂ ♀.

*histrio* F., Spec. Ins. 2, p. 203 (1781) (*Bombyx*). *jamaicensis* Cockerell, Journ. Inst. Jamaica I, p. 135 (1896).

*Westwoodi* Druce, Biol. Centr.-Amer. Het. 2, p. 402 (1897).

Biologie: Cockerell, Psyche, 1897, p. 130. — Dyar, Psyche, 1897, p. 154. — Hamps., Cat. Lep. Phal. 10, p. 12—13 (1910).

Arizona,  
Georgia

Brasilien

Jamaica,  
Cuba,  
Haiti,  
Bahamas,  
Antigua,  
St. Lucia,  
St. Vincent,  
Grenadines,  
Barbados,  
Trinidad,  
Kolumbien,  
Venezuela,  
Britisch-  
Guyana,  
Brasilien,

Mexico,  
Guatemala,  
Costa Rica,  
Panama,  
Brasilien

Haiti

**phaedra** Druce, Biol. Centr.-Amer. Het. 2, p. 402, t. 78, f. 16 (1897), ♂. — Hamps., Cat. Lep. Phal. 10, p. 14, ♂ ♀ (1910).

**punctistriga** Schaus, Trans. Amer. ent. Soc. 30, p. 150 (1904). — Hamps., Cat. Lep. Phal. 10, p. 14, t. 149, f. 6 (1910), ♂.

**submutata** Wlk., List Het. Br. Mus. 35, p. 1895 (1866) (*Eggyna*), ♀. — Hamps., Cat. Lep. Phal. 10, p. 11, t. 149, f. 3 (1910), ♀.

Biologie: Cockerell, Psyche 8, p. 130 (1897).

8

**Lycaugesia** Hamps.

Hamps., Cat. Lep. Phal. 10, p. 263 (1910).

**flavimargo** Hamps., Cat. Lep. Phal. 10, p. 264—65, Brasilien t. 156, f. 20, ♀ (1910).

|   |                      |
|---|----------------------|
| <b>fuscoecosta</b> Hamps., Cat. Lep. Phal. 10, p. 267, t. 156, f. 25<br>(1910), ♂♀.   | Panama               |
| <b>fuscifascia</b> Dogn., Het. nouv. Am. Sud 1, p. 14 (1910), ♂.<br>— Hamps., Cat. Lep. Phal. 10, p. 264, t. 156, f. 19<br>(1910), ♂.                         | Franz. ,<br>Guyana   |
| <b>hypozonata</b> Hamps., Cat. Lep. Phal. 10, p. 268, f. 76, ♂♀<br>(1910).  | Panama,<br>Brasilien |
| <b>longipalpis</b> Swh., Ann. Mag. Nat. Hist. (7) 8, p. 18 (1901),<br>♂ ( <i>Pseudocraspedia</i> ). — Hamps., Cat. Lep. Phal.<br>10, p. 263, t. 75 (1910), ♂. | Borneo               |
| <b>melasoma</b> Hamps., Cat. Lep. Phal. 10, p. 267, t. 156, f. 26<br>(1910), ♂♀.  | Panama               |
| <b>punctilinea</b> Hamps., Cat. Lep. Phal. 10, p. 266, t. 156,<br>f. 24 (1910), ♂.  | Ceylon               |
| <b>rubripicta</b> Hamps., Cat. Lep. Phal. 10, p. 265, t. 156,<br>f. 22 (1910). ♂.   | Panama               |
| <b>rufipuncta</b> Hamps., Cat. Lep. Phal. 10, p. 266, t. 156,<br>f. 23 (1910), ♂.   | Ceylon               |
| <b>teneralis</b> Wlk., List Het. Br. Mus. 34, p. 1345 (1865)<br>( <i>Zebronia</i> ), ♀. — Hamps., Cat. Lep. Phal. 10,<br>p. 265, t. 156, f. 21 (1910), ♀.     | Honduras             |

10

### Scotostena Hamps.

Hamps., Cat. Lep. Phal. 10, p. 372 (1910).

|   |                                    |
|---|------------------------------------|
| <b>lugens</b> Hamps., Cat. Lep. Phal. 10, p. 372, f. 115, ♀ (1910).   | Britisch-Neu-<br>guinea            |
| <b>pinodes</b> Turner, Proc. Linn. Soc. N. S. Wales 34, p. 350<br>(1909) ( <i>Tarache</i> ), ♂. — Hamps., Cat. Lep. Phal.<br>10, p. 372—73, t. 160, f. 1 (1910), ♂. | Queensland,<br>Nord-<br>australien |

2

### Stenostygia Hamps.

Hamps., Cat. Lep. Phal. 10, p. 371 (1910).

|  |                   |
|--|-------------------|
| <b>nigritula</b> Hamps., Moths India IV, p. 514 (1896) ( <i>Ta-</i><br><i>rache</i> ), ♀; id. Cat. Lep. Phal. 10, p. 371, f. 114,<br>♂ ♀ (1910). | Bombay,<br>Ceylon |
|--|-------------------|

1

### Cophanta Wlk.

Wlk., List Het. Br. Mus. 30, p. 964 (1864). — Swh., Ann. Mag. Nat. Hist. 7 (1901), p. 469. — Hamps., Cat. Lep. Phal. 10, p. 562 (1910).

*Toxophleps* Hamps., Ill. Het. Br. Mus. 9, p. 124 (1893).

|   |                             |
|---|-----------------------------|
| <b>funestalis</b> Wlk., List Het. Br. Mus. 30, p. 964 (1864). —<br>Hamps., Cat. Lep. Phal. 10, p. 562—563, f. 154,<br>♂ ♀ (1910).                                     | Ceylon<br>Burma,<br>Borneo, |
| <b>anthracina</b> Snell.; Tijds. v. Ent. 23, p. 59, t. 5, f. 7,<br>u. 7 a (1880) ( <i>Erastria</i> ), ♂ ♀.  | Celebes,<br>Queens-<br>land |
| <b>ab. optiva</b> Swh., Trans. ent. Soc. 1890, p. 224, ♀<br>( <i>Tarache</i> ); id. Ann. Mag. Nat. Hist. 7 (1901),<br>p. 470. — Hamps., Ill. Het. Br. Mus. 9, p. 124, |                             |

5

t. 167, f. 26; id. Moths India 2, p. 307 (*Toxophlebs*) (1894).  
**occidentalis** Hamps., Cat. Lep. Phal. 10, p. 563, f. 155  
 (1910), ♂.  
 2

Sierra  
Leone

### **Acanthofrontia** Hamps.

Hamps., Cat. Lep. Phal. 10, p. 644 (1910).

**lithosiana** Hamps., Cat. Lep. Phal. 10, p. 644, f. 177, ♂  
 (1910).  
 1

### **Cerathosia** J. B. Smith

J. B. Smith, Ent. Amer. 3, p. 79 (1887). — Hamps., Cat. Lep. Phal. 10,  
 p. 642 (1910).

**idella** Barnes, Canad. Ent. 37, p. 193 (1905), ♀♂. — Hamps.  
 Cat. Lep. Phal. 10, p. 643—44, t. 168, f. 15 (1910)  
**tricolor** J. B. Smith, Ent. Amer. 3, p. 79, ♀♂ (1887). —  
 Grote, Ent. Amer. 4, p. 121 (1888). — J. B.  
 Smith, ebenda, p. 122. — Grote, Can. Entom. 21,  
 p. 37 (1889). — J. B. Smith, Ent. Amer. 5, p. 8, 119  
 (1889). — Neumoegen a. Dyar, Journ. New York  
 Ent. Soc. 1, p. 155 (1893). — Dyar, Psyche 8,  
 p. 154 (1897). — Hamps., Cat. Lep. Phal. 10,  
 p. 642—43, t. 176 (1910), ♂.  
 Biologie: Hulst, Ent. Amer. 5, p. 118 (1889). —  
 Hamps., Cat. Lep. Phal. 10, p. 643 (1910).  
 2

### **Himerois** Turn.

Turner, Proc. Linn. Soc. N. S. Wales 27, p. 121 (1902). — Hamps., Cat. Lep.  
 Phal. 10, p. 564—65 (1910).

**thiochroa** Turn. Proc. Linn. Soc. N. S. Wales 27, p. 121  
 (1902). — Hamps., Cat. Lep. Phal. 10, p. 565,  
 f. 157 (1910), ♂♀.  
**univittata** Pagenst., Zoologica 12, p. 80 (1900) (*Xantho-*  
*ptera*), ♂. — Hamps., Cat. Lep. Phal. 10, p. 565,  
 t. 165, f. 26 (1910).  
 2

Queensland

Neu-  
britannien

### **Xanthograpta** Hamps.

Hamps., Cat. Lep. Phal. 10, p. 563 (1910).

**trilatalis** Wlk., List Het. Br. Mus. 34, p. 1237 (*Pyralis*)  
 (1865), ♀. — Hamps., Moths Ind. 2, p. 307 (1894)  
 (*Toxophlebs*); id. Cat. Lep. Phal. 10, p. 564,  
 f. 156, ♂♀ (1910).  
**ab. desaica** Strand n. n.; „Ab. I“ Hamps., Cat. Lep.  
 Phal. 10, p. 564 (1910).  
 1

Indien

Deesa

**Heliocontia** Hamps.

Hamps., Cat. Lep. Phal. 10, p. 662 (1910).

- apicella** Grote, Trans. Amer. Ent. Soc. 4, p. 21 (1872) (*Emmelia*); id. Bull. Buff. Soc. Nat. Sci. 2, p. 37 (*Erotyla*) 1874; id. Canad. Ent. 11, p. 237 (*Spragueia*) (1879). — Druce, Biol. Centr.-Amer. Het. 1, p. 302 (1889) (*Agrophila*). — J. B. Smith, Cat. Noct. N. Amer. p. 302 (1893). — Hamps., Cat. Lep. Phal. 10, p. 663—64, f. 187 (1910), ♂ ♀.  
**truncatula** Zell., Verh. zool.-bot. Ges. Wien 23, p. 203, t. 3, f. 1 (1873) ♀ (*Agrophila*). — Grote, Bull. Buff. Soc. Nat. Sci. 2, p. 199 (1874).  
**accepta** H. Edw., Papilio 1, p. 24 (1881) (*Fruva*), ♂ ♀.  
**marmorea** Druce, Biol. Centr.-Amer. Het. 1, p. 302 (part.) nec Butl. (*Agrophila*) (1889).  
ab. **obliquella** Strand n. n.; „Ab. 1“ Hamps., l. c. p. 664 (1910).  
Biologie: Mrs. Swainson, Journ. N. York Ent. Soc. 8, p. 33 (1900). — Hamps., l. c. p. 664 (1910).  
**eleta** Druce, Biol. Centr.-Amer. Het. 1, p. 302, t. 28, f. 7 (1887) (*Agrophila*), ♂. — Hamps., Cat. Lep. Phal. 10, p. 668 (1910), ♂.  
**lepus** Guen., Noet. 2, p. 204 (1852) (*Agrophila*). — Hamps., Cat. Lep. Phal. 10, p. 664—65, t. 168, f. 30 (♂), 31 (♀) (1910).  
**marmorea** Butl., Trans. Ent. Soc. 1879, p. 27 (*Aphusia*), ♀. — Druce, Biol. Centr.-Amer. Het. 1, p. 302, ♀.  
**inversa** Schaus, Trans. Amer. Ent. Soc. 30, p. 163 (1904), ♀ (*Spragueia*).  
**taragma** Schaus, Trans. Amer. Ent. Soc. 30, p. 164 (1904), ♂ (*Spragueia*).  
**margana** F., Ent. Syst. III, 2, p. 257 (1794) (*Pyralis*), ♂. — Hamps., Cat. Lep. Phal. 10, p. 666—67, f. 188 (1910), ♂ ♀.  
**subapicana** Wlk., List Het. Br. Mus. 28, p. 387 (1863) (*Grapholita*), ♀.  
**rudisana** Wlk., List Het. Br. Mus. 33, p. 776 (1865) (*Agrophila*).  
**sordida** Grote, Canad. Ent. 14, p. 217 (1882) (*Spragueia*). — J. B. Smith, Cat. Noct. N. Amer. p. 305 (1893).  
**canofusa** Hamps., Trans. Ent. Soc. 1898, p. 247, t. 17, f. 4, ♀ (*Spragueia*).  
**tarasca** Schaus, Trans. Amer. Ent. Soc. 30, p. 164 (1904) (*Spragueia*).  
**pantherula** H.-Sch., Corresp.-Blatt zool.-min. Ver. Regensburg 22, p. 151 (1868) (*Emmelia*), ♂. — Hamps., Cat. Lep. Phal. 10, p. 662—63, t. 168, f. 28 (♂), 29 (♀) (1910).  
**uncinula** H.-Sch., Corresp.-Blatt zool.-min. Ver. Regensburg 22, p. 151 (1868), ♀.  
**perstructana** Wlk., List Het. Br. Mus. 33, p. 774 (1865) (*Agrophila*), ♂. — Hamps., Cat. Lep. Phal. 10, p. 667—68, ♂ ♀ (1910).  
**phaenna** Druce, Biol. Centr.-Amer. Het. 1, p. 303, t. 28, f. 8 (1889) (*Agrophila*), ♂.
- U. S. A., Mexico, Guatemala, Panama, Jamaika, Kolumbien  
Zentral-amerika  
Mexico  
Mexico, Panama, Franz.  
Guyana, Brasilien, Argentinien, Venezuela  
Texas, Bahamas, Jamaica, Cuba, St. Croix, Haiti, Grenada, Barbados, Panama, Brasilien, Paraguay, Argentinien  
Cuba  
Mexico, Jamaica

|                  |   |                      |
|------------------|---|----------------------|
| <i>mata</i>      | Druce, Biol. Centr.-Amer. Het. 2, p. 491, t. 94, f. 27 (1898) ( <i>Agrophila</i> ), ♀.  |                      |
| <i>pyralidia</i> | Schaus, Journ. New York Ent. Soc. 6, p. 117 (1898) ( <i>Tarache</i> ). — Hamps., Cat. Lep. Phal. 10, p. 665, t. 168, f. 32, ♂ (1910).     | Mexico               |
| <i>valena</i>    | Druce, Biol. Centr.-Amer. Het. 1, p. 307, t. 28, f. 21 (1889) ( <i>Acontia</i> ), ♀. — Hamps., Cat. Lep. Phal. 10, p. 665—66, ♂ ♀ (1910). | Mexico,<br>Guatemala |
| 8                |   |                      |

### Phaenicophanta Hamps.

Hamps., Cat. Lep. Phal. 10, p. 653 (1910).

|                  |  |                          |
|------------------|--|--------------------------|
| <i>flavifera</i> | Hamps., Cat. Lep. Phal. 10, p. 653—54, f. 184, ♂ ♀ (1910). | Argentinien<br>(Tucuman) |
| 1                |  |                          |

### Spragueia Grote

Grote, Check-List Noct. p. 25 (1875); id. Papilio II, p. 183 (1882). — Hamps., Cat. Lep. Phal. 10, p. 669 (1910).

|                    |   |   |
|--------------------|---|---|
| <i>dama</i>        | Guen., Noct. 2, p. 205 (1852) ( <i>Agrophila</i> ). — Wlk., List H. B. M. 12, p. 773 (1857) ( <i>Agrophila</i> ). — H.-Schäff., Corr.-Blatt 1868, Cuba p. 11 ( <i>Emmelia</i> ). — Grote, Can. Ent. 11, p. 233 (1879). — Gundlach, Cont. Ent. Cab. p. 313 (1885) ( <i>Emmelia</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 305 (1893). — Hamps., Cat. Lep. Phal. 10, p. 672—73, f. 189 (1910), ♀ ♂. | Alabama,<br>Florida,<br>Texas,<br>Mexico,<br>Cuba,<br>Guatemala,<br>Haiti,<br>Grenada |
| <i>transmutata</i> | Wlk., List Het. Br. Mus. 33, p. 776 (1865) ( <i>Agrophila</i> ), ♀. — Grote, Papilio 1, p. 50 (1881). — Druce, Biol. Centr.-Amer. Het. 1, p. 301 (1889) ( <i>Agrophila</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 305 (1893).   |   |
| <i>trifariana</i>  | Wlk., List Het. Br. Mus. 33, p. 777 (1865), ♂ ( <i>Agrophila</i> ). — Druce, Biol. Centr.-Amer. Het. 1, p. 302 (1899) ( <i>Agrophila</i> ).   |   |
| <i>pardalis</i>    | Grote, Papilio 1, p. 50 (1881), ♀.  |   |
| <i>felina</i>      | H.-Sch., Corr. zool.-min. Ver. Regensburg 22 (1868), p. 151 ( <i>Emmelia</i> ).   | Cuba  |
| <i>funeralis</i>   | Grote, Papilio 1, p. 158 (1881); id. Ill. Essay p. 61, t. 3, f. 30 (1882). — J. B. Smith, Cat. Noct. N. Amer. p. 305 (1893). — Hamps., Cat. Lep. Phal. 10, p. 670, t. 169, f. 2 (1910), ♂ ♀.  | Arizona   |
| <i>grana</i>       | Dogn., Ann. Soc. Ent. Belg. 41, p. 414 (1897) ( <i>Agrophila</i> ), ♂. — Hamps., Cat. Lep. Phal. 10, p. 674, t. 169, f. 7 (1910), ♂.  | Ecuador   |
| <i>guttata</i>     | Grote, Canad. Entom. 7, p. 225 (1875), ♀, 11, p. 234 (1879). — J. B. Smith, Cat. Noct. N. Am. p. 305 (1893). — Hamps., Cat. Lep. Phal. 10, p. 669—70, t. 169, f. 1 (1910), ♀.   | Texas   |
| <i>jaguaralis</i>  | Hamps., Cat. Lep. Phal. 10, p. 673—74, t. 169, f. 6 (1910), ♂ ♀.  | Texas,<br>Mexico  |
| <i>rudisana</i>    | Druce, Biol. Centr.-Amer. Het. 1, p. 302 (nec Wlk.) (1889) ( <i>Agrophila</i> ).  |   |
| <i>leo</i>         | Guen., Noct. 2, p. 205 (1852) ( <i>Agrophila</i> ). — Wlk., List Het. Br. Mus. 12, p. 773 (1857). — Grote,  | Florida   |

|   |                       |
|---|-----------------------|
| Canad. Entom. 11, p. 231 (1879). — J. B. Smith,<br>Cat. Noct. N. Amer. p. 304 (1893). — Hamps.,<br>Cat. Lep. Phal. 10, p. 672, t. 169, f. 5.<br><i>onagrus</i> H.-Sch., Aussereurop. Schmett. f. 209<br>nec Guen. ( <i>Agrophila</i> ) (1858).  |                       |
| <i>magnifica</i> Grote, Papilio 2, p. 183 (1882). — J. B. Smith,<br>Cat. Noct. N. Amer. p. 304 (1893). — Hamps.,<br>Cat. Lep. Phal. 10, p. 671, t. 169, f. 3 (1910), ♀.   | Arizona,<br>Neumexico |
| <i>obatra</i> Morr., Proc. Bost. Soc. Nat. Hist. 18, p. 124 (1875)<br>( <i>Tarache</i> ). — Grote, Canad. Ent. 12, p. 186<br>(1880). — J. B. Smith, Cat. Noct. N. Amer.<br>p. 305 (1893). — Hamps., Cat. Lep. Phal. 10,<br>p. 675 (1910).   | Louisiana             |
| <i>onagrus</i> Guen., Noct. 2, p. 205, t. 10, f. 2 (1852) ( <i>Agro-</i><br><i>phila</i> ). — Wlk., List Het. Br. M. 12, p. 774<br>( <i>Agrophila</i> ). — Grote, Bull. Buff. Soc. Nat.<br>Sci. 2, p. 37 (1874); id. Canad. Ent. 11, p. 232<br>(1879). — J. B. Smith, Cat. Noct. N. Amer.<br>p. 304 (1893). — Hamps., Cat. Lep. Phal. 10,<br>p. 671—72, t. 169, f. 4 (1910), ♂ ♀. | Florida,<br>Texas     |
| <i>plumbifimbriata</i> Grote, Canad. Ent. 9, p. 68 (1877), 11,<br>p. 233 (1879). — J. B. Smith, Cat. Noct. N. Amer.<br>p. 304 (1893). — Hamps., Cat. Lep. Phal. 10,<br>p. 675, t. 169, f. 8 (1910), ♂ ♀.  | Texas,<br>Arizona     |
| <i>tigridula</i> H. Sch., Corr. zool.-min. Ver. Regensburg 22,<br>p. 151 (1868) ( <i>Emmelia</i> ).   | Cuba                  |

12

**Conochares** J. B. Smith

J. B. Smith, Journ. N. York Ent. Soc. 13, p. 207 (1905). — Hamps., Cat.  
Lep. Phal. 10, p. 682—83 (1910).

|  |                                       |
|--|---------------------------------------|
| <i>acuta</i> J. B. Smith, Journ. N. York Ent. Soc. 13, p. 207<br>(1905). — Hamps., Cat. Lep. Phal. 10, p. 683,<br>t. 169, f. 13 (1910), ♀.   | Arizona                               |
| <i>altera</i> J. B. Smith, Trans. Amer. Ent. Soc. 29, p. 209<br>(1903) ( <i>Tornacontia</i> ). — Hamps., Cat. Lep. Phal.<br>10, p. 684, t. 169, f. 14 (1910), ♂.   | Kalifornien,<br>Neumexico,<br>Arizona |
| <i>arizonae</i> H. Edw., Pacific Coast Lep. No. 29, p. 7 (1878)<br>( <i>Thalpochares</i> ). — Grote, Canad. Ent. 12, p. 58<br>(1880) ( <i>Thalpochares</i> ). — J. B. Smith Cat. Noct.<br>N. Amer. p. 300 (1893). — Hamps., Cat. Lep.<br>Phal. 10, p. 685, t. 169, f. 15 (1893). |                                       |
| <i>seminivealis</i> Hulst, Trans. Amer. Ent. Soc. 13,<br>p. 157 (1886) ( <i>Orobaena</i> ).  |                                       |
| <i>catalina</i> J. B. Smith, Journ. N. York Ent. Soc. 14, p. 29<br>(1906) ( <i>Thalpochares</i> ). — Hamps., Cat. Lep. Phal.<br>10, p. 686, t. 169, f. 17 (1910), ♂.   | Arizona                               |
| <i>elegantula</i> Harv., Canad. Ent. 8, p. 55 (1876) ( <i>Thalpo-</i><br><i>chares</i> ). — Grote, Canad. Ent. 12, p. 58 (1880)<br>( <i>Thalpochares</i> ). — J. B. Smith, Cat. Noct. N.<br>Amer. p. 300 (1893). — Hamps., Cat. Lep. Phal.<br>10, p. 684, f. 196 (1910), ♂ ♀.    | U. S. A.                              |
| <i>semiopaca</i> Grote, Bull. geogr. geol. Surv. Terr.<br>4, p. 182 (1878) ( <i>Tarache</i> ).   |                                       |
| <i>Hutsoni</i> J. B. Smith, Journ. New York Ent. Soc. 14, p. 28<br>(1906) ( <i>Thalpochares</i> ). — Hamps., Cat. Lep.<br>Phal. 10, p. 686, t. 169, f. 18 (1910), ♂ ♀.   | Arizona                               |

**interrupta** J. B. Smith, Journ. New York Ent. Soc. 13, p. 208 (1905). — Hamps., Cat. Lep. Phal. 10, p. 685—86, t. 169, f. 16 (1910), ♀.  
7

Kalifornien,  
Arizona

7

### Fruva Grote.

Grote, Canad. Ent. 9, p. 69 (1877). — Hamps., Cat. Lep. Phal. 10, p. 681—82 (1910).

**fasciatella** Grote, Canad. Ent. 7, p. 225 (1875) (*Spragueia*) 11, p. 234 (1879). — J. B. Smith, Cat. Noct. N. Amer. p. 302 (1893). — Hamps., Cat. Lep. Phal. 10, p. 682, f. 195 ♂♀ (1910).

Texas,  
Arizona

1

### Tarachidia Hamps.

Hamps., Trans. Ent. Soc. 1898, p. 248; id. Cat. Lep. Phal. 10, p. 686 (1910).

**alata** J. B. Smith, Journ. New York Ent. Soc. 13, p. 210 (1905) (*Acontia*). — Hamps., Cat. Lep. Phal. 10, p. 698, t. 170, f. 8 (1910), ♂♀.

Arizona

**albisecta** Hamps., Lat. Lep. Phal. 10, p. 689—90, t. 169, f. 22 (1910), ♀.

Argentinien

**binocula** Grote, Canad. Ent. 7, p. 224 (1875) (*Tarache*). — J. B. Smith, Cat. Noct. N. Amer. p. 300 (1893) (*Acontia*); id. Journ. N. York Ent. Soc. 10, p. 53 (1902). — Hamps., Cat. Lep. Phal. 10, p. 696, t. 170, f. 3 (1910), ♂♀.

U. S. A.

**candefacta** Hb., Zutr. 3, p. 39, f. 587—88 (1827) (*Tarache*). — J. B. Smith, Cat. Noct. N. Amer. p. 299 (*Acontia*). — Guen., Noct. 2, p. 216 (1852) (*Acontia*). — Wlk., List H. B. M. 12, p. 784 (*Acontia*) (1857). — Grote, Canad. Ent. 12, p. 118 (1880) (*Tarache*). — Hamps., Cat. Lep. Phal. 10, p. 694—95, t. 169, f. 32 (1910), ♂♀.

Kanada,  
U. S. A.,  
Mexico

**minuta** Haw., Brit. Lep. p. 265 (1809) (*Phytometra*) nec Hb. — Wood, Ind. Ent. p. 74, t. 17, f. 423 (1839) (*Phytometra*).

**haworthana** Westw. Brit. Moths 1, p. 243, t. 53, f. 20 (1851) (*Micra*). — Humphreys, Brit. Moths p. 73, t. 29, f. 11 (*Micra*).

**debilis** Wlk., List Het. Br. Mus. 12, p. 786 (1857) (*Acontia*). — Grote a. Rob., Tr. Am. Ent. Soc. 2, p. 78 (1868). — Druce, Biol. Centr.-Am. Het. I, p. 305 (*Acontia*).

Biologie: Guen., Noct. 2, p. 26, f. 2 (1852). — Coquillet, Papilio 3, p. 84 (1883). — Hamps., Cat. Lep. Phal. 10, p. 694—95 (1910).

Arizona,  
Colorado  
desert.

**clausula** Grote Papilio 2, p. 186 (1882) (*Xanthoptera*). — J. B. Smith, Cat. Noct. N. Amer. p. 305 (*Xanthoptera*). — Hamps., Cat. Lep. Phal. 10, p. 700, t. 170, f. 12, ♂ (1910).

**corrientes** Hamps., Cat. Lep. Phal. 10, p. 693, t. 169, f. 28 (♂), 29 (♀) (1910).

Brasilien,  
Paraguay,  
Argentinien  
New Mexico,  
Arizona

**cuta** J. B. Smith, Journ. New York Entom. Soc. 13, p. 211 (1905) (*Acontia*), ♂. — Hamps., Cat. Lep. Phal. 10, p. 698, t. 170, f. 7 (1910), ♂.

|  |                           |
|--|---------------------------|
| <b>erastrioides</b> Guen., Noct. 2, p. 218 (1852) ( <i>Acontia</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 299 (1894) ( <i>Acontia</i> ). — Wlk., List 12, p. 784 (1857) ( <i>Acontia</i> ). — Grote a. Rob., Trans. Am. ent. Soc. 2, p. 78 ( <i>Tarache</i> ). — Hamps., Cat. Lep. Phal. 10, p. 691, t. 169, f. 25, ♂♀ (1910). Biologie: Coquillett, Papilio, 1, p. 8 (1881), 3, p. 84 (1883). — Dyar, Canad. Ent. 1894, p. 21. — Hamps., Cat. Lep. Phal. 10, p. 691 (1910). | Kanada,<br>U. S. A.       |
| <b>flavibasis</b> Hamps., Trans. Ent. Soc. 1898, p. 248, t. 17, f. 3, ♂; id. Cat. Lep. Phal. 10, p. 700—01, f. 197, ♂♀.  | Grenadines,<br>Unioninsel |
| <b>holophaea</b> Hamps., Trans. Ent. Soc. 1898, p. 248, t. 17, f. 17, ♀.   |                           |
| <b>fumata</b> J. B. Smith, Canad. Entom. 37, p. 259 (1905), ♂♀ ( <i>Spragueia</i> ). — Hamps., Cat. Lep. Phal. 10, p. 701, t. 170, f. 14 (1910), ♂♀.   | Nevada,<br>Kalifornien    |
| <b>huita</b> J. B. Smith, Trans. Am. Ent. Soc. 29, p. 213 (1903) ( <i>Acontia</i> ). — Hamps., Cat. Lep. Phal. 10, p. 697, t. 170, f. 5 (1910), ♀.   | Texas,<br>Arizona         |
| <b>jativa</b> Barnes, Canad. Ent. 37, p. 213 (1905) ( <i>Thalpochares</i> ) ♂. — Hamps., Cat. Lep. Phal. 10, p. 698—99, t. 170, f. 9 (1910), ♂.  | Arizona                   |
| <b>libedis</b> J. B. Smith, Trans. Amer. Ent. Soc. 27, p. 80 (1900) ( <i>Acontia</i> ). — Hamps., Cat. Lep. Phal. 10, p. 692—693, t. 169, f. 27 (1910), ♂♀.  | U. S. A.                  |
| <b>margarita</b> Schaus, Trans. Amer. Ent. Soc. 30, p. 163 (1904) ( <i>Spragueia</i> ), ♀. — Hamps., Cat. Lep. Phal. 10, p. 688—89, t. 169, f. 19 (1910), ♀.   | Venezuela                 |
| <b>nannodes</b> Hamps., Cat. Lep. Phal. 10, p. 692, t. 169, f. 26 (1910), ♀.   | Arizona                   |
| <b>neomexicana</b> J. B. Smith, Trans. Am. Ent. Soc. 27, p. 81 (1900) ( <i>Acontia</i> ). — Hamps., Cat. Lep. Phal. 10, p. 695, t. 170, f. 1, ♂ (1910).  | Texas                     |
| <b>parvula</b> Wlk., List Het. Br. Mus. 33, p. 779 (1865) ( <i>Xanthodes</i> ), ♀. — Hamps., Cat. Lep. Phal. 10, p. 690, t. 169, f. 23 (1910), ♂♀. — J. B. Smith, Cat. Noct. N. Amer. p. 303 (1893) ( <i>Fruva</i> ).  | Georgia                   |
| <b>georgica</b> Grote, Canad. Ent. 13, p. 232 (1881) ( <i>Fruva</i> ), ♂. — Butl., Entom. 25, p. 91 (1892).  |                           |
| <b>perita</b> Grote, Canad. Ent. 14, p. 171 (1882) ( <i>Thalpochares</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 314 (1893) ( <i>Thalpochares</i> ). — Hamps., Cat. Lep. Phal. 10, p. 699, t. 170, f. 10 (1910), ♂.   | Arizona                   |
| <b>subcitrinalis</b> Hulst, Trans. Amer. Ent. Soc. 13, p. 157 (1886) ( <i>Orobena</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 304 (1893) ( <i>Xanthoptera</i> ).  |                           |
| <b>semibrunnea</b> Druce, Ann. Mag. Nat. Hist. (8) 3, p. 462 (1909), ♂. — Hamps., Cat. Lep. Phal. 10, p. 697—698, t. 170, f. 6 (1910), ♂.  | Paraguay                  |
| <b>semiflava</b> Guen., Noct. 2, p. 241 (1852) ( <i>Xanthoptera</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 303 (1893) ( <i>Xanthoptera</i> ). — Wlk., List 12, p. 818 (1857) ( <i>Xanthoptera</i> ). — Grote, Bull. Buff. Soc. N. H. 2, p. 221, (1875) ( <i>Prothymia</i> ): id. Can. Ent. 11, p. 235 (1879) ( <i>Xanthoptera</i> ). — Hamps., Cat. Lep. Phal. 10, p. 700, t. 170, f. 13 (1910), ♂♀.   | U. S. A.                  |

|  |  |
|--|--|
| <b>tennesceens</b> J. B. Smith, Journ. New York Ent. Soc. 10, p. 53 (1902) ( <i>Acontia</i> ), ♀. — Hamps., Cat. Lep. Phal. 10, p. 696—97, t. 170, f. 4 (1910), ♀.   | Florida                                    |
| <b>tenuicula</b> Morr., Proc. Bost. Soc. Nat. Hist. 17, p. 218 (1874) ( <i>Tarache</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 299 (1893) ( <i>Acontia</i> ). — Hamps., Cat. Lep. Phal. 10, p. 693—94, t. 169, f. 30 (♂), 31 (♀) (1910).  | Texas,<br>Arizona,<br>Mexico,<br>Kolumbien |
| <b>phecolisca</b> Druce, Biol. Centr.-Amer. Het. 1, p. 306, t. 28, f. 16 (1889) ( <i>Acontia</i> ), ♀.   |  |
| <b>tortricina</b> Zell, Verh. zool.-bot. Ges. Wien 22, p. 461, t. 2, f. 5 (1872) ( <i>Agrophila</i> ). — Grote, Canad. Ent. 11, p. 233 (1879) ( <i>Agrophila</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 306 (1893) ( <i>Spragueia</i> ). — Hamps., Cat. Lep. Phal. 10, p. 690—91, t. 169, f. 24, ♂ ♀ (1910). | Kanada,<br>U. S. A.                        |
| ab. <i>obsoleta</i> Grote, Canad. Entom. 9, p. 69 (1877) u. 11, p. 235 (1879) ( <i>Fruva</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 302 (1893) ( <i>Fruva</i> ). — Hamps., Cat. Lep. Phal. 10, p. 691 (1910).  |  |
| ab. <i>inorata</i> Grote, Papilio 2, p. 183 (1882) ( <i>Spragueia</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 306 (1893) ( <i>Spragueia</i> ).  | Nevada                                     |
| ab. <i>modesta</i> H. Edw., Papilio 4, p. 124 (1884) ( <i>Fruva</i> ), ♂ ♀. — J. B. Smith, Cat. Noct. N. Amer. p. 302 (1893) ( <i>Fruva</i> ). — Hamps., Cat. Lep. Phal. 10, p. 691 (1910).  | Nevada,<br>Hudsons<br>Bay                  |
| ab. <i>deleta</i> H. Edw., Papilio 4, p. 124 (1884) ( <i>Fruva</i> ), ♂. — J. B. Smith, Cat. Noct. N. Amer. p. 303 (1893) ( <i>Fruva</i> ). — Hamps., l. c. p. 691 (1910).   | Arizona,<br>Haiti                          |
| <b>venustula</b> Wlk., List Het. Br. Mus. 33, p. 783 (1865). ( <i>Acontia</i> ), ♀. — Hamps., Cat. Lep. Phal. 10, p. 699, t. 170, f. 11, ♀ (1910).   |  |
| <b>discoidalis</b> Wlk., List Het. Br. Mus. 35, p. 1962 (1866) ( <i>Acontia</i> ), ♀.  |  |
| <b>fortunata</b> Grote, Canad. Ent. 14, p. 171 (1882) ( <i>Thalpochares</i> ). — J. B. Smith, Cat. Noct. N. Amer. p. 314 (1893) ( <i>Thalpochares</i> ).   | Brasilien,<br>Paraguay,<br>Argentinien     |
| <b>viridans</b> Schaus, Trans. Am. Ent. Soc. 30, p. 160, (1904) ( <i>Tarache</i> ). — Hamps., Cat. Lep. Phal. 10, p. 689, t. 169, f. 20 (♂), 21 (♀) (1910).  | Texas,<br>Colorado,<br>Arizona             |
| <b>virginalis</b> Grote, Canad. Ent. 13, p. 15 (1881) ( <i>Tarache</i> ); id. Papilio 1, p. 155 (1881). — J. B. Smith, Cat. Noct. N. Amer. p. 300 (1893) ( <i>Acontia</i> ). — Hamps. Cat. Lep. Phal. 10, p. 696, t. 170, f. 2 (1910).   |  |

# Index.

## Familiae, Subfamiliae, Genera.

- Acanthofrontia Hamps., 66  
Acantuerta Hamps., 30  
Aegocera Latr., 23  
*Aegoceropsis* Karsch., 23  
Agarista Leach, 11  
*Agaristidae* H.-Sch., 3  
**Agaristinae** Strand., 3  
Agaristodes Hamps., 56  
Agriopodes Hamps., 41  
Alypia Hb., 32  
Alypioides Grote, 35  
*Amazela* Boisd., 56  
Amphilita Hamps., 45  
Andriippuris Karsch., 31  
*Androloma* Grote, 32  
Annaphila Grote, 59  
Apaeocera Hamps., 25  
Apina Wlk., 56  
Apocalymnia Hamps., 43  
Apsarasa Moore, 46  
*Araeoptera* Hamps., 63  
Araeopteron Hamps., 63  
Arctiopais Jord., 21  
Argyphoda Hamps., 43  
Argyrolepidia Hamps., 12  
*Arpia* Schaus, 51  
Arrothia Jord., 20  
Astropetes Hamps., 25  
Aucula Wlk., 51  
*Axiorata* Turn., 56  
  
Burgena Wlk., 8  
Bryolymnia Hamps., 42  
  
*Castnii* Wlk., 3  
Caularis Wlk., 49  
Cephalospargesta Möschl., 41  
*Cerathosia* J. B. Sm., 66  
Charilina Wlk., 21  
Chelonomorpha Motsch., 6  
*Ciris* Grote, 47  
*Clitis* Wlk., 38  
Coenobia Steph., 44  
Coenotoca Turn., 53  
  
Conocrus Jord., 10  
Conochares J. B. Smith, 69  
Copanarta Grote, 62  
Cophanta Wlk., 65  
Copidryas Grote, 27  
Crinala Jord., 7  
Crinocula Jord., 6  
Cruria Jord., 11  
*Cyathissa* Grote, 42  
Cydosia Westw., 64  
  
*Dacira* Wlk., 42  
Daphenura Butl., 62  
Darecta H.-Sch., 38  
Derrima Wlk., 44  
*Diamuna* Wlk., 38  
  
*Edwardsia* Neum., 28  
*Eggyna* Wlk., 64  
Emarginea Gn., 42  
*Episteme* Hb., 3  
Erocha Wlk., 49  
*Essonistis* Meyr., 63  
*Eudryas* Boisd., 47  
*Euedwardsia* Grote, 60  
*Euedwardsia* Kby., 28  
Eupseudomorpha Dyar, 28  
Euschirropterus Grote, 28  
Eusemia Dahn., 3  
*Eutaetis* Hb., 13  
Euthisanotia Hb., 47  
Eutrichopidia Hamps., 13  
Eutricopis Morr., 58  
Exsula Jord., 6  
  
*Fenaria* Grote, 51  
Fleta Jord., 7  
Fruva Grote, 70  
  
Gerra Wlk., 51  
Gerrodes Hamps., 51  
Godasa Wlk., 21  
  
Hecatesia Boisd., 23  
*Heliaca* H.-Sch., 61

- Heliocontia* Hamps., 67  
*Heliothodes* Hamps., 58  
*Hespagarista* Wlk., 31  
*Heterandra* H.-Sch., 28  
*Himerois* Turn., 66  
*Hoplarista* Hamps., 29  
*Hypeuthina* Led., 41  
*Hypocoena* Hamps., 45  
  
*Idalima* Turn., 57  
*Immetalia* Jord., 7  
*Ipana* Jord., 55  
*Ipanica* Hamps., 55  
  
*Janthinea* Guen., 60  
  
*Laguea* Jord., 28  
*Leiosoma* Feld., 49  
*Leonides* Druce, 49  
*Leucogonia* Hamps., 55  
*Leucovis* Hamps., 53  
*Longicella* Jord., 40  
*Lophonotidia* Hamps., 27  
*Lycaugesia* Hamps., 64  
  
*Massaga* Wlk., 35  
*Massagidia* Hamps., 36  
*Mazuca* Wlk., 46  
*Metagarista* Wlk., 22  
*Metaxanthia* Hamps., 55  
*Metoptria* Dup., 46  
*Micrapathetis* Meyr., 56  
*Mieriantha* Hamps., 60  
*Microhelia* Hamps., 58  
*Microlita* Hamps., 45  
*Mila* Auriv., 46  
*Mimeusemia* Butl., 26  
*Misa* Karsch., 29  
*Mitrophrys* Karsch., 23  
*Molvena* Wlk., 45  
*Mystrocephala* H.-Sch., 50  
  
*Nikara* Moore, 43  
*Noctuidae* 3  
  
*Omphalagria* Hamps., 44  
*Omphaloceps* Hamps., 30  
*Ophthalmis* Hb., 36  
*Opsyra* Hamps., 55  
*Orthia* H.-Sch., 39  
*Othria* Westw., 39  
*Ovios* Wlk., 58  
  
*Paida* Jord., 21  
*Pais* Hb., 22  
*Panceneria* Hb., 61  
*Panhemeria* Spul., 61  
*Paraegocera* Hamps., 25  
*Paratuerta* Hamps., 51  
  
*Parothria* Hamps., 38  
*Penthetria* H. Edw., 64  
*Perimagia* Strand, 53  
*Phaenicophanta* Hamps., 68  
*Phalaenoides* Lew., 13  
*Phasidia* Hamps., 40  
*Phasis* Wlk., 40  
*Philomma* Grote, 44  
*Polacanthopoda* Hamps., 18  
*Pristoceraea* Karsch., 36  
*Protoseudyra* Hamps., 55  
*Pseudalympia* H. Edw., 32  
*Pseudalympia* Grote, 35  
*Pseuderaspedia* Hamps., 62  
*Pseudina* Guen., 47  
*Pseudopais* Bart., 22  
*Pseudospiris* Butl., 22  
*Psychomorpha* Harr., 52  
*Pycnodontis* Feld., 50  
  
*Radinocera* Hamps., 57  
*Rhabinopteryx* Chr., 41  
*Rhosus* Wlk., 50  
*Rothia* Westw., 18  
  
*Sehalifrontia* Hamps., 38  
*Schausia* Karsch., 27  
*Scotostena* Hamps., 65  
*Scrobigeria* Jord., 9  
*Seirocastnia* Grote, 39  
*Seudyra* Stretch, 53  
*Seudyra* auct., 51  
*Sphetta* Wlk., 44  
*Spragueia* Grote, 68  
*Stenostygia* Hamps., 65  
*Synthymia* Hb., 46  
*Syphania* Oberth., 32  
*Syphanoidea* Bart., 31  
  
*Tantura* Kb., 64  
*Tarachidia* Hamps., 70  
*Thelxinoa* Turn., 63  
*Toxophleps* Hamps., 65  
*Trichocosmia* Grote, 43  
*Tuerta* Wlk., 29  
  
*Vespola* Wlk., 52  
*Veymeria* Hamps., 20  
  
*Weymeria* Karsch., 20  
  
*Xanthograpta* Hamps., 66  
*Xanthospiloptyyx* Wallengr., 14  
*Xanthothrix* H. Edw., 60  
*Xenopseustis* Meyr., 56  
*Xerociris* Cock., 47  
  
*Zalissa* Hamps., 53  
*Zalissa* Wlk., 54

## Species, Subspecies, Varietates.

- abacata* Karsch, 14  
*abyssinica* Strand, (Charilina) 21  
*abyssinica* Hamps., (Aegocera) 23  
*accepta* H. Edw., 67  
*acra* Strand, 21  
*acidalica* Hamps., 63  
*acurata* Swinh., 26  
*acuta* J. B. Sm., 69  
*adrasia* Druce, 51  
*adulatrix* Westw., 19  
*aedessa* Druce, 51  
*aegoceroides* Feld., 54  
*acia* Druce, 51  
*aemulatrix* Westw., 15  
*aeruginosa* Wlk., 50  
*aethrias* Turn., 57  
*aequalis* Wlk., 12  
*aequepartita* Strand, 24  
*affinis* Boisd., (Idalima) 57  
*affinis* Druce, (Aegocera) 23  
*afficta* Butl., 4  
*africana* Butl., 15  
*agricola* Don., 11  
*agoma* Karsch, 30  
*agrius* H.-Sch., 18  
*Aguirrei* Berg., 50  
*aischa* Kb., 18  
*alata* J. B. Sm., 70  
*alba* Rothschi., 53  
*albamedia* Luc., 14  
*albicilia* Hamps., 26  
*albifascia* Wlk., 53  
*albigutta* Karsch, 26  
*albina* Hamps., 47  
*albisecta* Hamps., 70  
*albivitta* Hamps., 56  
*albomaculata* Stoll., 34  
*albcmarginata* Moore, 9  
*alice* Strand, 16  
*alienata* F., 21  
*Allaudi* Mab., 18  
*altera* J. B. Smith, 69  
*aluensis* Butl., 37  
*amabilis* Drury, 21  
*amalthea* Dalm., 39  
*amatrix* Boisd., (Serobigera) 10  
*amatrix* Wlk., (Fleta) 7  
*amatrix* Westw., (Serobigera) 9  
*amazonica* Westw., 39  
*ambusta* Mab., 21  
*amicula* H. Edw., 59  
*amaena* Rothschi., 8  
*angelica* J. B. Smith, 58  
*angularis* Strand, 5  
*angustella* Strand, 17  
*angustifascia* Rothschi., 36  
*angustiplaga* Rothschi., 7  
*Ansorgei* Jord., (Pais) 22  
*Ansorgei* Rothschi., (Aegocera) 24  
*antennalis* Strand, 5  
*anthracina* Snell., 65  
*apicalis* Wlk., 44  
*apicella* Grote, 67  
*arbuti* F., 61  
*arbutoides* Bell., 61  
*arcuata* Jones, 45  
*ardescens* Butl., 13  
*argentata* Druce, 28  
*argyrogramma* Hamps., 25  
*arizonae* H. Edw., 69  
*arruana* Boisd., 9  
*aruna* Moore, 9  
*arvalis* H. Edw., 59  
*assimilis* Boisd., 48  
*astrapeus* Holl., 31  
*athene* Weym., 20  
*atramenta* Hamps., 46  
*atrata* H. Edw., 32  
*atriceps* Hamps., 42  
*atrientralis* Hamps., 15  
*augias* H.-Sch., 39  
*aurea* Grote, (Copanarta) 62  
*aurea* Jord., (Argyrolepidia) 12  
*aurivitta* Grote & Rob., 64  
*Austeni* Moore, 6  
*aziyade* Vuill., 29  
  
*bala* Moore, 53  
*bambucina* Esch., 37  
*Bartholomaei* Boisd., 49  
*basalifasciata* Bart., 15  
*basalis* Rothschi., (Ophthalmis) 36  
*basalis* Wlk., (Mimeusemia) 26  
*basiplaga* Rothschi., 13  
*basipunctaria* Wlk., 62  
*Batesi* Druce, (Xanthospilopt.) 15  
*Batesi* Feld., (Phasis) 40  
*beatrix* Jord., 4  
*Behri* Angas, 10  
*Belangeri* Guér. 7  
*bellatrix* Westw., 4  
*Bernsteini* Woll., 7  
*biakensis* Strand, 37  
*bicolor* Rothschi., 20  
*bicon* Druce, 42  
*Bieti* Oberth., 32  
*bifida* Strand, 58  
*biformis* Butl., 12  
*bijugata* Wlk., 5  
*bimacula* Wlk., 24  
*bimaculata* Gmel., (Alpia) 34  
*bimaculata* H.-Sch., (Alpioides) 35

*binocula* Grote, 70  
*biocellata* Moore, 44  
*bisma* Moore, 4  
*Boisduvali* Cuv., 24  
*bolivar* Jord., 29  
*Bramani* Stretch, 32  
*brevipennis* Stretch, 48  
*brevivitta* Hamps., 24  
*brillians* Neum., 28  
*Brujina* Oberth., 8  
*Buchholzi* Plötz, 15  
*buprasia* Hamps., 51  
*buprasium* Druce, 51  
*burmaensis* Strand, 7  
*burmana* Strand, 6  
*Butleri* Swinh., (Phalaenoides) 14  
*Butleri* Wlk., (Rothlia) 19  
  
*caeruleifera* Wlk., 52  
*caeruleotincta* Lucas, 12  
*calisto* Boisd., 56  
*callicore* Strg., 60  
*calliscia* Turn., 63  
*callisto* Wlk., 56  
*campala* Strand, 16  
*candefacta* Hb., 70  
*candidemarginata* Pouj., 9  
*canescens* Wlk., 63  
*canofusa* Hamps., 67  
*capensis* H.-Sch., 53  
*capiens* Jord., 12  
*carminata* Rothschi., 36  
*casta* H. Edw., 59  
*castanea* Moore, 43  
*Castori* Jord., 15  
*casuarinae* Scott, 11  
*catarhodia* Holl., 18  
*catalina* Smith, 69  
*catocalina* Wlk., (Seudyra) 53  
*catocalina* Wlk., (Zalissa) 54  
*catocaloides* Wlk., 54  
*caudaequina* Karsch, 31  
*caudata* Dew., 31  
*cedrensis* Strand, 57  
*celebensis* Rothschi., 8  
*cellularis* Strand, 5  
*centralis* Rothschi., 26  
*ceramensis* Kb., 12  
*ceylonica* Hamps., 26  
*chalccola* Hamps., 55  
*chalybeata* Rothschi., 8  
*chinensis* Jord., 9  
*chrysochlora* Wlk., 29  
*chrysospila* Wlk., 30  
*cineta* Boisd., 36  
*cinocentralis* Strand, 44  
*clausula* Grote, 70  
*clavigera* Wlk., 50

*clymene* Boisd., 10  
*columbiana* Hamps., (Mystroceph.) 50  
*columbiana* Westw., (Scirocastnia) 39  
*comaria* Druce, 15  
*combusta* Wlk., 42  
*communicans* Wlk., 5  
*communis* Butl., 6  
*concinnula* Mab., 46  
*conferta* Wlk., 37  
*confluens* Weyni., 25  
*congoana* Jord., 27  
*conjuncta* H. Edw., 33  
*connexa* Wlk., 4  
*conspicua* Rothschi., 4  
*constricta* Rothschi. & Jord., 9  
*contigua* Wlk., 19  
*continua* Wlk., 39  
*contorta* Wlk., 11  
*contracta* Butl., 4  
*contraria* Wlk., 40  
*cornigera* Butl., 55  
*corrientis* Hamps., 70  
*coryndoni* Rothschi., 24  
*cosmetica* Karsch, 29  
*cosmopis* Low., 55  
*cosyra* Druce, 27  
*crescens* Wlk., 35  
*Crotchi* H. Edw., 32  
*cuta* J. B. Smith, 70  
*cyanea* Rothschi., 8  
*cyanobasis* Hamps., 57  
*cyanopasta* Hamps., 29  
*cyanostigma* Dogn., 47  
*cynapis* Druce, 8  
*cypris* Grote, 48  
  
*daemonis* Butl., 12  
*dajakana* Grünbg., 46  
*dama* Guen., 68  
*danistica* Grote, 59  
*daria* Druce, 30  
*darna* Druce, 36  
*darocana* Druce, (Eusemia) 6  
*darocana* Druce (Paraegocera) 25  
*darwiniensis* Butl., 11  
*Dawidsoni* Swinh., 26  
*Dayreimi* Oberth., 19  
*debilis* Wlk., 70  
*decia* Grote, 59  
*decipiens* Butl., 40  
*decora* L., 22  
*decorata* Friv., 60  
*deficiens* Mab., 17  
*Dejcami* Oberth., 32  
*deleta* H. Edw., 72  
*delicia* Butl., 36  
*demacula* Strand, 43  
*demens* Druce, 36  
*dentatrix* Westw., 6

- depicta* Grote, 59  
*desaica* Strand, 66  
*despecta* Treit, 44  
*diffusa* Strand, 47  
*diminutiva* Grote, 58  
*dipsaci* Grote, 33  
*discifera* Hamps., 28  
*discoidalis* Wlk., 72  
*discosticta* Hamps., 16  
*discreta* Wlk., 50  
*dispar* Kb., (Omphaloceps) 31  
*dispar* Rothschi., (Tuerta) 29  
*disparata* H. Edw., 33  
*disparilis* H.-Sch., 28  
*dissimilis* Swinh., 54  
*distigma* Mab., 19  
*distincta* Butl., 5  
*diva* Grote, 59  
*divalis* Stgr., 60  
*diversa* Rothschi. & Jord., (Immet.) 8  
*diversa* Wlk., (Radinocera) 57  
*dives* Butl., 5  
*divinula* Grote, 59  
*Dohertyi* Oberth., 12  
*dolens* Druce, 49  
*Doleschalli* Feld., 8  
*domestica* Kühn., 61  
*domina* H. Edw., 59  
*Donovani* Boisd., 11  
*doreyana* Swinh., 8  
*dos* Frr., 61  
*Dubernardi* Oberth., 32  
*dubia* Hb., 22  
*Dugesii* Cockll., 35  
*dulla* Pagenst., 8  
  
*cchione* Boisd., 31  
*econia* Hamps., 26  
*ecuadorina* Westw., 38  
*educta* Wlk., 9  
*Edwardsi* Boisd., 33  
*egregia* Wichg., 15  
*Eichhorni* Rothschi. & Jord., 8  
*ekeikei* B.-B., 55  
*elaborata* H. Edw., 58  
*elaphobia* Druce, 39  
*elegantula* Mab., (Tuerta) 30  
*elegantula* Haw., (Conochares) 69  
*eleta* Druce, 67  
*elongata* Bart., (Xanthospilopt.) 15  
*elongata* Möschl., (Cephalosparg.) 41  
*eoia* Mab., 17  
*ephyra* Augas, 14  
*epicharita* Turn., 11  
*epimenis* Drury, 52  
*epipales* Mab., 20  
*epiphacta* Turn., 63  
*erastrioides* Guen., 71  
*eriopis* H.-Sch., 36  
  
*eudamoides* Butl., 10  
*euphemia* Stoll, 15  
*curyrhoda* Hamps., 52  
*exsiccata* Warr., 46  
*exiguifascia* Swinh., 53  
*extensa* Jord., 39  
*exultans* Wlk., 23  
  
*fabricata* Karsch, 19  
*falcata* Druce, 38  
*fallax* H.-Sch., 41  
*Falkensteinii* Dew., 17  
*fasciata* Hamps., 63  
*fasciata* Butl., (Daphenura) 62  
*fasciata* H. Edw., (Heliothodes) 58  
*fasciatella* Grote, 70  
*fasciatrix* Westw., 5  
*fasciola* Esp., 61  
*fatima* Kb., 15  
*fatuella* Dogn., 47  
*favillalis* Wlk., 63  
*Feisthameli* H.-Sch., 56  
*felina* H.-Sch., 68  
*fenestrata* Boisd., (Hecatcsia) 23  
*fenestrata* Wlk., (Ophthalmis) 37  
*fervida* Wlk., 24  
*figurata* Moore, 46  
*finbria* Möschl., 24  
*finbriata* Boisd., 9  
*fixa* F., 47  
*flava* Leech, 55  
*flavibasis* Hamps., 71  
*flaviciliata* Boisd., 9  
*flavida* Leech, 53  
*flavifera* Hamps., 68  
*flavilinguis* Grote, 35  
*flavimargo* Hamps., 64  
*flavipars* Hamps., 56  
*flavipennis* Bart., 15  
*flexuosa* Wlk., 11  
*floccifera* Möschl., 43  
*floresiana* Rothschi., 36  
*fluitans* Lucas, 12  
*formosa* F., (Aegocera) 24  
*formosa* Montr. (Ophthalmis) 37  
*Forreri* Druce, 43  
*fortunata* Grote, 72  
*fracta* Rothschi., 42  
*Frivaldszkyi* Dup., 61  
*Fruhstorferi* Rothschi., 27  
*fumata* Smith, 71  
*funebris* Rothschi., (Hespagarista) 31  
*funebris* Moore (Ophthalmis) 36  
*fulgorita* Led., 41  
*funeralis* Grote, 68  
*funestalis* Wlk., 65  
*fureifer* Hamps., 38  
*fuscicosta* Hamps., 65  
*fuscifascia* Dogn., 65

- fusca* Banks., 45  
*fuscus* Jord., 28
- gammophora* Guen., 42  
*geminata* J. B. Smith., 41  
*geometria* Hamps., 24  
*georgica* Grote, 71  
*Geraldi* Kb., 26  
*germana* H. Edw., 59  
*geronimo* Barn., 32  
*geryon* F., (Xanthospilopteryx) 15  
*geryon* Wallengr., (Xanthospilopt.) 17  
*Giraudeau* Oberth., 32  
*gladiatoria* Holl., 27  
*glossatrix* Westw., 10  
*Gloveri* Grote et Rob., 28  
*glyciniae* Lewin, 13  
*glycichroa* Turn., 56  
*Goldiei* Druce, 13  
*goniophora* Hamps., 63  
*Gordoni* Butl., 21  
*gracilenta* Grac., 33  
*grana* Dogn., 68  
*grandis* Druce, 15  
*grata* F., 48  
*griseata* Hamps., 63  
*Grotei* Boisd., 35  
*guttalis* Wlk., 45  
*guttata* Grote, 68
- haemagrapha* Hamps., 46  
*haemaplaga* Hamps., 29  
*haemorrhoidalis* Guer., 37  
*Haenschi* Dohrn, 38  
*haimana* Jord., 26  
*halans* Karsch, 30  
*haworthana* Westw., 70  
*hebraica* Auriv., 46  
*heliaca* Schiff., 61  
*hemicycla* Hamps., 29  
*hemiochroa* Hamps., 44  
*hemiphrama* Low., 57  
*henrietta* Grote, 44  
*hesparia* Cr., (Massagidia) 36  
*hesparia* Wlk., (Massaga) 36  
*hesperina* H.-Seh., 38  
*hesperina* H.-Seh., 38  
*hesperioides* Wlk., 10  
*Heydeni* Pagenst., 8  
*Hilzingeri* Berg., 52  
*histrio* F., 64  
*Holli* Oberth., 19  
*holophaea* Hamps., 71  
*Hornimani* Druce, 15  
*hudsonia* H. Edw., 33  
*huita* J. B. Smith., 71  
*Humphreyi* Hamps., 18  
*huonis* Roths., 8  
*Hutsoni* J. B. Smith., 69
- hyperecompoides* Butl., 16  
*hypopyrrha* Butl., 19  
*hypozonata* Hamps., 65
- idella* Barn., 66  
*imitella* Stretch, 64  
*immacula* Strand, 59  
*inclusa* Karsch, 31  
*incongruens* Roths., 18  
*inconspicua* Roths., 13  
*indecisa* Butl., 16  
*inornata* Grote, 43  
*inorata* Grote, 72  
*insulica* Hamps., 29  
*integra* Jord., 12  
*intercisa* Feld., 21  
*interjecta* Westw., 31  
*interlecta* Wlk., 31  
*interniplaga* Mab., 18  
*interposita* Hamps., 53  
*interrupta* J. B. Smith., 70  
*inversa* Schaus, 67  
*irenea* Boisd., 5  
*irenea* Leech, 4  
*isabella* Dogn., 50
- jaguaralis* Hamps., 68  
*jamaicensis* Cockll., 64  
*Jankowskii* Alph., 54  
*janeira* Schaus, 52  
*japonica* Motsch., 6  
*jativa* Barn., 71  
*jocosa* Zell., 61  
*josioides* Wlk., (Immetalia) 7  
*josioides* Wlk., (Aucula) 52  
*juanita* Schaus, 50  
*jueunda* Jord., 22  
*julia* Cr., 22
- Karschi* Holl., 16  
*kebeensis* B.-B., 55  
*keiana* Roths. & Jord., 8  
*kibwezensis* Strand, 24  
*kinabaluensis* Roths., 6  
*Kirbyi* Carp., 17  
*Kirbyi* Holl., 16  
*Klagesi* Jord., 28  
*Kühni* Roths., (Phalaenoides) 13  
*Kühni* Roths., (Radinoecera) 57
- lambertiana* Boisd., 4  
*lamimifera* Saalm., 51  
*Langtoni* Couper, 33  
*laronia* Druce, 43  
*Lasti* Roths., 19  
*latimargo* Hamps., 4  
*latina* Don., 13  
*Latreillei* H.-Seh., 24

- lectrix L., 4  
 Leighi Jord., 24  
 leo Guen., 68  
 leona Schaus, 27  
 leonora Doubl., 57  
 lepus Guen., 67  
*lethe* Feld., 39  
*leucapex* Strand, 37  
*leucodisca* Hamps., 49  
*leuconoë* Feld., 50  
*leuoplaga* Hamps., 63  
*leucorhabda* Jones, 45  
*leucotelus* Wlk., 49  
*leuozona* Hamps., (*Pseuderasp.*) 62  
*leuozona* Turn., (*Micrapatetis*) 56  
*Lewini* Boisd., 14  
*libedis* J. B. Smith, 71  
*limbomaculata* Strand, 16  
*linea* Cr., 37  
*linceoides* Boisd., 37  
*Lindigi* Feld., 39  
*lineola* Steph., 45  
*lithosiana* Hamps., 66  
*lithosima* H. Edw., 59  
*liturata* Auriv., (*Tuerta*) 29  
*liturata* Butl., (*Mazuca*) 46  
*lomata* Karsch, 16  
*lombokensis* Rothschild., 26  
*longipalpis* Kirsch, (*Immetalalia*) 8  
*longipalpis* Swinh., (*Lycaugesia*) 65  
*longipennis* Mab. (*Xanthospilopt.*) 17  
*longipennis* Wlk., (*Xanthospil.*) 16  
*longipennis* Wlk., (*Seudyra*) 54  
*longipes* Druce, 51  
*Lorquini* Grote, 33  
*luctifera* Boisd., 40  
*lugens* Hamps., 65  
*lunaris* Rothschild. & Jord., 12  
*lunata* Hamps., (*Caularis*) 49  
*lunata* Stretch, (*Alypia*) 33  
*luteistriga* Strand, 9  
*lycaon* Druce, 29
- Mabillei* Bart., 17  
*Mac-Cullochi* Kb., 33  
*Macleayi* Swinh., 14  
*macromacula* Strand, 58  
*maculatrix* Westw., (*Eusemia*) 5  
*maculatrix* Westw., (*Eusemia*) 5  
*maculatrix* Wlk., (*Eusemia*) 4  
*maculatrix* Wlk., (*Eusemia*) 5  
*maculatrix* Wlk., (*Godasa*) 21  
*maculipes* Strand, 16  
*maculosa* Rothschild., 57  
*maenas* H.-Sch., 22  
*magna* Wlk., 24  
*magnifica* Grote, (*Spragueia*) 69  
*magnifica* Schaus, (*Aucula*) 52
- mahdi Pagenst. 24  
*majuscula* Edw., 64  
*mandarina* Leech, 54  
*mardava* Druce, 40  
*margana* F., 67  
*margarita* Schaus, 71  
*marginalis* Rothschild., 52  
*Mariae* Swinh., 19  
*mariposa* Grote et Rob., 33  
*maritona* Butl., 35  
*marmorea* Butl., 67  
*marmorea* Druce, 67  
*Marshalli* Hamps., 51  
*mada* Druce, 68  
*matuta* H. Edw., 34  
*mecynoides* Mab., 21  
*medeba* Druce, 18  
*Meeki* Rothschild., 8  
*megisto* Boisd., 14  
*melaina* Joan., 10  
*melanchiton* Mab., 15  
*melanosoma* Druce, 16  
*melanosticta* Hamps., 62  
*melasoma* Hamps., 65  
*melite* Wlk., 37  
*memnonia* Karsch, 29  
*menete* Cr., 24  
*mera* Harv., 59  
*meraca* Karsch, 31  
*meretrix* Westw., 15  
*meridiana* Schaus, 39  
*meridionalis* Schaus, 40  
*metagrion* Butl., 20  
*metallica* Mab., 35  
*metasticta* Hamps., 57  
*micacea* Wlk., 12  
*micraeola* Mayr., 63  
*micropales* Butl., 19  
*miletæ* Cr., 37  
*milioniata* Swinh., 10  
*mimetica* Rothschild., 7  
*mimica* Wlk., 64  
*Minchini* Hamps., 15  
*minerva* Weym., 17  
*minuta* Haw., 70  
*miona* J. B. Smith, 60  
*modesta* H. Edw., 72  
*Moldænkei* Dew., 22  
*mollis* Wlk., 40  
*moluccana* Grünbg., 46  
*monogramma* Hb., 47  
*monophyes* Turn., 58  
*Moorei* Feld., 7  
*mons-lunensis* Hamps., 16  
*monteirona* Butl., 35  
*mozambique* Mab., 16  
*mummia* Cr., 50  
*mutans* Rothschild., 14  
*mutata* Wlk., 37

- nannodes Hamps., 71  
*Neavi* Hamps., 16  
*negrita* Hamps., 5  
*neomexicana* J. B. Smith, 71  
*nepcha* Moore, 54  
*neptioides* Butl., 11  
*nervalis* Strand, 39  
*Neumoegeni* H. Edw., 60  
*neurogramma* Meyr., 14  
*nexa* Boisd., 39  
*nexilis* Morr., 58  
*Niepelti* Oberth., 16  
*nigerrima* Smith, 62  
*nigrescens* Rothschi., 19  
*nigridorsa* Mab., 16  
*nigripennis* Butl., 5  
*nigritula* Hamps., 65  
*nigrobasalis* Bart., 22  
*nigrocaerulea* Hamps., 46  
*nigrotarsata* Grünbg., 46  
*nipalensis* Butl., 5  
*niphoplaga* Druce, 42  
*nivalis* Hamps., 63  
*nivifasciata* Rothschi., 10  
*niveosparsa* Westw., 17  
*nobilisella* Cr., 64  
*noctilux* Wlk., 40  
*noctuiformis* Möschl., 30  
*noctuina* Butl., 25  
*nocturna* Hamps., 27  
*norma* Karsch, 23  
*novae-hiberniae* Boisd., (Argyrol.) 12  
*novae-hiberniae* Butl., (Idalima) 57  
*novenmaculata* Mab., 31  
*nugatrix* Westw., 15  
*numida* Oberth., 41  
*nyassana* Bart., 22  
*nyassica* Strand, 21  
  
*obatra* Morr., 69  
*Oberthüri* Alph., 32  
*obiensis* Rothschi., 27  
*obliqua* Mab., 24  
*obliquella* Strand, 67  
*obliquifascia* Joann., 63  
*obliquisigna* Hamps., 24  
*obryzos* Mab., 25  
*obsolete* Grote, 72  
*occidentalis* Hamps., 66  
*ochracea* Auriv., (Xanthospilopt.) 18  
*ochracea* Butl., (Xanthospilopt.) 17  
*ochracea* Smith, (Emarginea) 42  
*octomaculata* F., 33  
*octomaculatis* Hb., 34  
*oleagina* Dogn., 42  
*ombiranus* Jord., 12  
*onagrus* H.-Sch., 69  
*onagrus* Guen., 69  
*opheltes* Druce, 9  
  
*optiva* Swinh., 65  
*orientalis* Butl., 7  
*orientis* Bart., 21  
*orthozona* Meyr., 56  
*oryz* Druce, 42  
*ovata* Rothschi., 50  
*ovifera* Hamps., 29  
  
*Pagenstecheri* Röb., 37  
*paidiformis* Butl., 22  
*palaca* Rothschi. & Jord., 12  
*pales* Guér., 19  
*pallescens* Tutt., 45  
*pallida* J. B. Smith, (Emarginea) 42  
*pallida* Wlk., (Xanthospilopt.) 16  
*pamphilia* Stoll, 12  
*panamensis* Hamps., 39  
*panganica* Karsch, 19  
*pantherula* H.-Sch., 67  
*papuana* Strand, 11  
*pardalina* Wlk., 17  
*pardalis* Grote, 68  
*parvula* Wlk., 71  
*pectoralis* Jord., 9  
*pedasus* H.-Sch., 19  
*pentelia* Druce, 19  
*perakana* Rothschi., 26  
*pereara* Morr., 42  
*perdix* Druce, 17  
*perita* Grote, 71  
*persimilis* Butl., 26  
*perstructana* Wlk., 67  
*peruviana* Druce, 28  
*peshwa* Moore, 26  
*phaedra* Druce, 64  
*phaenna* Druce, 67  
*phecolisca* Druce, 72  
*picta* Hamps., (Protoseudyra) 55  
*pictale* Hamps., 63  
*picturata* Schaus, 43  
*pinodes* Turn., 65  
*placodes* Lower, 57  
*platensis* Berg, 29  
*platyxantha* Meyr., 11  
*pleurotypa* Turn., 63  
*plumbifimbriata* Grote, 69  
*pocilastis* Meyr., 56  
*Poeyi* Grote, 28  
*Poggei* Dew., 17  
*policula* Lang, 61  
*poliophacea* Hamps., 63  
*polysticta* Butl., 14  
*postica* Wlk., (Mineusemia) 27  
*postica* Wlk., (Mystrocephala) 50  
*posticus* Wlk., 50  
*Powelli* Oberth., 19  
*praefecta* Druce, 39  
*Prasbni* Boid., 14

*Pratti* B.-B., 54  
*primulina* Druce, 38  
*privata* Wlk., 37  
*prochyla* Druce, 8  
*proerosia* Druce, 27  
*proleuca* Hamps., 63  
*prosperpina* Cr., 38  
*prosticta* Hamps., 62  
*proxanthia* Hamps., 38  
*proxima* Wlk., 10  
*puciolia* Druce, 27  
*pulchra* Butl., (*Scrobigera*) 10  
*pulchra* Trim., (*Paida*) 21  
*pulverosa* Rothschi., 50  
*punctata* Hamps., 62  
*punctilinea* Hamps., (*Lycaugesia*) 65  
*punctilinea* Jones, (*Amphilita*) 45  
*punctistriga* Schaus, 64  
*punctivena* J. B. Smith, 45  
*purpurascens* Hamps., 56  
*pustulata* H. Edw., 60  
*pyralidia* Schaus, 68  
*pyraliformis* Wlk., 14  
*pyrastis* Hamps., 56  
  
*quadrata* J. B. Smith, 42  
*quadriguttalis* Hb., 34  
*quadrimacula* H.-Sch., 50  
  
*radians* Boisd., (*Alypioides*) 35  
*radians* Westw., (*Apsarasa*) 46  
*radicalis* Wlk., 51  
*ranapa* Schaus, 42  
*ranunculi* H. Edw., 60  
*rectilinea* Boisd., 25  
*reducta* Rothschi., 9  
*regina* Strand, 26  
*rema* Druce, 29  
*Rendalli* Rothschi., 31  
*resplendens* Rothschi., 14  
*restricta* Rothschi., 14  
*restrictalis* J. B. Smith, 59  
*rhaeo* Druce, 20  
*Ridingsi* Grote, 34  
*Roeberi* Ribbe, 37  
*roma* Druce, 43  
*Rosenbergi* Feld., 37  
*rubicundipennis* Strand., 45  
*rubicunditincta* Strand., 63  
*rubida* Feld., 25  
*rubripicta* Hamps., 65  
*rudisana* Druce, (*Spragucia*) 68  
*rudisana* Wlk., (*Heliocontia*) 67  
*rufa* Hw., 44  
*rufescens* Hamps., 63  
*rufipuncta* Hamps., 65  
*rufodiscalis* Rothschi., 29  
*rufoides* Strand, 18  
*rufostriga* Pack., 45

*ruspina* Auriv., 29  
*ruvensorica* Strand, 16  
  
*sabulosa* Feld., 29  
*sacramenti* Grote, 33  
*salicis* H. Edw., 59  
*Salomonis* Rothschi., 12 u. 13  
*Sanctae-Johannis* Wlk., 48  
*saturata* Wlk., 8  
*Schausi* H. Edw., 40  
*Schenki* Bart., 31  
*secunda* Leech, 55  
*sestinotis* Butl., 4  
*semibrunnea* Druce, 71  
*semiflava* Guen., 71  
*seminivealis* Hulst., 69  
*semiopaca* Grote, 69  
*semiviridis* Druce, 50  
*Semperi* Feld., 10  
*semyron* H.-Sch., 30  
*separata* Druce, (*Scirocastnia*) 39  
*separata* Weym., (*Aegocera*) 24  
*separata* Wlk., (*Seirocastnia*) 39  
*septentrionis* Hamps., 53  
*serpentinum* Feld., 49  
*severa* Cr., 38  
*sevorsa* Grote, 51  
*shevaroyensis* Strand, 4  
*siccima* Strand, 26  
*sidae* F., 21  
*signata* Bart., 17  
*silhetensis* Bult., 7  
*similis* Stretch, 33  
*simplex* Butl., (*Eusemia*) 4  
*simplex* Lucas, (*Agarista*) 12  
*simplex* Rothschi., (*Rothia*) 19  
*simyra* Westw., 20  
*Smithi* Holl., 17  
*solicita* Swinh., 5  
*sordida* Grote, 67  
*spadicca* Feld., 50  
*splendida* Butl., 9  
*Staudingeri* Oberth., 10  
*stellata* Wlk., 44  
*strigicincta* Wlk., 46  
*Stuarti* Schaus, 35  
*subalba* Leech, 54  
*subangula* Strand, 43  
*subapicana* Wlk., 67  
*subaspera* Wlk., 58  
*subcitrinalis* Hulst., 71  
*subflava* Moore, 54  
*sublata* Wlk., 52  
*submutata* Wlk., 64  
*subterminalis* Hamps., 20  
*subtilis* Mab., 41  
*suffusa* Strand, 47  
*suffusana* Strand, 58

- |  |  |
|--|--|
| <i>sumatrana</i> Roths., 4<br><i>sumbana</i> Roths., 5<br><i>superba</i> Butl., (Xanthospilopt.) 17<br><i>superba</i> H. Edw., (Anaphila) 60<br><i>Swinhoei</i> Semp., 38<br><i>synopla</i> Turu., 11<br><br><i>taeniata</i> Roths., 10<br><i>tanganyikana</i> Oberth., 18<br><i>tara</i> Swinh., 27<br><i>taragma</i> Schaus, 67<br><i>tarasca</i> Schaus, 67<br><i>tenebrata</i> Scop., 61<br><i>tenebrosa</i> Hamps., 43<br><i>teneralis</i> Wlk., 65<br><i>tenuescens</i> J. B. Smith, 72<br><i>tenuicula</i> Morr., 72<br><i>tenuifascia</i> Hamps., 36<br><i>terminatis</i> Wlk., 18<br><i>tetrapleura</i> Meyr., 14<br><i>thiochroa</i> Turn., 66<br><i>thomensis</i> Jord., 30<br><i>Thruppi</i> Butl., 20<br><i>thyridion</i> Feisth., 23<br><i>tigridula</i> H.-Sch., 69<br><i>tigrina</i> Druce, 18<br><i>timorensis</i> Roths., 12<br><i>tortricina</i> Zell., 72<br><i>tranquilla</i> Butl., 20<br><i>transducta</i> Wlk., 9<br><i>transiens</i> Hamps., (Tuerta) 30<br><i>transiens</i> Wlk., (Seudyra) 54<br><i>transmutata</i> Wlk., 68<br><i>triangularis</i> Mab., 31<br><i>tribuna</i> Hb., 39<br><i>tricolor</i> Butl., (Scrobiger) 10<br><i>tricolor</i> Druce, (Tuerta) 30<br><i>tricolor</i> J. B. Smith, (Cerathosia) 66<br><i>tricolora</i> B.-B., 25<br><i>trifariana</i> Wlk., 68<br><i>trilatalis</i> Wlk., 66<br><i>trimaculata</i> Boisd., 35<br><i>Trimeni</i> Feld., 30<br><i>tripartita</i> Butl., (Micrapatetis) 56<br><i>tripartita</i> Kb., (Aegocera) 25<br><i>triphænoïdes</i> Wallgr., (Aegoc.) 24<br><i>triphænoïdes</i> Wlk., (Metagarista) 23<br><i>triplagiata</i> Roths., 30<br><i>triseriata</i> Bart., 18<br><i>tristifica</i> Hb., 14<br><i>tropica</i> Luc., 11<br><i>truncatula</i> Zell., 67<br><i>tucumanus</i> Jord., 28<br><i>turanica</i> Ersch., 42<br><i>tybo</i> Barn., 41<br><i>tyrianthina</i> Butl., (Exsula) 7<br><i>tyrianthina</i> Butl., (Immetalia) 8 | <i>uncinula</i> H.-Sch., 67<br><i>undulans</i> Wlk., 49<br><i>unimacula</i> Low., 13<br><i>unio</i> Hb., 48<br><i>unipunctata</i> Schaus, 50<br><i>univittata</i> Pagenst., 66<br><br><i>vacillans</i> Wlk., 10<br><i>vagata</i> Wlk., 57<br><i>valena</i> Druce, 68<br><i>Valkeri</i> Hamps., 28<br><i>varia</i> Wlk., 9<br><i>variegata</i> J. B. Smith, 59<br><i>vellerea</i> Guen. 47<br><i>venosa</i> Moore, 54<br><i>venulia</i> Cr., 25<br><i>venusta</i> Leech, 54<br><i>venustula</i> Wlk., 72<br><i>vetula</i> Geyer, 5<br><i>viatrix</i> Westw., 6<br><i>Vilemani</i> Hamps., 27<br><i>villicoides</i> Butl., 6<br><i>vindex</i> Butl., 57<br><i>viola</i> Fr., 61<br><i>violacea</i> H.-Sch., 60<br><i>virescens</i> Butl., 35<br><i>virginalis</i> Grote, 72<br><i>virguncula</i> Mab., 20<br><i>viridans</i> Schaus, 72<br><i>viridata</i> Harv., 41<br><i>viridimedia</i> J. B. Smith, 43<br><i>vithoroides</i> Leech, 36<br><i>vittata</i> Butl., 27<br><i>viticollis</i> Roths., 27<br><i>volupia</i> Druce, 40<br><i>vulcanica</i> Butl., 10<br><br><i>Walkeri</i> Druce, (Alypioides) 35<br><i>Walkeri</i> Hamps., (Euschirropter.) 28<br><i>Watersi</i> Butl., 20<br><i>Westwoodi</i> Butl., (Rothia) 20<br><i>Westwoodi</i> Druce, (Cydosia) 64<br><i>Westwoodi</i> Kb., (Eusemia) 5<br><i>Wilemani</i> Hamps., 27<br><i>Wilsoni</i> Grote, 47<br><i>Wittfeldi</i> H. Edw., 34<br><br><i>xanthomelas</i> Boisd., 7<br><i>xanthopis</i> Hamps., 63<br><i>xanthopyga</i> Mab., 20<br><br><i>yosemitensis</i> Strand, 59<br><br><i>zea</i> H.-Sch., 20<br><i>zelleri</i> Butl., 36<br><i>zenceri</i> Hamps., 18<br><i>Zenkeri</i> Karsch, 18<br><i>zeodita</i> Niep., 18 |
|--|--|





